



TENDER NAME: PROPOSED COMPLETION OF MATERIAL TESTING LABORATORY, CONTROL ROOMS & OFFICES.

FOR

THE DEPARTMENT OF ROADS, PUBLIC WORKS AND TRANSPORT.

TENDER NO: CGB/DRPWT/PWT/002/2021/2022

NEGOTIATION NO: 897428



TABLE OF CONTENTS

INV	VITATION TO TENDER	V
API	PENDIX TO THE PREFACE	vii
GU	IDELINES FOR PREPARATION OF TENDER DOCUMENTS	vii
2.	PART 1 - TENDERING PROCEDURES	vii
2. 3.	PART 2 - PROCUREMENT ENTITY'S REQUIREMENTS	
<i>4</i> .	PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS	
INV	VITATION TO TENDER	
	CTION I - INSTRUCTIONS TO TENDERERS	
		_
А.	General Provisions	
	1. Scope of Tender	
	2. Fraud and Corruption	
	3. Eligible Tenderers	
	4. Eligible Goods, Equipment, and Services	
	5. Tenderer's Responsibilities	
B.	Contents of Tender Documents	
6.	Sections of Tender Document	
7.	Site visit	
8.	Pre-Tender Meeting	
9.	Clarification and amendment of Tender Documents	
10.	Amendment of Tender Documents	
C.	Preparation of Tenders	
11.	Cost of Tendering	
12.	Language of Tender	
13.	Documents Comprising the Tender	
14.	Form of Tender and Schedules	6
15.	Alternative Tenders	
16.	Tender Prices and Discounts	
17.	Currencies of Tender and Payment	
18.	Documents Comprising the Technical Proposal	7
19.	Documents Establishing the Eligibility and Qualifications of the Tenderer	
20.	Period of Validity of Tenders	
21.	Tender Security	
22.	Format and Signing of Tender	
D	Sealing and Marking of Tenders	9
23.	Sealing and Marking of Tenders	9
24.	Deadline for Submission of Tenders	
25.	Late Tenders	
26.	Withdrawal, Substitution, and Modification of Tenders	
27.	Tender Opening	
E.	Evaluation and Comparison of Tenders	
28.	Confidentiality	
29.	Clarification of Tenders	
30.	Deviations, Reservations, and Omissions	
31.	Determination of Responsiveness	
32.	Non-material Non-conformities	
ii		

33.	Arithmetical Errors	
34.	Conversion to Single Currency	
35.	Margin of Preference and Reservations	
36.	Subcontractors	13
30. 37.	Evaluation of Tenders	
38.	Comparison of Tenders	
39.	Abnormally Low Tenders	
40.	Abnormally High Tenders	
41.	Unbalanced and/or Front-Loaded Tenders	
42.	Qualifications of the Tenderer	
43.	Best Evaluated Tender	
44.	Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders	
F.	Award of Contract	
45.	Award Criteria	15
46.	Notice of Intention to enter into a Contract	
47.	Standstill Period	
	Debriefing by the Procuring Entity	
48.		
49.	Letter of Award	
50.	Signing of Contract	
51.	Appointment of Adjudicator	
52.	Performance Security	
53.	Publication of Procurement Contract.	
53.	Procurement Related Complaints	
SEC	TION II-TENDER DATA SHEET(TDS)	
SEC	TION III - EVALUATION AND QUALIFY ON CRITERIA	23
1.	General Provisions	
	Preliminary examination for Determination of Responsiveness	
2.		
3.	Tender Evaluation (ITT 35)	
4.	Multiple Contracts	
5.	Alternative Tenders (ITT 13.1)	
6.	Margin of Preference is not applicable	
7.	Post qualification and Contract award (ITT 39), more specifically	
SEC	TION IV – TENDERING FORMS	
OUA	ALIFICATION FORMS	28
V ^{UP}	1. Form Equ. Equipment	
	2. Form per-1	
	4. FORM PER-2:	
5.	TENDERERS QUALIFICATION WITHOUT PRE-QUALIFICATION	
	FORM ELI -1.1	
	FORM ELI -1.2	
	FORM CON – 2	
5.4	FORM FIN – 3.1:	
5.5	FORM FIN – 3.2:	
5.6	FORM FIN – 3.2:	
5.7	FORM FIN – 3.4:	
5.8	FORM EXP - 4.1	
5.9	FORM EXP - 4.2(a)	
5.11	FORM EXP - 4.2(b)	
ОТН	IER FORMS	<u></u>
~ • • • •		····· ··· ··· ··· ··· ··· ··· ··· ···

6.	FORM OF TENDER	
	a) TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE	45
	 b) CERTIFICATE OF INDEPENDENT TENDER DETERMINATION 	
	c) SELF-DECLARATION FORM - SELF DECLARATION OF THE TENDERER	
	d) APPENDIX 1- FRAUD AND CORRUPTION	
	u) ATTENDIX 1-TRAOD AND CORROT TION	
	FORM OF TENDER SECURITY - DEMAND BANK GUARANTEE	
8.	FORM OF TENDER SECURITY (INSURANCE GUARANTEE)	55
9.	FORM OF TENDER-SECURING DECLARATION	
10.	APPENDIX TO TENDER	57
PART	'II - WORK REQUIREMENTS	58
SECT	ION V - DRAWINGS	58
	ION VI - SPECIFICATIONS	
	ION VII - BILLS OF QUANTITIES	
	1. Objectives	
	 Day work Schedule 	
	 Day work schedule	
	 The Bills of Quantities 	
	4. The bins of Quantities	
PART	III-CONDITIONS OF CONTRACT AND CONTRACT FORMS	60
SECT	ION VIII - GENERAL CONDITIONS OF CONTRACT	60
	A. General	
	1. Definitions	61
	 Definitions Interpretation 	
	 Interpretation Language and Law 	
	6. Communications	
	7. Subcontracting	
	8. Other Contractors	
	9. Personnel and Equipment	
	10. Procuring Entity's and Contractor's Risks	
	11. Procuring Entity's Risks	
	12. Contractor's Risks	
	13. Insurance	
	14. Site Data	
	15. Contractor to Construct the Works	
	16. The Works to Be Completed by the Intended Completion Date	
	17. Approval by the Project Manager	
	18. Safety	
	19. Discoveries	
	20. Possession of the Site	65
	21. Access to the Site	
	22. Instructions, Inspections and Audits	65
	23. Appointment of the Adjudicator	
	24. Settlement of Claims and Disputes	
	25. Fraud and Corruption	
B. Ti	me Control	68
	1 Program	68

I me C	VILU VI	JO .
1.	Program	68
	Extension of the Intended Completion Date	
	Acceleration	
	Delays Ordered by the Project Manager	
	Management Meetings	
	Early Warning	
0.		, 0



C.	Quality Control	
1.	Identifying Defects	69
2.	Tests	
3.	Correction of Defects	69
4.	Uncorrected Defects	69
D.	Cost Control	
1.	Contract Price	
2.	Changes in the Contract Price.	
3.	Variations	
4.	Cash Flow Forecasts	
5.	Payment Certificates	72
6.	Payments	72
7.	Compensation Events	73
8.	Tax	73
9.	Currency y of Payment	73
10.	Price Adjustment	73
11.	Retention	74
12.	Liquidated Damages	74
13.	Bonus	74
14.	Advance Payment	74
15.	Securities	
16.	Dayworks	75
17.	Cost of Repairs	
	*	
Е.	Finishing the Contract	
1.	Completion	75
2.	Taking Over	75
3.	Final Account	
4.	Operating and Maintenance Manuals	75
5.	Termination	76
6.	Payment upon Termination	76
7.	Property	76
8.	Release from Performance	
SEC	TION IX - SPECIAL CONDITIONS OF CONTRACT	77
SEC	TION X - CONTRACT FORMS	88
FOR	RM No. 1 - NOTIFICATION OF INTENTION TO AWARD	80
FOR	RM No. 2 – REQUEST FOR REVIEW	83
FOR	RM No. 3 - LETTER OF AWARD	83
	RM No. 4 - CONTRACT AGREEMENT	
	RM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]	
	RM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]	
	RM No. 7- ADVANCE PAYMENT SECURITY	
	RM No. 8- RETENTION MONEY SECURITY	
	RM No. 9- BENEFICIAL OWNERSHIP DISCLOSURE FORM	





COUNTY GOVERNMENT OF BOMET

TENDER DOCUMENT

1. NAME AND CONTACT AND ADRESSES OF PROCURING ENTITY.

Name; CHIEF OFFICER, DEPARTMENT OF PUBLIC WORKS & TRANSPORT,

COUNTY GOVERNMENT OF BOMET.

Address; P.O BOX 19- 20400 BOMET

Email address

.....

2. Invitation to Tender (ITT) No. CGB/DRPWT/PWT/002/2021/2022

Tender Name; PROPOSED COMPLETION OF MATERIAL TESTING LABORATORY, CONTROL ROOM & OFFICES.

3.

INVITATION TO TENDER

PROCURING ENTITY: CHIEF OFFICER, DEPARTMENT OF PUBLIC WORKS & TRANSPORT,

COUNTY GOVERNMENT OF BOMET.

1. CONTRACT NAME AND DESCRIPTION: PROPOSED COMPLETION OF MATERIAL TESTING LABORATORY, CONTROL ROOM & OFFICES

2. The Chief Officer, Department of Public Works & Transport, County Government of Bomet invites sealed tenders for the construction of *PROPOSED COMPLETION OF MATERIAL TESTING LABORATORY*, *CONTROL ROOM & OFFICES*

- 1. Tendering will be conducted under open National competitive using a standardized tender document. Tendering is open to <u>all qualified and interested Tenderers</u>.
- 2. Interested Building contractors registered with National Construction Authority (NCA) in Category "7" and above and meeting other tendering requirements are eligible to tender and must submit as mandatory requirement the following documents;
 - 2.1. Certified copy of certificate of incorporation,
 - 2.2. Certified copy of CR 12,
 - 2.3. Certified copy of KRA PIN Certificate,
 - 2.4. Valid Tax compliance certificate,
 - 2.5. Certified copy of Business permit,
 - 2.6. Certified certificate of Registration with National Construction Authority for building works NCA 7,
 - 2.7. Current NCA practising certificate,
 - 2.8. Duly filled confidential business questionnaire (attach CR 12 to confirm Directors),
- 3. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours [0800 to 1700 hours] at the address given below.
- 4. tender documents shall be obtained electronically from the Website(s).
- 5. A complete set of Tender documents may be viewed and downloaded for free from the website www.bomet.go.ke. or suppliers' portal vide the negotiation number attached for each tender.
- 6. Tenderers who download the tender document must forward their particulars immediately to *(insert email, telephone and postal address)* to facilitate any further clarification or addendum.
- 7. Tenders shall be quoted be in Kenya Shillings and shall include all taxes. Tenders shall remain valid for (120) days from the date of opening of tenders.
- 8. All Tenders must be accompanied by a [insert "tender Security" of Kshs120,000 in the currency of Kenya shillings.
- 9. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 10. Completed tenders must be delivered to the address below on or before on or before THURSDAY 25TH NOVEMBER 2021 at 11:00 Am.]. Electronically through IFMIS portal and 1Hard Copy to be delivered in the tender Box Situated in the county Procurement Office.



- 11. Tenders will be opened immediately after the deadline date and time specified above or any dead line date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 12. Late tenders will be rejected.
- 10. The addresses referred to above are:
- A. Address for obtaining further information and for purchasing tender documents
 - 1) **County Government of Bomet**
 - 2) **Procurement Office located next to the County Treasury**)
 - 3) P.o Box 19-20400 Bomet
 - 4) Samuel Kirui-0724001209-skirui2012@gmail.com

B. Address for Submission of Tenders.

- 1) **County Government of Bomet**
- 2) **Procurement Office located next to the County Treasury**)
- 3) P.o Box 19-20400 Bomet
- 4) Samuel Kirui-0724001209-skirui2012@gmail.com

С. Address for Opening of Tenders.

- **County Government of Bomet** 1)
- 2) **Procurement Office located next to the County Treasury**)

[Authorized Official (name, designation, Signature and date)]

Name

(Official of the

Procuring Entity issuing the invitation)

Designation_____ Signature____ Date_____

PART 1 - TENDERING PROCEDURES



SECTION I: INSTRUCTIONS TO TENDERERS

A <u>General Provisions</u>

1. Scope of Tender

1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are **specified in the TDS**.

2. Fraud and Corruption

- 2.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 2.2 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding <u>collusive</u> <u>practices</u> in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 2.3 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.
- 2.4 Unfair Competitive Advantage -Fairness and transparency in the tender process require that the Firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender being tendered for. The Procuring Entity shall indicate in the **TDS** firms (if any) that provided consulting services for the contract being tendered for. The Procuring Entity shall check whether the owners or controllers of the Tenderer are same as those that provided consulting services. The Procuring Entity shall, upon request, make available to any tenderer information that would give such firm unfair competitive advantage over competing firms.

3. Eligible Tenderers

- 3.1 A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.7 or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. Public employees and their close relatives (*spouses, children, brothers, sisters and uncles and aunts*) are not eligible to participate in the tender. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the **TDS.**
- 3.2 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- 3.3 A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:
 - a) Directly or indirectly controls, is controlled by or is under common control with another tenderer; or
 - b) Receives or has received any direct or indirect subsidy from another tenderer; or
 - c) Has the same legal representative as another tenderer; or
 - d) Has a relationship with another tenderer, directly or through common third parties, that puts it in a position



to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process; or

- e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender; or
- f) any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as Engineer for the Contract implementation; or
- g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document or
- h) Has a close business or family relationship with a professional staff of the Procuring Entity who:
 - i) are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
 - ii) would be involved in the implementation or supervision of such Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 3.4 A tenderer shall not be involved in corrupt, coercive, obstructive, collusive or fraudulent practice. A tenderer that is proven to have been involved any of these practices shall be automatically disqualified.
- 3.5 A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender.
- 3.6 A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT 4.8.A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or subconsultants for any part of the Contract including related Services.
- 3.7 Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- 3.8 Tenderers that are state-owned enterprises or institutions may be eligible to compete and be awarded a Contract(s) only if they are accredited by PPRA to be (i) a legal public entity of the state Government and/or public administration, (ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis.
- 3.9 A Firms and individuals may be ineligible if their countries of origin (a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country, or (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.
- 3.10 Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, subcontracts and labor) from national suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided in for this purpose is be provided in *"SECTION III EVALUATION AND QUALIFICATION CRITERIA, Item 9"*.
- 3.11 Pursuant to the eligibility requirements of ITT 4.10, a tender is considered a foreign tenderer, if the tenderer is not registered in Kenya or if the tenderer is registered in Kenya and has less than 51 percent ownership by Kenyan



Citizens. JVs are considered as foreign tenderers if the individual member firms are not registered in Kenya or if are registered in Kenya and have less than 51 percent ownership by Kenyan citizens. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.

- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website www.nca.go.ke.
- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke
- 3.14 A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a valid tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

4. Eligible Goods, Equipment, and Services

- 4.1 Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not eligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 4.2 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

5. Tenderer's Responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 5.2 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.
- 5.3 The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity against all liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the inspection.
- 5.4 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

B. <u>Contents of Tender Documents</u>

6. Sections of Tender Document

6.1 The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 8.

PART 1 Tendering Procedures

- i) Section I Instructions to Tenderers (ITT)
- ii) Section II Tender Data Sheet (TDS)
- iii) Section III Evaluation and Qualification Criteria
- iv) Section IV Tendering Forms

PART 2 Works Requirements

- i) Section V Drawings
- ii) Section VI Specifications
- iii) Section VII Bills of Quantities

PART 3 Conditions of Contract and Contract Forms

- i) Section VIII General Conditions of Contract (GCC)
- ii) Section IX Special Conditions of Contract (SC)
- iii) Section X Contract Forms

6.2 The Invitation to Tender Document (ITT) issued by the Procuring Entity is not part of the Contract documents.

6.3 Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 8. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.

The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

7. Site Visit

7.1 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Required Services and its surroundings and obtain all information that may be necessary for preparing the Tender and entering into a contract for the Services. The costs of visiting the Site shall be at the Tenderer's own expense.

8. Pre-Tender Meeting

- 8.1 The Procuring Entity shall specify in the **TDS** if a pre-tender meeting will be held, when and where. The Procuring Entity shall also specify in the **TDS** if a pre-arranged pretender site visit will be held and when. The Tenderer's designated representative is invited to attend a pre-arranged pretender visit of the site of the works. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.2 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- 8.3 Minutes of the pre-Tender meeting and the pre-arranged pretender site visit of the site of the works, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT 6.3. Minutes shall not identify the source of the questions asked.
- 8.4 The Procuring Entity shall also promptly publish anonym zed (*no names*) Minutes of the pre-Tender meeting and the pre-arranged pretender visit of the site of the works at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-tender meeting and the pre-arranged pretender site visit, shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Nonattendance at the pre-Tender meeting will not be a cause for disqualification of a Tenderer.

9. Clarification and amendments of Tender Documents

9.1 A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting and the pre-



arranged pretender visit of the site of the works if provided for in accordance with ITT 8.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender Documents in accordance with ITT 6.3, including a description of the inquiry but without identifying its source. If specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents appropriately following the procedure under ITT 8.4.

10. Amendment of Tendering Document

- 10.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tendering document by issuing addenda.
- 10.2 Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tendering document from the Procuring Entity in accordance with ITT 6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's web page in accordance with ITT 8.4.
- 10.3 To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity shall extend, as necessary, the deadline for submission of Tenders, in accordance with ITT 25.2 below.

C. Preparation of Tenders

11. Cost of Tendering

11.1 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

12. Language of Tender

12.1 The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

13. Documents Comprising the Tender

13.1 The Tender shall comprise the following:

- a) Form of Tender prepared in accordance with ITT 14;
- b) Schedules including priced Bill of Quantities, completed in accordance with ITT 14 and ITT 16;
- c) Tender Security or Tender-Securing Declaration, in accordance with ITT 21.1;
- d) Alternative Tender, if permissible, in accordance with ITT 15;
- e) Authorization: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 22.3;
- f) Qualifications: documentary evidence in accordance with ITT 19establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
- g) Conformity: a technical proposal in accordance with ITT 18;
- h) Any other document required in the **TDS**.
- 13.2 In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender,



together with a copy of the proposed Agreement. The Tenderer shall chronologically serialize pages of all tender documents submitted.

13.3 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

14. Form of Tender and Schedules

14.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested.

15. Alternative Tenders

- 15.1 Unless otherwise specified in the **TDS**, alternative Tenders shall not be considered.
- 15.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 15.3 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity. When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

16. Tender Prices and Discounts

- 16.1 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.
- 16.2 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- 16.3 The price to be quoted in the Form of Tender, in accordance with ITT 14.1, shall be the total price of the Tender, including any discounts offered.
- 16.4 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 14.1.
- 16.5 It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except in cases where the contract is subject to <u>fluctuations and adjustments</u>, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- 16.6 Where tenders are being invited for individual lots (contracts)or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 16.4, provided the Tenders for all lots (contracts) are opened at the same time.



16.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

17. Currencies of Tender and Payment

17.1 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings. A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya shall device own ways of getting foreign currency to meet those expenditures.

18. Documents Comprising the Technical Proposal

18.1 The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, in sufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

19. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 19.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- 19.2 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 19.3 A margin of preference will not be allowed. Preference and reservations will be allowed, individually or in joint ventures. Applying for eligibility for Preference and reservations shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 19.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, <u>a contractor or group of contractors</u> qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 19.5 The purpose of the information described in ITT 19.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- 19.6 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the tenderer under ITT 6.3. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 19.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 19.8 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 19.9 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of



interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:

- i) if the procurement process is still ongoing, the tenderer will be disqualified from the procurement process,
- ii) if the contract has been awarded to that tenderer, the contract award will be set aside,
- iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other persons have committed any criminal offence.
- 19.10 If a tenderer submits information pursuant to these requirements that is incomplete, inaccurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

20. Period of Validity of Tenders

- 20.1 Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 24). A Tender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 20.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 21.1, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tender security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except as provided in ITT 20.3.
- 20.3 If the award is delayed by a period exceeding the number of days to be specified in the **TDS** days beyond the expiry of the initial tender validity period, the Contract price shall be determined as follows:
 - a) in the case of **fixed price** contracts, the Contract price shall be the tender price adjusted by the factor specified in the **TDS**;
 - b) in the case of **adjustable price** contracts, no adjustment shall be made; or in any case, tender evaluation shall be based on the tender price without taking into consideration the applicable correction from those indicated above.

21. Tender Security

- 21.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency specified in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 21.2 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
 - a) an unconditional Bank Guarantee issued by reputable commercial bank); or
 - b) an irrevocable letter of credit;
 - c) a Banker's cheque issued by a reputable commercial bank; or
 - d) another security specified **in the TDS**,
- 21.3 If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 20.2.
- 21.4 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- 21.5 If a Tender Security is specified pursuant to ITT 21.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the **TDS**. The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were



determined nonresponsive or a bidder declines to extend tender validity period.

- 21.6 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the **TDS**.
- 21.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
 - e) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension thereto provided by the Tenderer; or
 - f) if the successful Tenderer fails to:
 - i) sign the Contract in accordance with ITT 50; or
 - ii) furnish a Performance Security and if required in the **TDS**, and any other documents required in the **TDS**.
- 21.8 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA that PPRA debars the Tenderer from participating in public procurement as provided in the law.
- 21.9 The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- 21.10A tenderer shall not issue a tender security to guarantee itself.

22. Format and Signing of Tender

- 22.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 13 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 15, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 22.2 Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 22.3 The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 22.4 In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 22.5 Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. Submission and Opening of Tenders

- 23. Sealing and Marking of Tenders
- 23.1 Depending on the sizes or quantities or weight of the tender documents, a tenderer may use an envelope, package or container. The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
 - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and



- b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
- c) if alternative Tenders are permitted in accordance with ITT 15, and if relevant:
 - i) in an envelope or package or container marked "ORIGINAL –ALTERNATIVE TENDER", the alternative Tender; and
 - ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity.
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- 23.2 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders that are misplaced or opened prematurely will not be accepted.

24. Deadline for Submission of Tenders

- 24.1 Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- 24.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

25. Late Tenders

25.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 24. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

26. Withdrawal, Substitution, and Modification of Tenders

- 26.1 A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 22.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
 - a) prepared and submitted in accordance with ITT 22 and ITT 23 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
 - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 24.
- 26.2 Tenders requested to be withdrawn in accordance with ITT 26.1 shall be returned unopened to the Tenderers.
- 26.3 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

27. Tender Opening

- 27.1 Except in the cases specified in ITT 23 and ITT 26.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified in the **TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 24.1, shall be as specified in the **TDS**.
- 27.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened, but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal

and is read out at Tender opening.

- 27.3 Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- 27.4 Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 27.5 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 27.6 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bills of Quantities are to be initialed by the members of the tender opening committee attending the opening. The number of representatives of the Procuring Entity to sign shall be specified in the **TDS**.
- 27.7 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 25.1).
- 27.8 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:
 - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security, if one was required.
 - e) number of pages of each tender document submitted.
- 27.9 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers upon request.

E. Evaluation and Comparison of Tenders

28. Confidentiality

- 28.1 Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 46.
- 28.2 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- 28.3 Notwithstanding ITT 28.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any **matter related to the tendering process, it shall do so in writing.**

29. Clarification of Tenders

- 29.1 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for a response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 33.
- 29.2 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

30. Deviations, Reservations, and Omissions

30.1 During the evaluation of tenders, the following definitions apply:

- a) "Deviation" is a departure from the requirements specified in the tender document;
- b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document; and
- c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

31. Determination of Responsiveness

- 31.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 13.
- 31.2 A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
 - a) affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or
 - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract; or
 - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 31.3 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 18, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 31.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

32. Non-material Non-conformities

- 32.1 Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 32.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- 32.3 Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable nonmaterial non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the **TDS**.

33. Arithmetical Errors

- 33.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 33.2 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
 - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
 - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, and subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail



33.3 Tenderers shall be notified of any error detected in their bid during the notification of a ward.

34. Currency provisions

34.1 Tenders will priced be in Kenya Shillings only. Tenderers quoting in currencies other than in Kenya shillings will be determined non-responsive and rejected.

35. Margin of Preference and Reservations

- 35.1 No margin of preference shall be allowed on contracts for small works.
- 35.2 Where it is intended to reserve the contract to specific groups under Small and Medium Enterprises, or enterprise of women, youth and/or persons living with disability, who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses/firms belonging to those specified groups are the only ones eligible to tender. Otherwise if no so stated, the invitation will be open to all tenderers.

36. Nominated Subcontractors

- 36.1 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected in advance by the Procuring Entity.
- 36.2 Tenderers may propose subcontracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 36.3 The subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated by the Procuring Entity in the **TDS** as can be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

37. Evaluation of Tenders

- 37.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Best Evaluated Tender in accordance with ITT 40.
- 37.2 To evaluate a Tender, the Procuring Entity shall consider the following:
 - a) price adjustment due to discounts offered in accordance with ITT 16;
 - b) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with IIT39;
 - c) price adjustment due to quantifiable nonmaterial non-conformities in accordance with ITT 30.3; and
 - d) any additional evaluation factors specified **in the TDS** and Section III, Evaluation and Qualification Criteria.
- 37.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- 37.4 In the case of multiple contracts or lots, Tenderers shall be allowed to tender for one or more lots and the methodology to determine the lowest evaluated cost of the lot (contract) combinations, including any discounts offered in the **Form of Tender**, is specified in Section III, Evaluation and Qualification Criteria.

38. Comparison of Tenders

38.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 38.2 to determine the Tender that has the lowest evaluated cost.

39. Abnormally Low Tenders

39.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.

- 39.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 39.3 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

40. Abnormally High Tenders

- 40.1 An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 40.2 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
 - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
 - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 40.3 If the Procuring Entity determines that the Tender Price is abnormally too high because <u>genuine competition</u> <u>between tenderers is compromised</u> (*often due to collusion, corruption or other manipulations*), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

41. Unbalanced and/or Front-Loaded Tenders

- 41.1 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or front loaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 41.2 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
 - a) accept the Tender; or
 - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price; or
 - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;or
 - d) reject the Tender,

42. Qualifications of the Tenderer

- 42.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 42.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 19. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.
- 42.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative



determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

- 42.4 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price.
- 42.5 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 42.6 After evaluation of the price analyses, if the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

43. Best Evaluated Tender

- 43.1 Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Best Evaluated Tender. The Best Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:
 - a) Most responsive to the Tender document; and
 - b) the lowest evaluated price.

44. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.

44.1 The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without thereby incurring any liability to Tenderers. In case of annulment, all Tenderers shall be notified with reasons and all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

F. Award of Contract

45. Award Criteria

45.1 The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

46. Notice of Intention to enter into a Contract

- 46.1 Upon award of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract / Notification of award to all tenderers which shall contain, at a minimum, the following information:
 - a) the name and address of the Tenderer submitting the successful tender;
 - b) the Contract price of the successful tender;
 - c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
 - d) the expiry date of the Standstill Period; and
 - e) instructions on how to request a debriefing and/or submit a complaint during the standstill period;

47. Standstill Period

- 47.1 The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- 47.2 Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter **into a Contract with the successful Tenderer.**

48. Debriefing by the Procuring Entity

- 48.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 46, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- 48.2 Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending **such a debriefing meeting.**

49. Letter of Award

49.1 Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

50. Signing of Contract

- 50.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- 50.2 Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 50.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period

51. Appointment of Adjudicator

51.1 The Procuring Entity proposes the person named in the **TDS** to be appointed as Adjudicator under the Contract, at the hourly fee specified in the **TDS**, plus reimbursable expenses. If the Tenderer disagrees with this proposal, the Tenderer should so state in his Tender. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the Special Conditions of Contract (SCC) pursuant to Clause 23.1 of the General Conditions of Contract (GCC), to appoint the Adjudicator.

52. Performance Security

- 52.1 Within **Fourteen (14) days** of the receipt of the Letter of Acceptance from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 40.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- 52.2 Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS**, or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- 52.3 Performance security shall not be required for contracts estimated to cost less than Kenya shillings five million shillings.

53. Publication of Procurement Contract

- 53.1 Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:
 - a) name and address of the Procuring Entity;
 - b) name and reference number of the contract being awarded, a summary of its scope and the selection



method used;

- c) the name of the successful Tenderer, the final total contract price, the contract duration.
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening.

54. Procurement Related Complaints and Administrative Review

- 54.1 The procedures for making Procurement-related Complaints are as specified in the **TDS**.
- 54.2 A request for administrative review shall be made in the form provided under contract forms.

Section II - Tender Data Sheet (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

ITT Reference	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	A. General
ITT 1.1	The name of the contract is; PROPOSED COMPLETION OF MATERIAL TESTING LABORATORY, CONTROL ROOM & OFFICES
	The reference number of the Contract is: CGB/DRPWT/PWT/002/2021/2022
ITT 2.3	The Information made available on competing firms is as follows:
ITT 2.4	The firms that provided consulting services for the contract being tendered for are: <i>Chief Officer, Department of Public works & Transport-Directorate Of Public works.</i>
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: 2 (Two).
B. Contents of T	ender Document
8.1	 (A) Pre-Tender conference <i>"shall"</i> take place at the following date, time and place: (Bidders are advice to arrange for themselves a pre-tender site visit)
ITT 8.2	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than THURSDAY 25TH NOVEMBER 2021 AT 11:00AM
ITT 8.4	The Procuring Entity's website where Minutes of the pre-Tender meeting and the pre-arranged pretender site visit will be published is:-None
ITT 9.1	For Clarification of Tender purposes, for obtaining further information and for purchasing tender documents, the Procuring Entity's address is:
	(1) Name of Procuring Entity – COUNTY GOVERNMENT OF BOMET
	(2) Physical address for hand Courier Delivery to an office or Tender Box (City, Street, Building, Floor Number and Room) – PROCUREMENT OFFICE LOCATED NEXT TO THE COUNTY TREASURY .
	(3) Postal Address – P.O BOX 19-20400 BOMET
	(4) Insert name, telephone number and e-mail address of the officer to be contacted. – SAMUEL KIRUI –DSCM-0724001209-skirui2012@gmail.com
C. Preparation	of Tenders
ITP 13.1 (h)	The Tenderer shall submit the following additional documents in its Tender: [list any additional document not already listed in ITT 11.1 that must be submitted with the Tender. The list of additional documents should include the following:]
ITT 15.1	Alternative Tenders "shall not be" considered. [If alternatives shall be considered, the methodology shall be defined in Section III, Evaluation and Qualification Criteria.]
ITT 15.2	Alternative times for completion "shall not be" permitted. [If alternative times for completion are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.]
ITT 15.4	Alternative technical solutions shall be permitted for the following parts of the Works: [insert parts of the Works]:

ITT Reference	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	[If alternative technical solutions are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.]
ITT 16.5	The prices quoted by the Tenderer shall be: "fixed"
ITT 20.1	The Tender validity period shall be 120 (One Hundred & Twenty) Days
ITT 21.1	 [If a Tender Security shall be required, a Tender-Securing Declaration shall not be required, and vice versa.] A Tender Security "shall be" required. A Tender-Securing Declaration "shall not be" required.
	If a Tender Security shall be required, the amount and currency of the Tender Security shall be Kshs 200,000 .
ITT 21.2 (d)	The other Tender Security shall be; N/A.
ITT 21.5	On the Performance Security, other documents required shall be; N/A
ITT 22.1	In addition to the original of the Tender, the number of hard copies are: <u>1 (one).</u>
ITT 22.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: <u>Power of Attorney.</u>
D. Submission a	and Opening of Tenders
ITT 24.1	(A) For <u>Tender submission purposes</u> only, the Procuring Entity's address is:
	(1) COUNTY GOVERNMENT OF BOMET
	(2) P.O BOX 19-20400 BOMET
	(3) PROCUREMENT OFFICE NEXT TO COUNTY TREASURY
	(4) Date and time for submission of Tenders. THURSDAY 25TH NOVEMBER 2021
	(5) Tenderers shall submit tenders both manually and electronically.
ITT 27.1	The Tender opening shall take place at the time and the address for Opening of Tenders provided below:
	(1) COUNTY GOVERNMENT OF BOMET
	(2) P.O BOX 19-20400 BOMET
	(3) PROCUREMENT OFFICE NEXT TO COUNTY TREASURY
	(4) Date and time for submission of Tenders. THURSDAY 25TH NOVEMBER 2021
ITT 27.1	If Tenderers are allowed to submit Tenders electronically, they shall follow the electronic tender submission procedures specified below [Manual tenders shall be opened on the opening date.
ITT 27.6	The number of representatives of the Procuring Entity to sign is
E. Evaluation, a	and Comparison of Tenders

ITT Reference	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
ITT 32.3	The adjustment shall be based on the <i>Average</i> [insert "average" or "highest"] price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.
ITT 35.2	The invitation to tender is extended to the following groups that qualify for Reservations National Construction registered Contractors (NCA) Category "7" (Building Works).
ITT 36.1	At this time, the Procuring Entity " <i>does not intend</i> " to execute certain specific parts of the Works by subcontractors selected in advance.
ITT 36.2	Contractor's may propose subcontracting: Maximum percentage of subcontracting permitted is: 10% of the total contract amount. Tenderers planning to subcontract more than 10% of total volume of work shall specify, in the Form of Tender, the activity (ies) or parts of the Works to be subcontracted along with complete details of the subcontractors and their qualification and experience.
ITT 36.3	 [Indicate N/A if not applicable] The parts of the Works for which the Procuring Entity permits Tenderers to propose Specialized Subcontractors are designated as follows: Electrical Works, Welding and Fabrication Works For the above-designated parts of the Works that may require Specialized Subcontractors will be added to the qualifications of the Tenderer for the purpose of evaluation.
ITT 37.2 (d)	Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and Qualification Criteria.
ITT 51.1	The person named to be appointed as Adjudicator is of of (pride tel no. full postal and email addresses) at an hourly fee of Shs per day.
ITT 52.2	 Other documents required are; 3 (Three) Audited accounts or financial statements, Schedule of ongoing projects, Schedule of projects completed in the last 3 (Three) years.
ITT 54.1	The procedures for making a Procurement-related Complaints are detailed in the "Regulations" available from the PPRA Website <u>www.ppra.go.ke</u> or email <u>complaints@ppra.go.ke</u> . If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to:
	For the attention: [SAMUEL KIRUI]
	Title/position: DSCM] Producting Entity: COUNTY COVERNMENT OF ROMETI
	Procuring Entity: COUNTY GOVERNMENT OF BOMET]
	Email address: [SKIRU12012@GMAIL.COM] In summary, a Procurement-related Complaint may challenge any of the following:
	(i) the terms of the Tender Documents; and

SECTION III - EVALUATION AND QUALIFICATION CRITERIA

1. General Provisions

Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:

- a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- b) Value of single contract Exchange rate prevailing on the date of the contract signature.
- c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use **the Standard Tender Evaluation Document for Goods and Works** for evaluating Tenders.

Evaluation and contract award Criteria

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

2. Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements of "Part 2 – Procuring Entity's Works Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, abnormally high tenders and tenders that are front loaded. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered irresponsive and will not be considered further.

[The Procuring Entity will provide the preliminary evaluation criteria. To facilitate, a template may be attached or clearly described all information and list of documentation to be submitted by Tenderers to enable preliminary evaluation of the Tender

Mandatory requirements

All bids shall be checked for the following and any bid that does not conform to the any of the mandatory requirements shall be disqualified from further evaluation

- Tender security/ Bid bond of **Kshs 120,000** valid for 120 days.
- Certified certificate of Registration with National Construction Authority for building works NCA 7 AND ABOVE
- Valid Single Business Permit/Trade license issued by the County Government of Bomet.
- Duly filled and signed form of Tender.
- Certified Valid Tax compliance certificate.
- Duly filled and signed appendix to form of Tender
- Compliance with submission both online through the **IFMIS** system and manually where hard copies are submitted.
- Properly filled, signed and stamped mandatory Confidential Business Questionnaire.
- Properly filled, signed and stamped mandatory Bill of Quantities.
- Duly filled confidential business questionnaire (attach CR 12 to confirm Directors)



- Duly filled declaration form.
- Presentation of a well bound and properly paginated tender document (including the attachments).

> Technical evaluation

Technical evaluation shall be carried out and marks on each item distributed as indicated in the table below. The scores will be awarded by individual evaluators and mean obtained accordingly. The pass mark for further evaluation shall be **75%**.

SN	Description	Max points
1	Financial performance	15
2	Average construction turnover	10
3	General and specific construction experience	25
4	Key personnel (Site staff and HQ staff)	20
5	Schedules of on-going projects	10
6	Schedules of contractors Plant & equipment	15
7	Work Programme	5
	TOTAL	100

The Pass mark for Technical Evaluation will be 75%. Candidates that will have attained those points will have their financial proposals evaluated.

Qualification Criteria			npliance Requirement	Documentation	
No.	Subject	Requirement	Bidder	Submission Requirements	
1. Eligi	bility				
1.1	Eligibility	Nationality in accordance with	Must meet requirement		
1.2	Conflict of Interest	Declaration of conflicts of interest .	Must meet requirement		
1.3	Debarment	Not having been declared ineligible by the Employer, as described.	Must meet requirement		
1.4	Incorporation & Registration	Copy of Certificate of incorporation certified by a Commissioner of Oaths to show that the applicant is a registered company and legally authorised to do business in Kenya	Must meet requirement		
		Proof of registration with the National Construction			



	Qualification	Criteria Con	npliance Requirement	Documentation
No.	Subject	Requirement	Bidder	Submission Requirements
		Authority in Category "NCA 7" and above		
) Hist	orical Contract Non	-Performance		
2.1	History of Non- Performing Contracts	Non-performance of a contract did not occur within the last five (5) years prior to	Must meet requirement	
		the deadline for application submission based on all information on fully settled disputes or litigation. A fully		
		settled dispute or litigation is one that has been resolved in accordance with the Dispute Resolution Mechanism under		
		the respective contract, and where all appeal instances available to the applicant have been exhausted.		
2.2	Pending Litigation	All pending litigation shall in total not represent more than fifty percent (50%)] of the Applicant's net worth and	Must meet requirement	
		shall be treated as resolved against the Applicant.		
3 Fina	ancial Situation		· · · · · · · · · · · · · · · · · · ·	
3.1	Financial Performance	(a)Submission of audited balance sheets or other financial statements	(a)Score ● 0 − 4 Marks	
		acceptable to the Employer, for the last THREE [3] years to demonstrate: (b) the current soundness of		
		the applicant's financial position and its prospective	(b) Score ● 0 − 6 Marks	
		long term profitability, and (c) capacity to have liquid assets, unencumbered real assets, lines of credit and		
		other financial means sufficient t meet the construction cash flow of	(c) Score ● 0 – 5 Marks	
		Kenya shillings 10,000,000 (Ten Million shillings only)		
3.2	Average Annual Construction Turnover	(d) Average annual construction turnover of KShs.10 Million [Ten		
		Million], calculated as total certified payments received for contracts in progress or	(d) Score	
		completed, within the last three [(3)] years	• $0-10$ Marks	

	Qualification Criteria Co		npliance Requirement	Documentation
No.	Subject	Requirement	Bidder	Submission Requirements
4. Exp	erience			
4.1(a)	General Construction Experience	Experience under construction contracts in the role as a main contractor or subcontractor for at least the last three [3] years prior to the applications submission deadline	Score • 0 – 10 Marks	
4.2(b)	Specific Construction Experience	deadineParticipation as a building contractor, management contractor or subcontractor, in at least three (3) each with a value of at leastKShs.7. 5 Million (Seven million, five hundred thousand), successfully and substantially completed One (1) as the prime contractor	Score • 3 no projects And above-15 Marks	
5. Curi	rent Commitments			
5.1	On-going contracts	The total value of outstanding works on the on-going contracts should not exceed the average annual turnover for the last three years.	Score • 0 - 10 Marks	



	Qualification	Criteria Con	npliance Requirement	Documentation
No.	Subject	Requirement	Bidder	Submission Requirements
		The site staff shall possess minimum levels of qualifications set below;		
	Technical director	Qualification = Atleast Diploma in Civil Engineering/Building construction (related field)	Score • 4 marks	
	Site foreman	Qualification = At least Diploma in Civil Engineering/Building construction/related field with over 5 years' experience	• 3 marks	
	Skilled mason	At least craft in a construction related field with over 5 years' experience.	• 5 marks	
	Skilled welder	At least craft in a welding and fabrication field with over 5 years' experience.	• 5 marks	
	Skilled electrician	Atleast craft in electrical field with over 5 years' experience.	• 3 marks	
	West		El.	
lant s	Work programme and Equipment		5marks	
	Transport and hauling equipment	Alleast I nr self-owned tipper lorry (15 tonnes)	Score • 5 Marks	
	Concreting equipments	Concrete mixer and a poker vibrator ready to be deployed to site for a period not less than 1 month.	• 5Marks	
	Welding equipment	Assorted set of welding and fabrication equipment ready to be deployed to site for a period not less than 1 month	• 3Marks	
	Assorted construction hand tools		• 2 Marks	



3. Tender Evaluation (ITT 35) Price evaluation: in addition to the criteria listed in ITT 35.2 (a) – (c) the following

criteria shall apply:

- i) Alternative Completion Times, if permitted under ITT 13.2, will be evaluated as follows:
- **ii)** Alternative Technical Solutions for specified parts of the Works, if permitted under ITT 13.4, will be evaluated as follows:
- iii) Other Criteria; if permitted under ITT 35.2(d): NONE

4. Multiple Contracts

Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

OPTION 1

- i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.
- ii) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

OPTION 2

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combinations with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combinations provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

5. Alternative Tenders (ITT 13.1)

An alternative if permitted under ITT 13.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2- Works Requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

6. Margin of Preference is not applicable

7. Post qualification and Contract ward (ITT 39), more specifically,

- a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of pre-qualification data, if so required.
- b) In case the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions.
 - i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance pay ment) sufficient to meet the construction cash flow of Kenya Shillings 10,000,000 (Ten Million Kenya Shillings Only).
 - ii) Minimum <u>average</u> annual construction turnover of **Kenya Shillings10,000,000** (**Ten Million Kenya Shillings Only**), equivalent calculated as total certified payments received for contracts in progress and/or completed within the last 3 (Three) years.
 - iii) At least_3 (Three) No of contract(s) of a similar nature executed within Kenya, or the East African Community, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings 7,500,000 (Seven Million, Five Hundred Thousand Kenya shillings Only) or equivalent.
 - iv) Contractor's Representative and Key Personnel, which are specified as;
 - a) Technical Director- At least a diploma in a construction Related field,
 - b) Site Foreman- At least a diploma in a construction Related field with over 5 years'

experience,

- c) Skilled Mason- At least a Craft in a construction Related field with over 5 years' experience,
- d) Skilled welder- At least a Craft in a Welding and fabrication with over 5 years' experience,
- e) Skilled Electrician- At least a Craft in Electrical with over 5 years' experience,
- f) Others.

v) Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as [specify requirements for each lot as applicable],

- a) Transport and Hauling Equipments- At least 1 Nr self-owned tipper lorry (15 tones),
- b) Concreting Equipments- Concrete Mixer and a poker vibrator ready to be deployed on site for period not less than 1 month,
- c) Welding Equipments- Assorted set of welding and fabrication equipments to be deployed on site for a period not less than 1 month,
- d) Assorted construction Hand tools.
- vi) Other conditions depending on their seriousness.

a) **History of non-performing contracts**:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Nonperformance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the **last 3 (Three) years.** The required information shall be furnished in the appropriate form.

b) **Pending Litigation**

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

c) Litigation History

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last **3** (**Three**) *years*. All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.



8 QUALIFICATION FORM SUMMARY

Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
1.	Nationality	Nationality in accordance with ITT 3.6	Forms ELI – 1.1 and 1.2, with attachments	
2.	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority in accordance with ITT 3.14.	Form of Tender	
3.	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender	
4.	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.8	Form of Tender	
5.	State- owned Enterprise	Meets conditions of ITT 3.7	Forms ELI – 1.1 and 1.2, with attachments	
6.	Goods, equipment and services to be supplied under the contract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI – 1.1 and 1.2, with attachments	
7.	History of Non- Performing Contracts	Non-performance of a contract did not occur as a result of contractor default since 1 st January 2018.	Form CON-2	
8.	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender	
9.	Pending Litigation	Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Form CON – 2	
10	Litigation History	No consistent history of court/arbitral award decisions against the Tenderer since 1 st January 2018 .	Form CON – 2	
11	Financial Capabilities	(i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings 10,000,000 (Ten Million Kenya Shilling) equivalent for the subject contract(s) net of the Tenderer's other commitments.	Form FIN – 3.1, with attachments	
		(ii) The Tenderers shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of		

		finance to meet the cash flow requirements on works		
		currently in progress and for future contract commitments.		
		(iii) The audited balance sheets or other financial statements		
		acceptable to the Procuring Entity, for the last3 (Three		
		years shall be submitted and must demonstrate the current		
		soundness of the Tenderer's financial position and indicate		
		its prospective long-term profitability.		
12	Average Annual	Minimum average annual construction turnover of Kenya	Form FIN – 3.2	
	Construction Turnover	Shillings 10,000,000 (Ten Million Kenya Shillings),		
		equivalent calculated as total certified payments received		
		for contracts in progress and/or completed within the last 3		
		(Three) years, divided by [insert number of years] years		
13	General Construction	Experience under construction contracts in the role of prime	Form EXP – 4.1	
	Experience	contractor, JV member, sub-contractor, or management		
	_	contractor for at least the last [insert number of years]		
		years, starting 1 st January [insert year].		
14	Specific Construction &	A minimum number of 3 (Three) similar contracts specified	Form EXP 4.2(a)	
	Contract Management	below that have been satisfactorily and substantially		
	Experience	completed as a prime contractor, joint venture member,		
		management contractor or sub-contractor between 1st		
		January 2018 and tender submission deadline i.e. 3 (Three)		
		contracts, each of minimum value Kenya shillings		
		10,000,000 (Ten million Kenya shillings) equivalent.		
		The similarity of the contracts shall be based on the		
		following:		
		A. Based on Section VII,		
		B. Scope of Works,		
		C. specify the minimum key requirements in terms of		
		physical size, complexity, construction method,		
		technology and/or other characteristics including		
		part of the requirements that may be met by		
		specialized subcontractors, if permitted in		
		accordance with ITT 34.3]		

QUALIFICATION FORMS

1. FORMEQU; EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

Item of equipment				
Equipment information	Name of manufacturer		Model and power rating	
	Capacity		Year of manufacture	
Current status	Current location			
	Details of current commit	ments		
Source	Indicate source of the equ	ipment		
	□ Owned □ Ren	ited 🛛 Leased	□ Specially manufactured	

Omit the following information for equipment owned by the Tenderer.

Owner	Name of owner		
Address of owner			
	Telephone	Contact name and title	
	Fax	Telex	
Agreements	Details of rental / lease / manufacture agree	ments specific to the project	



2. FORMPER-1

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Contractor' Representative and Key Personnel

1.	Title of position: Contractor's Representative			
l	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt		
	for this position:	chart]		
2.	Title of position: []		
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt		
	for this position:	chart]		
3.	Title of position: []		
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt		
	for this position:	chart]		
4.	Title of position: []		
	Name of candidate:			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt		
	for this position:	chart]		
5.	Title of position: [insert title]			
	Name of candidate			
	Duration of	[insert the whole period (start and end dates) for which this position will be		
	appointment:	engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this		
	this position:	position]		
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt		
	for this position:	chart]		

3. FORM PER-2:

Resume and Declaration - Contractor's Representative and Key Personnel.

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Name of Tenderer Position [#1]: [title of position from Form PER-1] Personnel Name: Date of birth: information Address: E-mail: Professional qualifications: Academic qualifications: Language proficiency: [language and levels of speaking, reading and writing skills] Details Address of Procuring Entity: Telephone: Contact (manager / personnel officer): Fax: Job title: Years with present Procuring Entity:

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to this position]



Declaration

I, the undersigned *[insert either "Contractor's Representative" or "Key Personnel" as applicable]*, certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]
Time commitment:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]

I understand that any misrepresentation or omission in this Form may:

- a) be taken into consideration during Tender evaluation;
- b) result in my disqualification from participating in the Tender;
- c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [insert name]

Signature:

Date: (day month year):

Countersignature

of authorized representative of the Tenderer:

Signature:

Date: (day month

year):

4. TENDERER'S QUALIFICATION WITHOUT PRE-QUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

4.1 FORM ELI -1.1

Tenderer Information Form

Date: _____

ITT No. and title: _____

Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration:
[indicate country of Constitution]
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
1. Attached are copies of original documents of
Articles of Incorporation (or equivalent documents of constitution or association), and/or
documents of registration of the legal entity named above, in accordance with ITT 3.6
In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5
□ In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents
establishing:
Legal and financial autonomy
Operation under commercial law
• Establishing that the Tenderer is not under the supervision of the Procuring Entity
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.



Tenderer's JV Information Form

(to be completed for each member of Tenderer's JV)

Date: _____

ITT No. and title: _____

Tenderer's JV name:
JV member's name:
JV member's country of registration:
JV member's year of constitution:
JV member's legal address in country of constitution:
JV member's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
1. Attached are copies of original documents of
□ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration

documents of the legal entity named above, in accordance with ITT 3.6.

 \Box In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.8.

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

4.3 <u>FORM CON – 2</u>

Historical Contract Non-Performance, Pending Litigation and Litigation History

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

Non-Performed Contracts in accordance with Section III, Evaluation and Qualification Criteria Contract non-performance did not occur since 1st January [*insert year*] specified in Section III, Evaluation and Qualification Criteria, Sub-Factor 2.1.

Contract(s) not performed since 1st January *[insert year]* specified in Section III, Evaluation and Qualification Criteria, requirement 2.1

Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and Kenya Shilling equivalent)
[insert year]		Contract Identification: [indicate complete contract name/ number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]
U	U	nce with Section III, Evaluation and Qualification Criteria in accordance with Section III, Evaluation and Qualification	on Criteria, Sub-
Factor 2.	3.	accordance with Section III, Evaluation and Qualification Crit	

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
		Contract Identification:	
		Name of Procuring Entity:	
		Address of Procuring Entity:	
		Matter in dispute:	
		Party who initiated the dispute:	
		Status of dispute:	
		Contract Identification:	
		Name of Procuring Entity:	
		Address of Procuring Entity:	
		Matter in dispute:	
		Party who initiated the dispute:	
		Status of dispute:	
Litigation His	tory in accordance with Se	ection III, Evaluation and Qualification Criteri	ia
D No Li	tigation History in accord	ance with Section III, Evaluation and Qualifica	tion Criteria, Sub-Factor
2.4.			·
□ Litiga	tion History in accordance	e with Section III, Evaluation and Qualification	Criteria, Sub-Factor 2.4
as indicated be	•		·

Year of	Outcome as	Contract Identification	Total Contract
award	percentage of Net		Amount (currency),
	Worth		Kenya Shilling
			Equivalent
			(exchange rate)
[insert	[insert percentage]	Contract Identification: [indicate complete	[insert amount]
year]		contract name, number, and any other	
		identification]	
		Name of Procuring Entity: [insert full name]	
		Address of Procuring Entity: [insert	
		street/city/country]	
		Matter in dispute: [indicate main issues in	
		dispute]	
		Party who initiated the dispute: [indicate	
		"Procuring Entity" or "Contractor"]	
		Reason(s) for Litigation and award decision	
		[indicate main reason(s)]	

4.4 <u>FORM FIN – 3.1:</u>

Financial Situation and Performance

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

4.4.1. Financial Data

ype of Financial information Historic information for previousyears, 1					
(currency)	(amount in	n currency, cu	irrency, excha	ange rate*, US	SD equivalent)
	Year 1	Year 2	Year 3	Year 4	Year 5
Statement of Financial Position (Information	from Balance	Sheet)		
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statem	lent				
Total Revenue (TR)					

Type of Financial information in (currency)	on Historic information for previousyears, (amount in currency, currency, exchange rate*, USD equivalent)				SD equivalent)
	Year 1	Year 2	Year 3	Year 4	Year 5
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

*Refer to ITT 15 for the exchange rate

4.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

4.4.3 Financial documents

The Tenderer and its parties shall provide copies of financial statements for ______years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:

(a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).

(b) be independently audited or certified in accordance with local legislation.

(c) be complete, including all notes to the financial statements.

(d) correspond to accounting periods already completed and audited.

 \Box Attached are copies of financial statements¹ for the _____years required above; and complying with the requirements

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.



Average Annual Construction Turnover

Tenderer's Name:	
Date:	_
JV Member's Name	
ITT No. and title:	

	Annual turnover data (construction only)				
Year	Amount	Exchange rate	Kenya Shilling equivalent		
	Currency				
[indicate year]	[insert amount and indicate				
	currency]				
Average					
Annual					
Construction					
Turnover *					

* See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

4.6 FORM FIN - 3.3:

Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Fina	Financial Resources				
No.	Source of financing	Amount (Kenya Shilling equivalent)			
1					
2					
3					

4.7 FORM FIN – 3.4:

Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

	Current Contract Commitments						
	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling /month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)]		
1							
2							
3							
4							
5							



General Construction Experience

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

Page _____of ____pages

Starting	Ending Year	Contract Identification	Role of Tenderer
Year			
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	

4.9 <u>FORM EXP - 4.2(a)</u> Specific Construction and Contract Management Experience

Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor	Sub- contractor □
Total Contract Amount		- I	Kenya Shilling	
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:		1		
Address: Telephone/fax number E-mail:				

4.10 FORM EXP - 4.2 (a) (cont.)

Specific Construction and Contract Management Experience (cont.)

Simila	r Contract No.	Information			
Descri	Description of the similarity in accordance				
with Si	ub-Factor 4.2(a) of Section III:				
1.	Amount				
2.	Physical size of required works				
items					
3.	Complexity				
4.	Methods/Technology				
5.	Construction rate for key activities				
6.	Other Characteristics				



Construction Experience in Key Activities

Tenderer's Name:	
Date:	
Tenderer's JV Member Name:	
Sub-contractor's Name ² (as per ITT 34):	
ITT No. and title:	

All Sub-contractors for key activities must complete the information in this form as per ITT 34 and Section III, Evaluation and Qualification Criteria, Sub-Factor 4.2.

1. Key Activity No One: _

	Information				
Contract Identification					
Award date					
Completion date					
Role in Contract	Prime Contractor □	Men JV □	nber in	Management Contractor	Sub-contractor
Total Contract Amount				Kenya Shilling	3
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantity the contract (i)	in	Percentage participatio (ii)		Actual Quantity Performed (i) x (ii)
Year 1					
Year 2					
Year 3					
Year 4					
Procuring Entity's Name:					
Address: Telephone/fax number E-mail:					

	Information			
Description of the key activities in				
accordance with Sub-Factor 4.2(b) of Section				
III:				

2. Activity No. Two 3.



OTHER FORMS

5. <u>FORMOFTENDER</u>

INSTRUCTIONS TO TENDERERS

- *i)* The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address.
- *ii)* All italicized text is to help Tenderer in preparing this form.
- *iii)* Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION OF THE TENDERER attached to this Form of Tender.
- *iv)* The Form of Tender shall include the following Forms duly completed and signed by the Tenderer.
 - Tenderer's Eligibility- Confidential Business Questionnaire
 - *Certificate of Independent Tender Determination*
 - Self-Declaration of the Tenderer

Date of this Tender submission:

Request for Tender No.:

Name and description of Tender

Dear Sirs,

- 2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.
- 3. We agree to adhere by this tender until *[Insert date]*, and it shall remain binding upon us and may be accepted at any time before that date.
- 4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us. We further understand that you are not bound to accept the lowest or any tender you may receive.
- 5. We, the undersigned, further declare that:
 - i) <u>No reservations</u>: We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 28;
 - ii) <u>*Eligibility:*</u> We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
 - iii) <u>Tender-Securing Declaration</u>: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;

- v) <u>Tender</u> <u>Price</u>: The total price of our Tender, excluding any discounts offered in item 1 above is:....
- vii) <u>Discounts:</u> The discounts offered and the methodology for their application are:

 - b) The exact method of calculations to determine the net price after application of discounts is shown below:
 [Specify in detail the method that shall be used to apply the discounts];
- viii) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- ix) <u>*Performance Security:*</u> If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- x) <u>One Tender Per Tender</u>: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a subcontractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xi) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Project Manager, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xii) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.8];
- *xiii)* <u>Commissions, gratuities, fees</u>: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- xiv) <u>Binding Contract</u>: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xv) <u>Not Bound to Accept</u>: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xvi) <u>Fraud and Corruption:</u> We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption;



- xvii) <u>Collusive practices</u>: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- xviii) We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copyavailable from ______(specify website) during the procurement process and the execution of any resulting contract.
- xix) We, the Tenderer, have completed fully and signed the following Forms as part of our Tender:
 - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest.
 - b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
 - c) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
 - d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in **"Appendix 1- Fraud and Corruption**" attached to the Form of Tender.

Notes

* In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer ** Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.



A. <u>TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE</u>

Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

(a) **Tenderer's details**

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	 Country City Location Building Floor Postal Address Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (<i>postal and physical addresses, email, and telephone number</i>) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock	
	exchange, give name and full address (postal	
	and physical addresses, email, and telephone	
	<i>number</i>) of	
	state which stock exchange	

General and Specific Details

b) Sole Proprietor, provide the following details.

Name in full	Age	Nationality_
	Country of Origin	Citizenship

c) **Partnership**, provide the following details.

	Names of Partners	Nationality	Citizenship	% Shares owned
1				
2				
3				

d) **Registered Company,** provide the following details.

- i) Private or public Company_____
- ii) State the nominal and issued capital of the Company

Nominal Kenya Shillings (Equivalent)..... Issued

Kenya Shillings (Equivalent).....

iii) Give details of Directors as follows.

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

(e) **DISCLOSURE OF INTEREST- Interest of the Firm in the Procuring Entity.**

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

ii) Conflict of interest disclosure

	Type of Conflict	Disclosure	If YES provide details of
		YES OR	the relationship with
		NO	Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or		
	is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect		
	subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or		
	through common third parties, that puts it in a position to		
	influence the tender of another tenderer, or influence the		
	decisions of the Procuring Entity regarding this tendering		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
	process.		
5	Any of the Tenderer's affiliates participated as a consultant in		
	the preparation of the design or technical specifications of the		
	works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting		
	services or consulting services during implementation of the		
	contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a		
	professional staff of the Procuring Entity who are directly or		
	indirectly involved in the preparation of the Tender		
	document or specifications of the Contract, and/or the		
	Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a		
	professional staff of the Procuring Entity who would be		
	involved in the implementation or supervision of the such		
	Contract.		
9	Has the conflict stemming from such relationship stated in		
	item 7 and 8 above been resolved in a manner acceptable to		
	the Procuring Entity throughout the tendering process and		
	execution of the Contract.		

f) Certification

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

_____ Title or

Full Name

Designation

(Signature)

(Date)

B. CERTIFICATE OF INDEPENDENTIENDER DETERMINATION

I, the undersigned, in submitting the accompanying Letter of Tender to the	[Name of
Procuring Entity] for:	[Name and number of tender] in
response to the request for tenders made by:	[Name of Tenderer] do hereby
make the following statements that I certify to be true and complete in every respect	:

I certify, on behalf of [Name of Tenderer] that:

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - a) has been requested to submit a Tender in response to this request for tenders;
 - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable:
 - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
 - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) methods, factors or formulas used to calculate prices;
 - c) the intention or decision to submit, or not to submit, a tender; or
 - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed

pursuant to paragraph (5)(b) above;

8. the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name			

_____ Title__ Date _____

[Name, title and signature of authorized agent of Tenderer and Date].

C. <u>SELF - DECLARATION FORMS</u>

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENTAND ASSET DISPOSALACT 2015.

I, being a resident of being a statement as follows: -

- 2. THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
- 3. THAT what is deponed to herein above is true to the best of my knowledge, information and belief.

Bidder Official Stamp



SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

I,					of P. C). Box	be	eing a resident of	
						ublic of c			
1.						Executive/Managing			
	who is a	a Bide	der in r	espect of	of Tender	No	for		
	for					d duly authorized and com	·····		

- 2. THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (*insert name of the Procuring entity*) which is the procuring entity.
- 3. THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (name of the procuring entity)
- 4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
- 5. THAT what is deponed to herein above is true to the best of my knowledge information and belief.

(TTL 1)		~ `
(Title)	(Signature)	(Date)

Bidder's Official Stamp



DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I (person) on behalf of (*Name of the Business/ Company/Firm*) declare that I have read and fully understood the contents of the Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in Public Procurement and Asset Disposal and my responsibilities under the Code.

I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement and Asset Disposal.

Name of Authorized signatory	Sign
Position	
Office address	phone
E-mail	
Name of the Firm/Company	
Date	(Company Seal/ Rubber
Stamp where applicable)	
Witness	
Name S	Sign
Date	

D. APPENDIX 1- FRAUDAND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

2. The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (*no. 33 of 2015*) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

3. Requirements

The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

Kenya's public procurement and asset disposal act (*no. 33 of 2015*) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior: -

- 1) a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable;
- 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
 - a) shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
- c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
- 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
- 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
 - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;



- iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
- iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
- v) "obstructive practice" is:
 - deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:

"fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.

- c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other

appropriate authority appointed by Government of Kenya to inspect all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and

f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

¹For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or

individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

FORM OF TENDER SECURITY-[Option 1–Demand Bank Guarantee]

Beneficiary:					
Request for Tenders No:					
-					
Date:					
TENDER GUARANTEE No.:					

Guarantor:

- 1. We have been informed that ______(herein after called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here in after called" the Tender") for the execution of _______under Request for Tenders No. ______("the ITT").
- 2. Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
- 3. At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of _______) upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
- (a) has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
- b) having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to be provided by the Applicant,
 - I. has failed to execute the contract agreement, or
 - II. has failed to furnish the Performance.
- 4. This guarantee will expire:
 - A. if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or
 - B. if the Applicant is not the successful Tenderer, upon the earlier of;
 - i. our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or
 - ii. thirty days after the end of the Tender Validity Period.
- 5. Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

[signature(s)]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.



TENDER-SECURING DECLARATION FORM

[The Bidder shall complete this Form in accordance with the instructions indicated]

- 1. I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
- 2. I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of our obligation(s) under the bid conditions, because we (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
- 3. I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:
 - a) our receipt of a copy of your notification of the name of the successful Tenderer; or
 - b) thirty days after the expiration of our Tender.
- 4. I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.

Signed	:					Capacity / title	director
or	partner	or	sole	proprietor,	etc.)		Name:
						Duly authorized to sig	gn the bid
for and	on behalf of:	[insert@	complete n	ame of Tenderer]			

Dated on day of [Insert date of signing] Seal or stamp



Appendix to Tender

Schedule of Currency requirements

Summary of currencies of the Tender for_____[insert name of Section of the Works]

Name of currency	Amounts payable
Local currency:	
Foreign currency #1:	
Foreign currency #2:	
Foreign currency #3:	
Provisional sums expressed in local currency	[To be entered by the Procuring Entity]



SECTION V - DRAWINGS

A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.

SECTION VI - SPECIFICATIONS

Notes for preparing Specifications

- 1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanship for tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for everyWorks Contract.
- 3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4. Care must be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.
- 6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
- 1. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.



1. Objectives

The objectives of the Bill of Quantities are:

- a) to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
- b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and contents of the Bill of Quantities should be as simple and brief as possible.

2. Day work Schedule

A Day work Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the Tenderers, the Day work Schedule should normally comprise the following:

- a) A list of the various classes of labor, materials, and Constructional Plant for which basic day work rates or prices are to be inserted by the Tenderer, together with a statement of the conditions under which the Contractor shall be paid for work executed on a day work basis.
- b) Nominal quantities for each item of day work, to be priced by each Tenderer at day work rates as Tender. The rate to be entered by the Tenderer against each basic day work item should include the Contractor's profit, overheads, supervision, and other charges.

3. Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary priced Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the Special Conditions of Contract should state the manner in which they shall be used, and under whose authority (usually the Project Manager's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Tenderers in respect of any facilities, amenities, attendance, etc., to be provided by the successful Tenderer as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Tenderer to quote a sum for such amenities, facilities, attendance, etc.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the tendering document. They should not be included in the final tendering document.

4. The Bills of Quantities

The Bills of Quantities should be divided generally into the following sections:

- a) Preambles
- b) Preliminary items



- c) Work Items
- Daywork Schedule; and Provisional items
- c) d)
- Summary. e)

5. The Summary to the Bills of Quantities will take this form or some other form but including these items.

SUMMARY ITEMS	Page	Amount
Bill No. 1: Preliminary Items		
Bill No. 2: Work Items		
Bill No 3: Daywork Summary		
Bill No 4: Provisional Sums		
Subtotal of Bills No 1-4		
Allow for any Discounts ⁱ		
TOTAL TENDER PRICE Carried forward to Form of Tender		





BOMET COUNTY. Department of Roads, Transport & Public works

PROPOSED ADDITIONAL WORKS TO MATERIAL TESTING LABORATORY, CONTROL ROOM & OFFICES

AT PUBLIC WORKS HQ BOMET

BOMET COUNTY.

Bill of quantities

ARCHITECT PUBLIC WORKS ARCHITECTS BOMET COUNTY P.O.BOX 496-20400, BOMET. STRUCTURAL ENGINEERS PUBLIC WORKS ENGINEERS BOMET COUNTY P.O.BOX 19-20400, BOMET.

QUANTITY SURVEYORS PUBLIC WORKS SURVEYORS BOMET COUNTY P.O.BOX 19-20400, BOMET.

20/Sep/21

ltem	Description	Unit	Qty	Rate	Amount Kshs
	BILL NO.1				
	DOORS & IRON MONGERY-(Supply and fix items)				
	Flush doors				
	45 mm Solid core flush doors faced both sides with 6 mm plywood zen veneered for polishing , moulded and lipped all round with 300mm high van light, size ;				
А	Door leaf size 900x2100mm high	No	7.0		-
	Doors, frames and finishings in sawn cypruss timber to approval. 150 x 50 mm thick door frame with 3 labours 40 x 25 mm architrave with one labour 25 mm quadrant	LM LM LM	51 51 51		
Е	Funlight 5mm Clear sheet glass and glazing to timber wooden frames with timber beading	SM	3		-
F	100mm X3 mm thick stainless steel butt hinges	Pairs	10.50		-
G	Two lever door lock as per union catalouge ref 2237	NO	7		-
н	38 mm rubber door stop fixed with rawl bolts	NO	7		-
J	125 x 25 x3mm thick wrought door fixing cramps	NO	42		-
к	Ditto but Indicator bolt to washrooms	NO	4		-
L	35 x 25 mm rubber door stoper	NO	14		-
Μ	Back of wood before fixing; not exceeding 100 mm girth	LM	51		-
	Prepare and apply Three coats clear varnish paint to :-				-
Ν	General surfaces of timber internally	SM	14.00		-
Ρ	Ditto externally	SM	14.00		-
					-
	Total carried to summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.2				
	FLOOR TILES & EXTERNAL WALL FINISHES				
	PCC COPING Supply and fix 250X500x 50mm thick Pcc coping twise				
	weathered and throated fixed to parabet walls along caple				
А	ends, painted to approval.	LM	50		-
	Prepare and apply one undercoat and two finishing coats weatherguard paint or any other approved by the project manager to:				-
В	Surface of the Coping stones externaly	SM	13.00		-
	INTERNAL WALL FINISHES				-
	12mm thick plaster Wood float finish to walls to receive tiles				
С	finish M.s only to washrooms.	SM	64		-
	CERAMIC WALL TILES				-
	Coloured ceramic wall tiles: 300 x 200 x 6mm : first grade: from 'Saj ceramics Ltd' or equal and approved: fixed with 'sealmaster 101' or equal and approved tile adhesive: bedded, jointed and pointed in grout: : on and including				
D	cement and sand (1:4) backing: to To Walls in bathrooms	SM	64		-
		Civi	04		-
	INTERNAL FLOOR FINISHES cement and sand (1:4) backing				-
					-
Е	32mm thick cement and sand screed wood trowell finish to receive ceramic floor tiles.	SM	395		-
	Supply and fix non slip ceramic floor tiles : as 'Saj ceramics' or equal and approved : take delivery, transport to site, store and fix : bedded on cement and sand screeds (measured separately) : jointed and grouted in coloured cement mortar				-
	Supply and fix 400x400x8mm thick non-slip ceramic floor tiles				
F	including bedding in approved adhesive.	SM	355		-
G	100mm high white ceramic tile skirting	LM	226		-
	Terrazo Floor finish to lab				_
	Supply, deliver and fix 25mm thick Terrazo floor finish using				
	white cement, including dividing stips grounded smooth and				
	with approved colour to project manager's approval.	SM LM	40 36		-
J	150mm high skirting	LIVI	30		-
	Carried Forward to Summary of Section No.				-

ltem	Description	Unit	Quantity	Rate	Amount
	BILL NO 3: PLUMBING & DRAINAGE INSTALLATIONS				
	All works to be carried out by a registered and approved				
	plumbing sub-contractor approved by the Architect.				
	Supply and fix the following sanitary ware and fittings				
	complete with all necessary piping as selected and				
	approved by the architect / client.				
	Vanity tops				
	600mm wide vanity tops comprising 75mm thick concrete slab				
	with and including BRC mesh wire A66 ,formwork .plaster and				
	paint to soffits of worktop, making opening for plastic sinks				
	where necessary intermediate masonry block surport all in				
А	accordance with architect's drawings and specification	LM	14.0		-
	Ceramic tile finish to vanity tops				-
	Supply and fix 400x400x8mm thick granito tile finish to 600mm				
	wide vanity tops and 100mm skirting and 150mm fascia fixed				
В	with approved adhesive	SM	21.0		-
	SINK				-
	Supply and fix "ASL" double bowl single drain stainless steel				
	sink (1000 x 500mm) or approved lab plastic sinks with 15mm				
	bib tap, chain and waste 32mm, C.P. 32mm bottle trap with				
	75mm seal with 200mm long tail piece, capnuts and wall				
С	flange, brackets including fixing to the wall of the lab.	No	4.0		-
	WATER CLOSET				-
	Twyford' or equivalent water closet comprising WC pan,low level 9litres cistern side inlet internal overflow with valveless				
	fittings:innlet connection;flush pipe and chrome plated				
	lever; white plastic seat and cover; including fixing pan to floor				
D	and cistern to wall with screws and plugs	NO	4		-
	WASH HAND BASIN				-
	Twyford or equivalent wash hand basin as semi-recessed				
	vitreouswhite china(450 x 300mm) with two				
	taphole,taps,chain,and waste 32mm C.P 32mm bottle trap				
	with 75mm seal with 200mm tail piece, capnuts and wall				
	flange,brackets including fixing	NO	3		-
F	ditto soap dish	NO	3		-
	Mirror size 600 x450mm high bevelled edges on plywood				
	backing fixed with C.P screws with dome covers;plugged to				
G	wall	NO	3		-
Н	25mm diameter crome plated towel rail 600mm long	NO	3		-
	Foul drainage connections				-
	Allow the Provisinal sum of Kenya shillings				
	(Ksh.00000-) only for pipeworks, water supply waste water drainage works to project manager's				
J	approval.	ITEM	1.0	150,000	
K	Allow for testing of all plumbing works by water test	ITEM	1	5,000.0	
	Total carried to summary				
	· · · · · · · · · · · · · · · · · · ·				

ltem	Description	Unit	Qty	Rate	Amount
	Bill No.4				
	<u>External foul water drainage Works (All provisional)</u> <u>Element No.1</u> Inspection Chambers/ man-holes				
	Inspection Chamber 3 in No. Consisting of concrete class 20/20 in 100 mm thick bed, concrete class 20/20 in benching and channeling for 150mm diameter upvc pipes (m.s) ;150 mm thick block walling ,75 mm thick suspended slab to top, reinforced with 10 mm diameter mild steel bars at 200 mm centres both ways ,cement and sand (1:4) render to sides and both ,including all the necessary excavations , back filling and carting away excavated materials ,formwork and boxing in for opening.				
А	600 X 600 mm manhole internal dimensions : 750mm average depth to invert	NO	5		-
В	450 X 450 mm medium duty manhole covers	NO	5		-
С	300 X300 mm gulley trap internal dimensions	NO	2		-
Е	Excavate trench average depth 750 mm to receive upvc , return fill and ram surplus material	LM	25		-
F	150 mm diameter heavy duty upvc pipe in ground	LM	25		-
	Total carried to Collection				-

ltem	Description	Unit	Qty	Rate	Amount
	SEPTIC TANK				
	<u>The following in septic tank size 7000x3000x3000mm</u> <u>deep</u>				
A	Excations and Earthwork Excavate oversite to reduce levels	СМ	37		-
В	Excavate pit for septic tank not exceeding 1.50 metres deep commencing at reduced level	СМ	37		-
С	Ditto but over 1.50m and not exceeding 3.0m deep	СМ	37		-
D	Extra over all excavations for excavating in soft rock (murram)	СМ	19		-
	Disposal of excavated material				-
E	Backfill and compact selected excavated material in 300 mm layers around foundations	СМ	35		-
F	Remove excavated material and deposit on site as directed	СМ	39		-
	Hardcore filling				-
G	Imported hardcore filling	СМ	7		-
	Approved murram as described				-
н	50mm Thick filling under floor bed	SM	25		-
	Concrete work				-
	Mass concrete 1:4:8 mix as described in:				-
J	50 mm Thick (average) blinding under floor bed	SM	25		-
					-
	Total carried collection				-

ltem	Description	Unit	Qty	Rate	Amount
А	200 mm Thick floor bed	SM	25		-
в	150mm Cover slab	SM	25		-
с	Scum buffle size 800 x 100 thick	LM	4		-
	Supply and fix steel following reinforcement including cutting bending, hooking, tying and supporting as required.				-
D	High tensile square twisted bars to BS 4461as described Assorted bars of D8,D10 & D12	KG	525		- -
Е	BRC fabric mesh reinforcement ref: A98 to bases of the tank.	SM	25		-
	Sawn formwork to:				-
F	Horizontal concrete soffits of the slab including withdrawing through confined areas	SM	25		-
G	Sides and soffits of scum buffle	SM	2		-
н	Vertical edges of strip footing 150 - 225mm high overall	LM	19		-
J	Vertical edges of suspended slab 75 - 150mm high overall	LM	20		-
к	Boxing to form opening size 600 x 450mm in 100mm roof slab.	NO	2		-
					- - -
					-
					-
					-
					-
					-
		I			-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	Load bearing machine cut natural stone walling bedded and jointed in cement and sand (1:3) mortar,including 25 mm x 20 gauge hoop iron reinforcement at every alternate course as described in:				
А	200mm Thick walling	SM	80		-
	<u>Finishes</u>				-
	<u>Floor</u>				-
В	40mm Thick water proofed cement and sand (1:4) screed steel trowel finish to falls	SM	25		-
С	15mm Thick cement and sand (1:4) with steel trowel finish to soffits of suspended slab	SM	25		-
D	Extra over for working finish into manhole opening size 450 x 450mm in 150mm thick roof slab (m.s)	NO	2		-
	Wall				-
E	15mm Thick water prooved sulphate resistant cement and sand 1:3 plaster to walls internally	SM	80		-
_	<u>Cover</u>	014	10		-
F	20mm Thick cement and sand screed to falls	SM	12		-
G	600 X 450 mm medium duty manhole covers	NO	4		-
					-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	sundries				
А	Make or form hole through 200mm thick walling for and including building in ends of 100mm diameter drain pipe (m.s), make good	NO	2		-
в	100mm Diameter medium duty Upvc drain pipe	LM	2		-
С	Extra over for 100 x 100mm equal tee	NO	2		-
	total carried to collection				-
	COLLECTION				
1	Total br/f page 1				-
2	Total br/f page 2				-
3	Total br/f page 3				-
4	Total br/f page4				-
5	Total br/f abve				-
	Totals carried to summary				-

ltem	Description	Unit	Qty	Rate	Amount
	The following in 1 No. soak pit				
	Excations and Earthwork				
A	Excavate for soak pit commencing at existing ground level, not exceeding 1.50m deep	СМ	5		-
в	Ditto but over 1.50m and not exceeding 3.0m deep	СМ	5		-
с	Disposal of excavated material Return, fill in and ram selected excavated material around foundation as before described	СМ	4		-
D	Remove surplus excavated material and deposit on site as directed	СМ	10		-
E	Hardcore filling Approved Imported hardcore filling	СМ	29		-
	Concrete work				-
	In-situ vibrated reinforced concrete 1:2:4 mix (Class 20/20 mm) as described in:				-
F	Foundations	СМ	1		-
G	150mm thick in cover slab	SM	4		-
	Supply and fix steel following reinforcement including cutting beading, hooking, tying and supporting as required.				-
	High tensile square twisted bar to BS 4461 as described				-
н	Assorted bars of Y8,Y10 & Y12	КG	60		-
					_
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	Sawn formwork to:				
А	Horizontal soffits of slab	SM	4		-
В	Vertical edges of roof slab 150 - 225mm high ditto	LM	7		-
с	Boxing to form opening size 600 x 450mm in 100mm roof slab	NO	3		-
	Load bearing natural stone walling bedded and jointed in cement and sand (1:3) mortar, including 25 mm x 20 gauge hoop iron reinforcement at every alternate course as described in:				-
D	200 mm Thick walling	SM	13		-
	<u>Cover</u>				-
E	20mm thick cement and sand (1:4) screed with steel trowel finish to falls	SM	13		-
	Manhole				-
F	Manhole size 700 x 650 x 450mm deep (average) complete with medium duty cover and frame as before described	NO	1		-
G	<u>sundries</u> Make or form hole through 200mm thick walling for and including building in ends of 100mm diameter drain pipe (m.s), make good	NO	2		-
н	100mm Diameter medium duty Upvc drain pipe	LM	2		-
					-
	Total carried to collection	<u> </u>			-
	COLLECTIONS				
1	Total br/ f pg 6				-
2	Total br/ f abve				-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	SEPTIC TANK & SOAK PIT CONSTRUCTION				
	COLLECTION SUMMARY				
1	Septic tank & drainage works				-
2	Soak pit construction				-
	Totals carried to summary				
					-

	PROPOSED ACCESS RAMP				
ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.5				
	SUB-STRUCCTURE WORKS/ ALL PROVISIONALS				
А	SITE CLEARANCE Excavate vegetable top soil average 150mm deep set aside in spoil heaps and later spread around the site as directed.	SM	24		-
с	Excavate foundation columns not exceeding 1.50m deep commencing from stripped level and backfill	СМ	8		-
D	Allow for keeping excavations free from all water by pumping or otherwise and allow for plunking and struting.	ITEM	1		-
Е	<u>Disposal</u> Load,wheel and cart away surplus soil.	СМ	13		-
F G	Hardcore filling to column bases. Imported and Hand packed hardcore; watered and well compacted in 150mm thickness upto 300mm maximum depth to column bases. 50mm thick murram blinding to surfaces of hardcore	SM SM	27 27		-
н	CONCRETE 50mm thick concrete (1:4:8 mix) blinding under column bases. Insitu concrete class 20/20, vibrated and reinforced as described, in:-	SM	10		-
J K L	To column Bases Ditto but to foundation columns 100mm thick surface bed	CM CM SM	3 2 27		-
м	Reinforcement works all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to; Ditto but to column bases	Kg	200		-
N	SAWN FORMWORK TO; Ditto but to Column bases and foundation columns Edges of ground floor slab over 75mm but not exceeding 150mm high	SM LM	25 81		
Q	FOUNDATION WALLS 200mm thick natural stone foundations walls bedded and jointed in c.s morta 1;3.	SM	81		-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	RC SUPERSTRUCTURE WORKS				
	Vibrated reinforced concrete (1;2;4) class 20 in;				
Α	Columns	СМ	3	-	-
в	Ditto but to Beams of the slab of landing and sloping slab of ramp.	СМ	1	-	-
С	V.r.c 150mm thick to sloping ramp.	SM	14	-	-
D	Ditto but to landing	SM	3	-	-
	REINFORCEMENT				-
	Reinforcement in different sizes in structural concrete work all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to;				-
Е	In columns	kg	300		-
F	Beams	Kg	100		-
G	Ditto to solid slab of the ramp	kg	223		-
	SAWN FORMWORK TO;				-
н	Sides of vertical columns	SM	24		-
J	Sides and of beams	SM	10		-
к	Soffits of the sloping slab.	SM			-
L	Ditto but to soffits of landing	SM	3		-
М	Edges of suspended slabs over 75mm but not exceeding 150mm high	LM	22		-
					-
					-
					-
	Total Carried to summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Finishing to ramp				
A	25mm thick cement and sand (1:3) screed wood float finish to sloping sides.	SM	-		-
в	Ditto to landing	SM	3		-
	Staircase balustrading, / raillings				
С	1500mm high mild steel railing to sides of ramp comprising 50mm diametre handrail welded on to and including 40 x 40 x 3mm thick SHS posts built into concrete floors at 750mm centres and infilled with horizontal and diagonal 25 x 25 x 2mm thick SHS members including priming with red oxide primer before delivery to site all in accordance with project manager's drawings, details and approvals.	LM	21		-
	Prepare and apply three coats gloss paints to metal raillings on both sides.				
D	Balustrading and railling (m.s)	SM	63		-
	Total carried to collection				-
	COLLECTION				
1	Total c/f				-
2	Total c/f				-
3	Total B/F from above				
З					
	Total Carried to summary				
	Total Carried to summary				-

Item	Description	Unit	Qty	Rate	Amount
	STAIR CASES				
	Vibrated reinforced concrete (1;2;4) class 20 in;				
A	steps and risers	СМ	1	-	-
В	Ditto but to sloping sides 150mm thick	SM	6	-	-
С	Ditto but to 150mm landing.	SM	4	-	-
	FORMWORK TO;				
D	Risers of staircase of 75-150mm high	LM	14		-
E F	Ditto but to 300mm wide steps Ditto but to soffits of landing	LM SM	4		-
G	Ditto but to sloping soffits of staircase	SM	4 6		-
н	Ditto but to plain edges of string 150-225mm	LM	36		-
	REINFORCEMENT (ALL PROVISIONAL)				
J	Assorted sizes of Y-10 and Y-12 bars	KGS	225		-
	Finishing staircase				
	Insitu cement sand (1:3) screed beds ,with wood float				
к	25mm thick cement and sand (1:3) screed wood float finish to receive tile finish (m/s)to landing	SM	4		-
L	Ditto to 300mm wide treads	LM	16		-
М	Ditto to 150mm wide riser	LM	14		-
N	soffits of landing	SM			-
Ρ	sloping soffits of staircase	SM	6		-
QR	Prepare and apply undercoat and two finishing coats first grade plastic emulsion paint as described to: soffits of landing sloping soffits of staircase	SM	- 6		-
	carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	balustrading, / raillings				
A	900mm high mild steel railing to staircases and balconies comprising 50mm diametre handrail welded on to and including 40 x 40 x 3mm thick SHS posts built into concrete floors at 750mm centres and infilled with horizontal and diagonal 25 x 25 x 2mm thick SHS members including priming with red oxide primer before delivery to site all in accordance with project manager's drawings, details and approvals.	LM	12		-
	Prepare and apply three coats gloss paints to metal raillings on both sides.				
В	Balustrading and railling (m.s)	SM	22		-
	Total carried to collection				-
	COLLECTION FOR STAIRCASE				
1	Total brought forward from pg 18				-
2	TOtal brought forward from above				
	STAIRCASE STEPS				-
	GRAND SUMMURY				
1	ACCESS RAMP				
2	STEPS/ STAIRCASE				-
	Staircase and ballustrating				-
	-				

Item	Description	Unit	Qty	Rate	Amount
	BILL NO 6.				
	PROPOSED RETAINING WALL				
	SUBSTRUCTURE WORKS ALL PROVISIONAL				
	Excavate for column pits & foundation trench not exceeding				
А	1.50m deep commencing from stripped level and backfill av depth 600mm.	СМ	24.0		-
		_	_		-
В	Allow for plunking and strutting sides of excavation trenches	ITEM	1.0	-	-
	Disposal				-
С	Load,wheel and cart away surplus soil.	СМ	6.0		-
	CONCRETE				-
D	50mm thick concrete (1:4:8 mix) blinding under footings	SM	8.0		-
	Insity concrete class 20/20 withouted and reinforced on				-
	Insitu concrete class 20/20, vibrated and reinforced as described, in:-				-
Е	strip footing	СМ	2.0		-
	Ditto but to Column bases and foundation columns spaced at				-
F	2.0m c/c.	СМ	3.0		-
	Reinforcement works all in accordance with the				-
	Engineer's details and approval including all				
0	cutting,bending,laying and binding wire to;	14.	040.0		-
G	strip footing, ground Beams and foundation columns	Kg	210.0		-
	SAWN FORMWORK TO;				-
Н	Vertical sides of strip footing size150-175mm high.	LM	48.0		-
J	Ditto but to verticle sides of columns	SM	21.0		-
	RETAINING WALL				-
	RETAINING WALL				-
	Supply and fix 200mm thick natural stone foundation walling				
	to a stable base of the pit bedded and jointed in c.s morta 1;4				
к	with hoop iron reinforcement at alternate coaser with 75mm diam PVC pipe holes spaced at equal centres and heights.	SM	60.0		-
	Open Channel				-
	(internal dimensions): covered storm drain comprising 300				-
	wide X 350 mm deep IBD channel class 20 concrete bed and				
	200 mm thick walling jointed in cement sand mortar sides: 50mm thick mass concrete blinding:50X50X3mm thick				
	angleline, steel grating framed with angleline and flat bars				
L	spaced at 25mm c/c, welded and groundsmooth, allow for	SM	40.0		-
	TOTAL CARRIED TO SUMMARY				-

ltem	TASK DESCRIPTION	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO 7				
	PLANTING WORKS				
А	GROUND PREPARATION, PLANTING AND INSTALLATION Ground preparation in marking up of working levels and disposal of arisings	SM	300		-
	FARMYARD MANURE & RED SOIL				
	Supply, spread, and rake well decomposed goat farm yard manure to be mixed with red soil free from weeds, roots and debri average 150mm for lawn areas and use in backfilling of planting pits	СМ	20		_
		OW	20		
В	LAWN GRASS Supply, sort and plant in 100mm centre to centre 'kikuyu grass' as per the design .	SM	120		-
с	GROUND COVERS				-
_	installation of groundcovers				-
D	Excavate circular pits, average 300mm diameter, commencing at existing ground level but not exceeding 500mm depth average 350mm deep and dispose the arisings as instructed Planting of Groundcovers Ground covers	СМ	2		- - -
	supply ,plant , weed , water and tend well the undermentioned assorted species of groundcovers till handing over Sedum spp wedelia trilobata sansevieria trifasciata ophiopogon japonicum Phormium tenax spp Aptenia cardifolia	SM SM NO NO SM	2 5 10 20 10 5		
Е	SHRUBS				-
	Pits excavation for Shrubs Excavate circular pits, average 450mm diameter, commencing at existing ground level depth average 600mm deep and dispose the arisings	СМ	3		-
	Carried to collection				-

ltem	TASK DESCRIPTION	Unit	Qty	Rate Kshs	Amount Kshs
	Planting of shrubs Supply, plant, weed, water and tend well the under-mentioned				
	Assorted species of shrubs till handing over;				
	shefflera arboricola	NO	6		-
	monstera deliciosa bambusa speciosa	NO NO	3 20		-
	acalypha ssp.	NO	5		-
	thuja	NO	6		-
	bougainvellia rosenka	NO	200		-
Α	TREES				-
	Pits excavation for Trees				-
	Excavate circular pits, average 600mm diameter, commencing				
	at existing ground level depth average 600mm deep and dispose the arisings	СМ	7		
	Backfilling of Planting pits	CIVI	1		-
	Backfill excavated planting pits with Approved imported Red		_		
	soil mixed with decomposed farmyard goat manure	СМ	7		-
	Planting of Trees Supply, plant, weed, water and tend well the under-mentioned				-
	Assorted species of shrubs till handing over;				-
	Bambusca vulgaris	NO	15		-
	assorted palms	NO	4		-
	filicium decipiens	NO	10		-
	podorcarpus gracillior	NO	10		-
в	concrete seat				-
	450mm wide by 2.5m long insitu Concrete seats: comprising				
	50mm thick concrete class 20 worktop: reinforced with BRC A				
	65: finished in cement screed on top and edges: including				
-	formwork: with Cement slurry finish on concrete seats	NO	3		-
С	Maintenance				-
	Allow for a fallow up of all installations and constructions to				
	Allow for a follow up of all installations and constructions to insure establishment and concept preservation. Mowing,				
	watering, training and trimming all included for 12 months	Item	1	60,000.0	
	······································			,	-
					_
					-
					-
	Carried to collection				-

Item	TASK DESCRIPTION	Unit	Qty	Rate	Amount
				Kshs	Kshs
				113113	113113
	SECTION SUMMARY				
1	Total brought forward from page 1				-
2	Total brought forward from page 2				-
	Total carried forward to summa	ry			-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.8				
	PROPOSED ELEVATED WATER TANK MAST SUBSTRUCTURES (ALL PROVISIONAL)				
	SITE CLEARANCE				
A	Clear site of bushes,shrubs and the like, grup up there root and burn the arisings	SM	6		-
В	Excavate vegetable top soil average 150mm deep set aside in spoil heaps and later spread around the site as directed.	SM	6		-
С	Excavate for foundation columns not exceeding 1.50m deep commencing from stripped level and backfill av depth 1200mm.	СМ	4		-
D	Allow for plunking and strutting sides of excavation trenches	ITEM	1	3,000	
E	Disposal Load,wheel and cart away surplus soil.	СМ	4		-
F	Hardcore filling Hand packed hardcore; water and well compacted of 150mm thickness	SM	9		-
G	50mm thick murram blinding to surfaces of hardcore	SM	9		-
Н	CONCRETE 50mm thick concrete (1:4:8 mix) blinding under column & tank slab bases.	SM	6		-
J	Insitu concrete class 25/20, vibrated and reinforced as described, in:- column bases & tank slab	СМ	4		-
к	Reinforcement works all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to; Column bases assorted size of Y12 & Y10	Kg	320		-
L	SAWN FORMWORK TO; Vertical sides of column bases.	SM	17		-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Mild steel: including anti-rust treatment				
	Mild steel section; one coat prefabrication primer;				
	approved anti-rust treatment; welded and smooth ground joints; to				
	<u>,</u>				
А	100x100x4mm SHS main members to column anchored prepared concrete base and 6mm thick ms base plate M/S.	LM	24		-
В	75x50x3mm SHS bearers carrying the water tank at the top welded to the main bearer/ columns.	LM	44		-
С	Ditto; but size 50x50x3mm RHS welded to main bearer.	LM	37		-
D	500x500x8mm assembly base plate to columns with 4NO 16mm dia. Hold down bolts each.	NO	8		-
Е	Chequered plate 2.5mm thick to base of water tank at the top adequatly welded to bearers with one undercoat of paint before fixing and two coats of gloss paint.	SM	16		-
	Angle line				
F	50x50x3mm thick brazing angle line bolted to connecting plates welded to column members to structural engineer's details and approval.	LM	96		-
	Step ladder and balustrade at the edges of platform at the top.				
G	25x25x2mm SHS member for step ladder and balustrade at the platform welded to the main members to structural engineers approval.	LM	73		-
н	40X2mm thick flat bar protective member at the step ladder welded to the main members.	LM	40		-
┣—	Carried to summary				
1	variou to summary				-

Item	Description	Unit	Qty	Rate Kshs	Amount Kshs
	PC AND PROVISIONAL SUMS				
	PIPE WORK CONNECTIONS				
А	Allow a Provisional sums of kshs shillings only for , Pipework work pipework connections, including purchase of Electric morta including testing and commisioning.	Item	1.00	40,000	-
В	Allow the Provisional Sum for supply and installation of 5,000 elevated water tank and 10,000 litres water storage tank on a concrete base to project manager's approval.	Item	1	170,000	-
С	Allow a pc sum j bolts, washers and nuts				-
	Carried to collection				-
	COLLECTION				
1	Concrete works				-
2	Steel Fabrication works				-
3	PC Sums B/F frm above				
	Summary for the Eleveted water tank mast carried to collection				-

REPUBLIC OF KENYA



BOMET COUNTY. Department of Roads, Transport & Public works

PROPOSED GATE & GATE HOUSE

BOMET COUNTY.

Bill of quantities

ARCHITECT PUBLIC WORKS ARCHITECTS BOMET COUNTY P.O.BOX 496-20400, BOMET. STRUCTURAL ENGINEERS PUBLIC WORKS ENGINEERS BOMET COUNTY P.O.BOX 19-20400, BOMET.

QUANTITY SURVEYORS PUBLIC WORKS SURVEYORS BOMET COUNTY P.O.BOX 19-20400, BOMET.

05/0ct/21

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.9				
	SUBSTRUCTURES / PROVISIONAL				
	Element 1				
	SITE CLEARANCE				
	Clear site of bushes, shrubs and the like, grup up there root				
А	and burn the arisings	SM	18.0		-
	Excavate vegetable top soil average 150mm deep set aside in		10.0		
В	spoil heaps and later spread around the site as directed.	SM	18.0		-
С	Excavate oversite commencing from stripped level average depth 200mm but not exceeding 1.5m deep	SM	16.0		
C	Excavate foundation trench not exceeding 1.50m deep	Sivi	10.0		-
D	commencing from stripped level and backfill	СМ	13.0		
E	Ditto but to columns	CM	23.0		_
		Civi	23.0		-
F	Allow for keeping excavations free from all water by pumping or otherwise	ITEM	1.0	8,000	
Г	Disposal		1.0	8,000	
F	Load,wheel and cart away surplus soil.	СМ	17.0		_
	Hardcore filling	OW	17.0		-
	Imported hardcore, Hand packed; water and well compacted				
G	of 150mm thickness and minimum depth of 300mm.	SM	16.0		_
H	50mm thick murram blinding to surfaces of hardcore	SM	16.0		-
	Anti-termite treatment				-
	Termidor' or other equal and approved chemical treatment to				
	surfaces of blinded hardcore and around foundations; apply in				
	accordance with manufacturers specification; provide a				
J	ten(10) written quarantee against termites	SM	16.0		-
	Mesh fabric reinforcement to B.S 4483 and setting in				
	concrete with 300mm side and end laps (measured nett-				
	allow for laps)				-
	Fabric mesh ref:A98 weighing 0.98 kg per square metre in		10.0		
К		SM	16.0		-
	DAMP PROOF MEMBRANE 1000 gauge polythene damp proof memmbrane laid under				-
	surface bed with 300mm side and end laps (measured net -				
L	allow for laps)	SM	16.0		_
	CONCRETE	Olvi	10.0		-
	50mm thick concrete (1:4:8 mix) blinding under;				_
М	Column Bases and stripfooting	SM	24.0		-
	Insitu concrete class 20/20, vibrated and reinforced as	_	_		
	described, in:-				-
Ν	Groundbeams	СМ	2.0		-
	Ditto but to stripfooting	СМ	2.0		-
Р	Ditto but to foundation columns and bases	CM	10.0		-
Q	100mm thick VRC surface bed	SM	34.0		-
	Reinforcement works all in accordance with the				
	Engineer's details and approval including all				
	cutting,bending,laying and binding wire to;	14-11	000.0		-
R S	Column bases and Foundation columns Groundbeams	Kg	900.0		-
	strip footing	Kg Kg	180.0 80.0		-
	Carried to collection	ivy	00.0		
					-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
^	SAWN FORMWORK TO;	014	10.0		
A	Vertical sides of groundbeams	SM	12.0		-
В	Ditto but to Column bases and foundation columns	SM	33.0		-
С	Edges of ground floor slab over 75mm but not exceeding 150mm high	LM	15.0		-
	Foundation walls				-
D	200mm thick natural stone wall foundations bedded and jointed in c.s morta 1;4 with hoop iron bars at alternate course	SM	23.0		-
	DPC Three -ply bituminous felt damp proof course bedded in cement and sand morta(1;3)				-
Е	200mm Wide horizontal layer	LM	17.0		-
	PLINTH FINISH				-
	Cement and Sand 1:4 render				-
F	12 mm thick render wood float	SM	6.0		-
	Prepare and apply two coats bituminous paint to:				-
G	Render surfaces externally	SM	6.0		-
					-
	Carried to collection				-
	COLLECTION				
1	Total Brought Forward From Page No.2				
2	Total Brought Forward From Page No. 3				
	TOTAL CARRIED TO SUMMARY				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	REINFORCED CONCRETE WORKS SUPERSTRUCTURE Element NO. 2				
А	Vibrated reinforced concrete (1;2;4) class 25 in; Columns	СМ	5.0	-	-
В	Ditto but to Ring Beams.	СМ	2.0	-	-
С	Ditto but to 350 wide x 650mm high Rc water guters	SM	17.0	-	-
D	Ditto but to 125mm thick RC Slab above the gate.	SM	18.0	-	-
	REINFORCEMENT (ALL PROVISIONAL) Reinforcement in different sizes in structural concrete work all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to;				-
Е	Columns	kg	450.0	-	-
F	Ditto but to Ring Beams.	kg	180.0	-	-
F	Ditto but to Rc suspended slabs and gutters	kg	394.0	-	-
	SAWN FORMWORK TO;				-
G	Sides of columns.	SM	47.0		-
н	Ditto but to Ring Beams.	SM	11.0		-
н	Ditto but to soffits of the Rc slab at the entrance gate	SM	35.0		-
н	Ditto but to soffits of the Rc Rc gutters	SM	26.0		-
					-
					-
					-
					-
					-
					-
					-
	Carried to summary				

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.3				
	LOAD BEARING WALLINGS				
	EXTERNAL WALLING				
	Supply and fix 150 mm thick natural chisel cut walling,jointed in cement and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windows openings formed accurately as per Architects schedule				
A	150mm thick walling	SM	29.0		-
	INTERNAL WALLING				
	Supply and fix 150 mm thick natural chisel cut walling,jointed in cement and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windows openings formed accurately as per Architects schedule				
В	150mm thick	SM	5.0		-
	PCC COPING				
С	Supply and fix 550X550 Pcc coping twise weathered and throated fixed to concrete columns and painted to approval.	NO	5.0		-
	Carried to summay				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.4 ROOF CONSTRUCTION MAIN ROOF -TIMBER TRUSSES Structural timber trusses in pressure impregnated treated sawn cypress including fabrication, jointing with necessary timber plates ,bolts and connecting plates, hoisting and fixing in position all in accordance with Engineers details and drawings				
А	100X50mm wall plate secured with and including 12mm diameter mild steel 'J'bolt 100x50mm thick at 1500mm centres cast in concrete ring beams	LM	15.0		-
В	100x50mm principle rafters	LM	34.0		-
С	Ditto but to tie beam / ceilling joist	LM	16.0		-
D	100x50mm but common rafters	LM	23.0		-
Е	Ditto but king post	LM	4.0		-
F	75 x 50 mm but struts and ties.	LM	32.0		-
G	75x50mm purlins	LM	40.0		-
	ROOF FINISHES AND COVERING				-
J	Supply and fix gauge 30.0 pre-painted normal corrugated (11/3) Roof covering sheets at 25.0 degrees from horizontal from MRM or any other equal and approved by P.M fixed to timber purlins m/s and including all necessary accessories. Down Pipes with solvent welded joints, fixed to walls with holderbolts size 100 x 100 mm or any other approved	SM LM	18.0 5.0		-
к	Extraover for shoe in pipe , size' - 100 x 100 mm	No.	2.0		-
	Carried Forward to ourspace of Sociar				
	Carried Forward to summary of Section				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Element NO.5 WINDOWS				
	Supply and fix the following purpose made standard 25mm 'Z'- section , 25mm T-sections, steel casement window fabricated to approved detailed designs: hooded mosquito proofed permanent vents: pin type hinges: : including all necessary cutting, welding, grinding, ironmongery one coat red oxide primer before fixing: window size				
А	window size 1500x1200mm high	NO	1.0		-
В	window size 1200x600mm high	NO	1.0		-
С	window size 800x600mm high	NO	1.0		-
D	window cill 75mm cast insitu concrete cill in class 20 concrete	LM	3.0		-
E	Clear sheet glass 5mm Glass and glazing to metal with putty in panes - 0.50 to 1.00 square metres	SM	2.0		-
	PAINTING AND DECORATION				-
F	Prepare and apply three coats of gloss oil paints to metal surface of window externally	SM	2.0		-
G	ditto internally	SM	2.0		-
					-
					-
					-
					-
					-
					-
					-
					_
					-
	Carried Forward to summary of Section				-

Element N0.6 DOCRS & IRON MONGERY-(Supply and fix items) Timber doors Somm thick solid hardwood panel doors comprising of standard panels. with 300mm wide van light to Architects door schedule. A Door size 900x2400mm high No 1.0 Doors, frames and finishings in sawn cypruss timber to approval. LM 7.0 B 150 x 50 mm thick door frame with 3 labours LM 7.0 C 40 x 25 mm architrave with one labour LM 7.0 D 25 mm quadrant LM 7.0 E 38 mm rubber door stop fixed with rawl bolts NO 2.0 F 100 mm steel butt hinges Pairs 1.5 G Two lever door lock as per union catalouge ref 2237 NO 1.0 H 125 x 25 x3mm thick wrought door fixing cramps NO 2.0 J Back of wood before fixing: not exceeding 100 mm girth Frepare and apply Unfere coats clear varnish paint to :- K G General surfaces of timber internally SM 2.0 SM L Ditto externally SM 2.0 SM Supply and fix steel door comprising 40 x 40 x 1.5mm thick SHS midel rail; The door divided divided into panels by 40x25 x 1.5	unt Kshs
A Schedule. No 1.0 Door size 900x2400mm high No 1.0 Doors, frames and finishings in sawn cypruss timber to approval. ISO × 50 mm thick door frame with 3 labours LM 7.0 B 150 × 50 mm thick door frame with 3 labours LM 7.0 C 40 × 25 mm architrave with one labour LM 7.0 D 25 mm quadrant LM 7.0 E 38 mm rubber door stop fixed with rawl bolts NO 2.0 F 100 mm steel butt hinges Pairs 1.5 G Two lever door lock as per union catalouge ref 2237 NO 1.0 H 125 x 25 x3mm thick wrought door fixing cramps NO Prepare and apply undercoat to :- J Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- SM 2.0 K General surfaces of timber internally SM 2.0 SM 2.0 L Ditto externally SM 2.0 SM 2.0 SM 2.0 K General surfaces of timber internally SM 2.0 SM 2.0 SM	
approval.B150 x 50 mm thick door frame with 3 laboursLM7.0C40 x 25 mm architrave with one labourLM7.0D25 mm quadrantLM7.0E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNOPrepare and apply undercoat to :-JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight:, priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :-SM2.0	-
B150 x 50 mm thick door frame with 3 laboursLM7.0C40 x 25 mm architrave with one labourLM7.0D25 mm quadrantLM7.0E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNOPrepare and apply undercoat to :-JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Undercoat to :-SM2.0JBack of wood before fixing; not exceeding 100 mm girthSM2.0VGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :-NO1NGeneral surfaces of steel door internallySM2.0	-
E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNO7.0JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :-NO1NGeneral surfaces of steel door internallySM2.0	-
F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNO1.0H125 x 25 x3mm thick wrought door fixing crampsNO7.0Prepare and apply undercoat to :-LM7.0JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNONOJBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Undercoat to :- Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0LDitto externallySM2.0STEEL DOORSS2.0Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
H125 x 25 x3mm thick wrought door fixing crampsNOJBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to SM2.0	-
Prepare and apply undercoat to :- Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSTEEL DOORSSMSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 400X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :- NSM2.0	-
JBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSIPPly and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSM2.0Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :- NSM2.0	-
Prepare and apply Two coats approved glosse paints to :- N General surfaces of steel door internally SM 2.0	_
N General surfaces of steel door internally SM 2.0	-
	-
P Ditto externally SM 2.0 -	-
	-
Total carried to summary	-

ltem	Description	Unit	Qnty	Rate	Amount
	BILL NO 8: PLUMBING & DRAINAGE INSTALLATIONS				
	All works to be carried out by the Qualified plumbing sub- contractor approved by the architech				
	WATER CLOSET				
A	Twyford' or equivalent water closet comprising WC pan,low level 9litres cistern side inlet internal overflow with valveless fittings:innlet connection;flush pipe and chrome plated lever;white plastic seat and cover;including fixing pan to floor and cistern to wall wiith screws and plugs	NO	1		-
	WASH HAND BASIN				-
В	Twyford or equivalent wash hand basin as semi-recessed vitreouswhite china(450 x 300mm) with two taphole,taps,chain,and waste 32mm C.P 32mm bottle trap with 75mm seal with 200mm tail piece,capnuts and wall flange,brackets including fixing	NO	1		-
С	ditto soap dish	NO	1		-
D	Mirror size 600 x450mm high bevelled edges on plywood backing fixed with C.P screws with dome covers;plugged to wall	NO	1		-
E	25mm diameter crome plated towel rail 600mm long	NO	1		
F	Allow Provisional sums of ksh for pipework and for testing of all plumbing works by water test	ITEM	1	25,000	-
GH	Allow for testing of all plumbing works by water test	ITEM	1		-
					-
					-
	Total carried to summary				-
	i star surrisu to surrinu y				

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.7 FINISHES				
A	EXTERNAL WALL FINISHES Horizontal key pointing and verticle flash joint to external surface of walls.	SM	29.0		-
в	15mm screed backing to receive weatherguard paint cable walls.	SM	-		-
С	Ditto but to verticle sides of columns and ringbeams	SM	11.0		-
D	Prepare and apply one undercoat and two finishing coats acrylic paint or other approved by the architect Rendered walls externaly	SM	11.0		-
	INTERNAL WALL FINISHES 16mm (minimum) cement sand (1:3) screed to receive ceramic tiles M.s. Steel trowelled smooth plasters to surfaces of wall to receive				-
Е	paint (m/s)	SM	39.0		-
F	Wood trowelled plasters to surfaces of wall to receive paint m.s.	SM	14.0		-
G	Steel trowelled smooth plasters to surfaces of, ring beams.	SM	11.0		-
н	Ditto but to soffits of the Rc slab at the entrance gate with waterproof cement	SM	35.0		-
J	Ditto but to sides soffits of the Rc gutters including water channel with approved waterproof cement to project manager's approval. PAINTING AND DECORATING	SM	26.0		-
	Prepare and apply three coats silk vinyl emulsion paint or other approved by Architect				-
К	To plastered surfaces of walls	SM	39.0		-
L	To plastered surfaces of, ring beams	SM	11.0		-
	CERAMIC WALL TILES 330X330X6mm thick coloured ceramic wall tiles in approved pattern.				-
М	To Walls in bathrooms	SM	14		-
N	INTERNAL FLOOR FINISHES <u>cement and sand (1:4) backing</u> 32mm thick cement and sand screed steel float finish with red oxide paint.	SM	34.0		- - -
					-
	Total carried to collection				-

Item	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	Coloured non-slip ceramic tiles as SAJ ceramic to floor				
	of washrooms.				-
٨	Supply and fixed 330x330x8mm thick saj ceramic tiles bonded	SM	16.0		
A	with an approved adhesive.	SIVI	10.0		-
В	150mm high tile skirting	LM	24.0		-
	CEILING FINISHES				-
	9mm thick Chipboard horizontal ceiling fixed to and including				
	50x50mm sawn cypress brandering at 600mm c/c both				
	directions, finishing joint with fibre tape and skimming before		10.0		
С	applying finishing coats of paint m/s.	SM	16.0		-
D	Extra`over ceiling for trap door size 600x600mm	NO	1.0		-
ļ					-
	Sawn cypress: pressure impregnated				-
	50 x 50mm Brandering to ceilings at 600mm centres both				
E	ways: plugged to walls where necessary	LM	85.0		-
	CORNICE	1		l	-
F	100X25mm cornice	LM	22.0		-
					-
	PAINTING AND DECORATING				-
	Prepare and apply three coats matt emulsion paint or other and approved				-
G	To surfaces of chipboard suspended ceiling	SM	16.0		-
Ŭ		OW	10.0		-
Н	Ditto but to cornice	LM	22.0		-
					-
					-
	Total carried to collection				-
	COLLECTION				
	COLLECTION				
_					
1	Total Brought Forward From Page No.12				-
2	Total Brought Forward From above				-
	Carried Forward to Summary of Section No.				
	Carned Forward to Summary of Section No.				-

ltem	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	Element NO 8				
	PC AND PROVISIONAL SUMS				
	ELECTRICAL INSTALLATION				
A	Allow a Provisinal sum of kshs only for electrical instalations works including power connections	Item	1.0	30,000	
В	Allow for profits %				
С	Allow for attendance				
D	Allow the Provisional Sum only for Project management services and supervision.	Item	1	30,000	
	CONTINGENCIES				
Е	Allow a contigency sum of kshsto be expended at the Architects discretion	item			-
	Total carried to main summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
1	SECTION SUMMARY Substructures works				
2	Reinforced concrete works				
3	External and internal walling				
4	Roof construction and covering				
5	Windows				
6	Doors and ironmongery				
7	Plumbing works				
8	External, internal wall and ceilling finishes				
9	Allow a pc sum for Electrical instalation works				
	Summary for the proposed works Carried to main summary				

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	STEEL GATE				-
	Purpose made mild steel gate overal size 5000x2100mm high in two(2) equal leaves fabricated from 75x50x3mm thick SHS braces and framed all round 50x50x3mm thick RHS middle rails and 25x25x2mm thick sections framing at 100mm centers and including all iron mongery and accessories and 4no. 100mm dia x4mm thick gate posts fixed to column and applying one coat of redoxide primer				
F	before delivery to site.	NO	1.0		-
G	Pedestrian gate size 1200x2100mm high	NO	1.0		-
н	Prepare surface and apply three coats of gloss oil paint on general metal surfaces (M/S)	SM	21.0		-
	Total carried to collection				

ltem	GRAND SUMMARY		
1			
	Gate house		-
2	Fabrication of gate		-
	TOTAL FOR GATE HOUSES CARRIED TO COLLECTION		-

ltem	Description	Unit	Qty	Rate Kshs	AMOUNT Kshs
	BILL NO. 10				
	ELECTRICAL WORKS				
	LIGHTING WIRING AND LIGHT FITTINGS				
A	Lighting points wired in $3x1.5mm$ sq PVC insulated single core copper cables drawn in 20mm Ø. HG PVC conduits concealed in building fabrics.		46		-
В	Supply and install 1.5mm sq PVC inculated single core copper cables for the corridor lights contactor signal. Contactor to be at every level in the DB	Rolls	2		-
С	LED 18W, 6500K CRI<75% 1600lm 4ft T8 Tube as OPPLE, Philips or approved equivalent	No	52		-
D	LED 9W, 6500K CRI<75% 900lm 2ft T8 Tube as OPPLE, Philips or approved equivalent	No	56		
E	LED Tube Light Fixture, Surface Mount T Bar, for T8 4FT With diffuser2ft x 2ft (Nominal)	No	14		-
F	LED Tube Light Fixture, Surface Mount T Bar, for T8 4FT With diffuser 4ft x 1ft (Nominal)	No	26		-
G	IP44 rated LED Circular Ceiling Light. 10W, 6500K, cool white, 1250lm. As V-TAC VT- 8033/5566 or equivalent and Approved - Type S	No	4		-
Н	Dome LED Circular Ceiling Downlight. 15W, 6500K, cool white, 1250lm. As V-TAC VT- 8033/5566 or equivalent and Approved - Type S	No.	9		-
I	IP44 Rated Outdoor Bulkhead light (Metal + Glass Material) as Windsor	No.	4		-
J	LED Lamp type A60 B22 with low with 10W, 6500K as Opple,Philips or equivalent as approved	No.	4		-
к	IP44 Rated Photocell sensor light control switch as V-TAC VT8019 or approved equivalent	No.	1		-
L	Proximimity sensor light control switch as V-TAC or approved equivalent	No.	1		-
					-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	POWER OUTLET CONDUITING & WIRING				
	Ring mains socket outlet points wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 25mm Ø HG PVC conduitsconcealed in building fabrics.	No.	39		-
В	Undersink water heater point through a DP switch wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics	No.	0		-
С	Hand driers outlet point through a DP switch wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics.	No.	3		-
D	Cabinet power point through a DP switch wired in 3 x 4.0mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics.	No.	1		-
Е	TV outlet points complete with draw wire in 25mm Ø HG PVC conduits.	No.	4		
F	25mm diameter PVC HG sleeves.	No.	160		-
G	25mm diameter PVC couplers	No.	160		-
н	38mm diameter PVC HG sleeves.	No.	14		-
I	38mm diameter PVC couplers	No.	14		-
J	Purpose made adaptable boxes to Engineer's detail for Power, Telephone & TV.	No.	3		-
					-
					-
					-
					-
					-
					-
	Corried to collection				
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	DISTRIBUTION BOARDS				
	4 way Consumer unit CU c/w Bus bars and Integral isolator				
А	rated at 63A SPN as Schneider or approved equivalent	No.	1		_
	10A SP MCB	No.	1		_
	32A SP MCB	No.	2		
		No.	1		-
U	Blanking covers	INO.	I		-
	12way TPN Distribution board c/w Bus bars and Integral				
_	isolator rated at 125A TPN as Schneider or approved	Nia	4		
		No.	1		-
	10A SP MCB	No.	2		-
	20A SP MCB	No.	1		-
	30A SP MCB	No.	1		-
	Blanking covers	No.	8		-
J	SUB-MAINS CABLING				-
	Supply and install 16.0 mm2 4C XLPE SWA PVC CU Cable				
ĸ	from the UPS Sub- board to the Distribution board	LM	18		-
L	Cable glands for CU cables above	No.	4		-
	, , , , , , , , , , , , , , , , , , ,				-
М	Cable lugs for CU cables above.	No.	4		-
		_			_
	Supply and install 10.0 mm2 3C XLPE SWA PVC CU Cable				
Ν	from the DB to the consumer unit	LM	18		_
			10		_
0	Cable glands for CU cables above	No.	2		-
U	Cable giands for CO cables above	INO.	2		
Р	Cable luga for CLL cables above	No.	4		-
Р	Cable lugs for CU cables above. EARTHING	INO.	4		-
					-
	16.0mm sq SC multistrand Yellow/Green PVC CU cable c/w				
	appropriate cable glands, cable		4.5		
Q	lugs & any other accessories for earthing the LV boards.	LM	15		-
					-
	10.0mm sq SC multistrand Yellow/Green PVC CU cable c/w				
	appropriate cable glands, cable				
R	lugs & any other accessories for earthing the LAN Cabinet	LM	20		-
S	Earth pit construction for earth termination	No.	2		-
					-
	15mm diameter, 1200mm copper bonded earth rod, complete				
Т	with clamps, driving stud and spike.	No.	2		-
	UNDERGROUND DUCTS AND MANHOLE	_			_
	600 x 450 x 600mm deep power manhole medium gauge c/w				
U	"E.A.F.W. steel cover engraved 'POWER'.	No.	1		_
Ŭ					-
	600 x 450 x 600mm deep ICT manhole medium gauge c/w				
V	"E.A.F.W. steel cover engraved 'ICT'.	No.	1		_
, v					_
	Excavating trensch for the sleeves, 600mm deep, 300mm				
w	wide, laying the sleeve and back filling	LM	30		
٧V	white, raying the sleeve and back lilling		30		-
	Corriged to collection				-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	LIGHTINING PROTECTION				
	Air Termination				
A	15mm diameter multiple point copper air terminal as Furse Cat. No. RA 600.	No.	1		-
В	Copper junction clamps for tape	No.	1		-
С	25 x 3mm turned copper tape as Furse Cat. No. TC 230.	LM	25		-
D	Copper ridge saddle as Furse Cat. No. CD 115.	No.	1		-
Е	D.C. Brass tape clip as Furse Cat. No. CP 210	No.	7		-
F	Oblong test/junction clamp as Furse Cat. No. CN 105	No.	1		-
G	Diameter 38mm HG PVC conduits for linking the columns to the inspection pits.	LM	1		-
Н	Earth Termination 15mm diameter, 1200mm copper bonded earth rod , complete with clamps, driving stud and spike.	No.	1		-
I	U-Bolt rod-to-tape clamp, Furse CR705	No.	1		-
J	Earth pit construction for the earth termination.	Lot	1		-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
	Carried to collection				-


	1
•	


ltem	Description	Unit	Qty	Rate	Amount
	GRAND SUMMARY				
1	LIGHTING WIRING AND LIGHTING FITTINGS				-
2	POWER OUTLET CONDUITING & WIRING				-
3	DISTRIBUTION BOARDS				-
4	LIGHTNING PROTECTION				-
	Total cost carried to main summary				-

ltem	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	BILL NO 11				
	PC AND PROVISIONAL SUMS				
А	Allow the Provisional Sum only for Project management services and supervision.	Item	1	150,000	
	TESTING AND COMMISIONING				
В	Allow for testing & commissioning during progress after installation to architects' satisfaction	Item	1	10,000.0	
	CONTINGENCIES				
С	allow a contingecy sum of kshs. To be expended at the project manager's discretion for any unforseen work done to be quantified accordingly by the QS	1	Pc		-
	Total carried to main summary				-


ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	SECTION SUMMARY				
1	Doors and ironmongery				-
2	Internal floor tiles and External finishes				-
3	Plumbing and drainage works				-
4	Septic tank construction				
5	Access Ramp & Steps				-
6	Retaining wall				-
7	Landscaping works				-
8	Supply and instalations of water storage tanks with tower mast				-
9	Gate & gatehouse				#REF! -
10	Electrical works				-
11	PC & Provisional sums				
	Total Summary for the proposed works				#REF!

	GRAND SUMMARY			
1	PROPOSED WORKS			#REF!
	SUB-TOTALS			#REF!
2	PRELIMINARIES %		5%	#REF!
	TOTAL CARRIED TO FORM OF TENDER (Rates are V.A.T			
	Inclusive)			#REF!
	Amount in words			
	Official stamp			
	Signed:			
	Date:			
	Signed			
	Withness			
	Name			
	Address			
	Date			











PART III - CONDITIONS OF CONTRACT AND CONTRACT FORMS



FORM NO 3: LETTER OF AWARD

[letterhead paper of the Procuring Entity] [date]

To: [name and address of the Contractor]

You are requested to furnish the Performance Security within 30 days in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

Authorized Signature:
Name and Title of Signatory:
Name of Procuring Entity
Attachment: Contract Agreement



SECTION VIII - GENERAL CONDITIONS OF CONTRACT

These General Conditions of Contract (GCC), read in conjunction with the Special Conditions of Contract (SCC) and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

These General Conditions of Contract have been developed on the basis of considerable international experience in the drafting and management of contracts, bearing in mind a trend in the construction industry towards simpler, more straightforward language.

The GCC can be used for both smaller admeasurement contracts and lump sum contracts.

General Conditions of Contract

A. General

1. Definitions

1.1 Bold face type is used to identify defined terms.

- a) **The Accepted Contract** Amount means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
- b) **The Activity Schedule** is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.
- c) **The Adjudicator** is the person appointed jointly by the Procuring Entity and the Contractor to resolve disputes in the first instance, as provided for in GCC 23.
- d) **Bill of Quantities** means the priced and completed Bill of Quantities forming part of the Bid.
- e) **Compensation Events** are those defined in GCC Clause 42 hereunder.
- f) **The Completion Date** is the date of completion of the Works as certified by the Project Manager, in accordance with GCC Sub-Clause 53.1.
- g) **The Contract** is the Contract between the Procuring Entity and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC Sub-Clause 2.3 below.
- h) **The Contractor** is the party whose Bid to carry out the Works has been accepted by the Procuring Entity.
- i) **The Contractor's Bid** is the completed bidding document submitted by the Contractor to the Procuring Entity.
- j) **The Contract Price** is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.
- k) **Days** are calendar days; months are calendar months.
- 1) **Day works** are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
- m) **A Defect** is any part of the Works not completed in accordance with the Contract.
- n) **The Defects** Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor.
- o) **The Defects Liability Period** is the period **named in the SCC** pursuant to Sub-Clause 34.1 and calculated from the Completion Date.
- p) **Drawings** means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract, include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
- q) **The Procuring Entity** is the party who employs the Contractor to carry out the Works, **as specified in the SCC**, who is also the Procuring Entity.
- r) **Equipment** is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.



- s) **"In writing" or "written"** means hand-written, type-written, printed or electronically made, and resulting in a permanent record;
- t) The Initial Contract Price is the Contract Price listed in the Procuring Entity's Letter of Acceptance.
- u) **The Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is **specified in the SCC**. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- v) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- w) **Plant is** any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- x) **The Project Manager** is the person **named in the SCC** (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- y) SCC means Special Conditions of Contract.
- z) **The Site** is the area of the works as **defined as such in the SCC**.
- aa) **Site Investigation Reports** are those that were included in the bidding document and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- bb) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- cc) **The Start Date** is **given in the SCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- dd) **A Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- ee) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- ff) **A Variation** is an instruction given by the Project Manager which varies the Works.
- gg) **The Works** are what the Contract requires the Contractor to construct, install, and turn over to the Procuring Entity, **as defined in the SCC**.

2. Interpretation

- 21 In interpreting these GCC, words indicating one gender include all genders. Words indicating the singular also include the plural and words indicating the plural also include the singular. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.
- 22 If sectional completion is specified in the SCC, references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 23 The documents forming the Contract shall be interpreted in the following order of priority:
 - a) Agreement,
 - b) Letter of Acceptance,
 - c) Contractor's Bid,
 - d) Special Conditions of Contract,
 - e) General Conditions of Contract, including Appendices,
 - f) Specifications,
 - g) Drawings,
 - h) Bill of Quantities⁶, and
 - i) any other document **listed in the SCC** as forming part of the Contract.

⁶In lump sum contracts, delete "Bill of Quantities" and replace with "Activity Schedule."



3. Language and Law

- 3.1 The language of the Contract is English Language and the law governing the Contract are the Laws of Kenya.
- 32 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Procuring Entity's Country when
- a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country; or
- b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods from that country or any payments to any country, person, or entity in that country.

4. Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Procuring Entity and the Contractor in the role representing the Procuring Entity.

5. Delegation

5.1 Otherwise **specified in the SCC**, the Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may revoke any delegation after notifying the Contractor.

6. Communications

61 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.

7. Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Procuring Entity in writing. Subcontracting shall not alter the Contractor's obligations.

8 Other Contractors

81 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Procuring Entity between the dates given in the Schedule of Other Contractors, as **referred to in the SCC.** The Contractor shall also provide facilities and services for them as described in the Schedule. The Procuring Entity may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

9. Personnel and Equipment

- 9.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
- 92 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
- 93 If the Procuring Entity, Project Manager or Contractor determines, that any employee of the Contractor be determined to have engaged in Fraud and Corruption during the execution of the Works, then that employee shall be removed in accordance with Clause 9.2 above.

10. Procuring Entity's and Contractor's Risks

10.1 The Procuring Entity carries the risks which this Contract states are Procuring Entity's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.



11. Procuring Entity's Risks

- 11.1 From the Start Date until the Defects Liability Certificate has been issued, the following are Procuring Entity's risks:
 - a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to
 - i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
 - ii) negligence, breach of statutory duty, or interference with any legal right by the Procuring Entity or by any person employed by or contracted to him except the Contractor.
 - b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Procuring Entity or in the Procuring Entity's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.
- 112 From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is a Procuring Entity's risk except loss or damage due to
 - aa) a Defect which existed on the Completion Date,
 - bb) an event occurring before the Completion Date, which was not itself a Procuring Entity's risk, or
 - cc) the activities of the Contractor on the Site after the Completion Date.

12. Contractor's Risks

121 From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Procuring Entity's risks are Contractor's risks.

13. Insurance

- 13.1 The Contractor shall provide, in the joint names of the Procuring Entity and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles **stated in the SCC** for the following events which are due to the Contractor's risks:
 - a) loss of or damage to the Works, Plant, and Materials;
 - b) loss of or damage to Equipment;
 - c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
 - d) personal injury or death.
- 132 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.
- 133 If the Contractor does not provide any of the policies and certificates required, the Procuring Entity may effect the insurance which the Contractor should have provided and recover the premiums the Procuring Entity has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 134 Alterations to the terms of an insurance shall not be made without the approval of the Project Manager.
- 135 Both parties shall comply with any conditions of the insurance policies.

14. Site Data

14.1 The Contractor shall be deemed to have examined any Site Data **referred to in the SCC**, supplemented by any information available to the Contractor.

15. Contractor to Construct the Works

15.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.

- - **16.** The Works to Be Completed by the Intended Completion Date
 - 16.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.
 - **17.** Approval by the Project Manager
 - 17.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
 - 172 The Contractor shall be responsible for design of Temporary Works.
 - 173 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
 - 17.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.
 - 175 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.

18. Safety

18.1 The Contractor shall be responsible for the safety of all activities on the Site.

19. Discoveries

19.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Procuring Entity. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

20. Possession of the Site

20.1 The Procuring Entity shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date **stated in the SCC**, the Procuring Entity shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.

21. Access to the Site

21.1 The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

22. Instructions, Inspections and Audits

- 22.1 The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.
- 222 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and subconsultants to keep, accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
- 223 The Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Procuring Entity and/or persons appointed by the Public Procurement Regulatory Authority to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Public Procurement Regulatory Authority. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 25.1 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Public Procurement Regulatory Authority's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Public Procurement Regulatory Authority's prevailing sanctions procedures).



23. Appointment of the Adjudicator

- 23.1 The Adjudicator shall be appointed jointly by the Procuring Entity and the Contractor, at the time of the Procuring Entity's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the SCC, to appoint the Adjudicator within 14 days of receipt of such request.
- 232 Should the Adjudicator resign or die, or should the Procuring Entity and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Procuring Entity and the Contractor. In case of disagreement between the Procuring Entity and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority designated in the SCC at the request of either party, within 14 days of receipt of such request.

24. Settlement of Claims and Disputes

241 Contractor's Claims

- 24.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give <u>Notice to the Project Manager</u>, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 24.1.2 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 24.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 24.1.4 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Procuring Entity's liability, the Project Manager may, after receiving any notice under this Sub-Clause, monitor the record- keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Project Manager to inspect all these records, and shall (if instructed) submit copies to the Project Manager.
- 24.1.5 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
 - a) this fully detailed claim shall be considered as interim;
 - b) the Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Project Manager may reasonably require; and
 - c) the Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Project Manager.
- 24.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Project Manager and approved by the Contractor, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 24.1.7 Within the above defined period of 42 days, the Project Manager shall proceed in accordance with Sub-Clause
- 24.1.8 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the

additional payment (if any) to which the Contractor is entitled under the Contract.

- 24.1.9 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 24.1.10 If the Project Manager does not respond within the timeframe defined in this Clause, either Party may consider that the claim is rejected by the Project Manager and any of the Parties may refer to Arbitration in accordance with Sub-Clause 24.4 [Arbitration].
- 24.1.11 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 24.3.

242 Amicable Settlement

24.2.1 Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 24.1 above should move to commence arbitration after the fifty-sixth day from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

243 Matters that may be referred to arbitration

- 24.3.1 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
 - a) The appointment of a replacement Project Manager upon the said person ceasing to act.
 - b) Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
 - c) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
 - e) Any dispute arising in respect of war risks or war damage.
 - f) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

244 Arbitration

- 24.4.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 24.3 shall be finally settled by arbitration.
- 24.4.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 24.4.3 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 24.4.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 24.4.5 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 24.4.6 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Project Manager, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Project Manager from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 24.4.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 24.4.8 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Project Manager shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 24.4.9 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the

Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

245 Arbitration with National Contractors

- 24.5.1 If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
 - i) Architectural Association of Kenya
 - ii) Institute of Quantity Surveyors of Kenya
 - iii) Association of Consulting Engineers of Kenya
 - iv) Chartered Institute of Arbitrators (Kenya Branch)
 - v) Institution of Engineers of Kenya
- 24.5.2 The institution written to first by the aggrieved party shall take precedence over all other institutions.

246 Alternative Arbitration Proceedings

24.6.1 Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

247 Failure to Comply with Arbitrator's Decision

- 24.7.1 The award of such Arbitrator shall be final and binding upon the parties.
- 24.7.2 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

248 Contract operations to continue

- 24.8.1 Notwithstanding any reference to arbitration herein,
 - a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - b) the Procuring Entity shall pay the Contractor any monies due the Contractor.

25. Fraud and Corruption

- 25.1 The Government requires compliance with the country's Anti-Corruption laws and its prevailing sanctions policies and procedures as set forth in the Constitution of Kenya and its Statutes.
- 252 The Procuring Entity requires the Contractor to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

B. Time Control

26. Program

- 26.1 Within the time stated in the SCC, after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
- 262 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.
- 263 The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the SCC from the next payment certificate and

continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.

264 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.

27. Extension of the Intended Completion Date

- 27.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
- 272 The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

28. Acceleration

- 281 When the Procuring Entity wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Procuring Entity accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Procuring Entity and the Contractor.
- 282 If the Contractor's priced proposals for an acceleration are accepted by the Procuring Entity, they are incorporated in the Contract Price and treated as a Variation.

29. Delays Ordered by the Project Manager

29.1 The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

30. Management Meetings

- 30.1 Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
- 302 The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Procuring Entity. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

31. Early Warning

- 31.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 312 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.

C. Quality Control

32. Identifying Defects

321 The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.

33. Tests

33.1 If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.

34. Correction of Defects

- 34.1 The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the SCC. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- 342 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.

35. Uncorrected Defects

35.1 If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

D. Cost Control

36. Contract Price⁷

361 The Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

37. Changes in the Contract Price⁸

- 37.1 If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change. The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Entity.
- 372 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

38. Variations

- 38.1 All Variations shall be included in updated Programs9 produced by the Contractor.
- 382 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
- 383 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
- 384 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.

⁷*In lump sum contracts, replace GCC Sub-Clauses 36.1 as follows:*

36.1 The Contractor shall provide updated Activity Schedules within 14 days of being instructed to by the Project Manager. The Activity Schedule shall contain the priced activities for the Works to be performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for materials on site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule.

⁸In lump sum contracts, replace entire GCC Clause 37 with new GCC Sub-Clause 37.1, as follows: The Activity Schedule shall be amended by the Contractor to accommodate changes of Program or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule. ⁹In lump sum contracts, add "and Activity Schedules" after "Programs." ¹⁰In lump sum contracts, delete this paragraph.



- 385 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning
- 386 If the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 39.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work
- 387 Value Engineering: The Contractor may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
 - a) the proposed change(s), and a description of the difference to the existing contract requirements;
 - b) a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
 - c) a description of any effect(s) of the change on performance/functionality.

388 The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that:

- a) accelerate the contract completion period; or
- b) reduce the Contract Price or the life cycle costs to the Procuring Entity; or
- c) improve the quality, efficiency, safety or sustainability of the Facilities; or
- d) yield any other benefits to the Procuring Entity, without compromising the functionality of the Works.

389 If the value engineering proposal is approved by the Procuring Entity and results in:

- a) a reduction of the Contract Price; the amount to be paid to the Contractor shall be the **percentage specified in the SCC** of the reduction in the Contract Price; or
- b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in (a) to (d) above, the amount to be paid to the Contractor shall be the full increase in the Contract Price.

39. Cash FlowForecasts

39.1 When the Program¹¹, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.

40. Payment Certificates

- 40.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
- 402 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
- 403 The value of work executed shall be determined by the Project Manager.
- 404 The value of work executed shall comprise the value of the quantities of work in the Bill of Quantities that have been completed12.
- 405 The value of work executed shall include the valuation of Variations and Compensation Events.
- 406 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- 407 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (which would be the tender price), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows: (corrected tender price tender price)/tender price X 100.

41. Payments

- 41.1 Payments shall be adjusted for deductions for advance payments and retention. The Procuring Entity shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of each certificate. If the Procuring Entity makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.
- 412 If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 413 Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.
- 414 Items of the Works for which no rate or price has been entered in shall not be paid for by the Procuring Entity and shall be deemed covered by other rates and prices in the Contract.

42. Compensation Events

42.1 The following shall be Compensation Events:

- d) The Procuring Entity does not give access to a part of the Site by the Site Possession Date pursuant to GCC Sub-Clause 20.1.
- e) The Procuring Entity modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
- f) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
- g) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
- h) The Project Manager unreasonably does not approve a subcontract to be let.
- i) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
- j) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Procuring Entity, or additional work required for safety or other reasons.
- k) Other contractors, public authorities, utilities, or the Procuring Entity does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- 1) The advance payment is delayed.
- m) The effects on the Contractor of any of the Procuring Entity's Risks.
- n) The Project Manager unreasonably delays issuing a Certificate of Completion.
- 422 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 423 As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the Contractor shall react competently and promptly to the event.

¹¹In lump sum contracts, add "or Activity Schedule" after "Program."

¹²In lump sum contracts, replace this paragraph with the following: "The value of work executed shall comprise the value of completed activities in the Activity Schedule."



424 The Contractor shall not be entitled to compensation to the extent that the Procuring Entity's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.

43. Tax

43.1 The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 30 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of GCC Clause 44.

44. Currency y of Payment

44.1 All payments under the contract shall be made in Kenya Shillings

45. Price Adjustment

45.1 Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

P = A + B Im/Io

where:

P is the adjustment factor for the portion of

the Contract Price payable.

A and B are coefficients¹³ specified in the SCC, representing the non-adjustable and adjustable portions, respectively, of the Contract Price payable and Im is the index prevailing at the end of the month being invoiced and IOC is the index prevailing 30 days before Bid opening for inputs payable.

452 If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.

46. Retention

- 461 The Procuring Entity shall retain from each payment due to the Contractor the proportion stated in the **SCC** until Completion of the whole of the Works.
- 462 Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with GCC 53.1, half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" Bank guarantee.

47. Liquidated Damages

- 47.1 The Contractor shall pay liquidated damages to the Procuring Entity at the rate per day stated in the **SCC** for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the SCC. The Procuring Entity may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
- 472 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC Sub-Clause 41.1.

48. Bonus

48.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day **stated in the SCC** for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.

49. Advance Payment

- 49.1 The Procuring Entity shall make advance payment to the Contractor of the amounts stated in the **SCC** by the date stated in the **SCC**, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Procuring Entity in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid, but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.
- 492 The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.
- 493 The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.

50. Securities

50.1 The Performance Security shall be provided to the Procuring Entity no later than the date specified in the Letter of Acceptance and shall be issued in an amount **specified in the SCC**, by a bank or surety acceptable to the Procuring Entity, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 28 day from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond.

51. Dayworks

- 51.1 If applicable, the Dayworks rates in the Contractor's Bid shall be used only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
- 512 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
- 513 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

52. Cost of Repairs

521 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

E. Finishing the Contract

53. Completion

53.1 The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed.

54. Taking Over

54.1 The Procuring Entity shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion.

55. Final Account

55.1 The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

¹³The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the non-adjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other non-adjustable components.



56. Operating and Maintenance Manuals

- 561 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the SCC.
- 562 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC pursuant to GCC Sub-Clause 56.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount **stated in the SCC** from payments due to the Contractor.

57. Termination

57.1 The Procuring Entity or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

572 Fundamental breaches of Contract shall include, but shall not be limited to, the following:

- a) the Contractor stops work for 30 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
- b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
- c) the Procuring Entity or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction oramalgamation;
- d) a payment certified by the Project Manager is not paid by the Procuring Entity to the Contractor within 84 days of the date of the Project Manager's certificate;
- e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
- f) the Contractor does not maintain a Security, which is required;
- g) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as **defined in the SCC**; or
- h) if the Contractor, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2 a of the Appendix A to the GCC, in competing for or in executing the Contract, then the Procuring Entity may, after giving fourteen (14) days written notice to the Contractor, terminate the Contract and expel him from the Site.
- 573 Notwithstanding the above, the Procuring Entity may terminate the Contract for convenience.
- 574 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.
- 575 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC Sub-Clause 56.2 above, the Project Manager shall decide whether the breach is fundamental or not.

58. Payment upon Termination

- 581 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as specified in the SCC. Additional Liquidated Damages shall not apply. If the total amount due to the Procuring Entity exceeds any payment due to the Contractor, the difference shall be a debt payable to the Procuring Entity.
- 582 If the Contract is terminated for the Procuring Entity's convenience or because of a fundamental breach of Contract by the Procuring Entity, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.

59. Property

59.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property

of the Procuring Entity if the Contract is terminated because of the Contractor's default.

60. Release from Performance

60.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Procuring Entity or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment wasmade.

SECTION IX - SPECIAL CONDITIONS OF CONTRACT

Except where otherwise specified, all Special Conditions of Contract should be filled in by the Procuring Entity prior to issuance of the bidding document. Schedules and reports to be provided by the Procuring Entity should be annexed.

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract						
OC Clause	A. General						
GCC 1.1 (q)	The Procuring Entity is -CHIEF OFFICER-PUBLC WORKS AND TRANSPORT						
GCC 1.1 (u)	The Intended Completion Date for the whole of the Works shall be 120 (One Hundred & Twenty Days From The date of Commencement <i>[insert date]</i>						
GCC 1.1 (x)	The Project Manager is; The County Chief Officer- Public Works & Transport.						
	P.O Box 19-20400 BOMET.						
GCC 1.1 (z)	The Site is located at <i>County mechanical Workshop within Bomet Town</i> and is defined in drawings No. <i>[insert numbers]</i>						
GCC 1.1 (cc)	The Start Date shall be : AS PER THE CONTRACT COMMENCEMENT DATE						
GCC 1.1 (gg)	The Works consist of; Construction of service Bay and sheds, Gate and associated works.						
GCC 2.2	Sectional Completions are: N/A [insert nature and dates, if appropriate]						
GCC 5.1	The Project manager [may or may not] delegate any of his duties and responsibilities.						
GCC 8.1	Schedule of other contractors: NONE [insert Schedule of Other Contractors, if appropriate]						
GCC 9.1	Key Personnel GCC 9.1 is replaced with the following:						
	9.1 Key Personnel are the Contractor's personnel named in this GCC 9.1 of the Special Conditions of Contract. The Contractor shall employ the Key Personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of Key Personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.						
	[As per the project manager appointment)						
GCC 13.1	The minimum insurance amounts and deductibles shall be:						
	(a) for loss or damage to the Works, Plant and Materials: 1,000,000 (One Million Kenya Shillings.						
	(b) For loss or damage to Equipment: 1,000,000 (One Million Kenya Shillings)						
	(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract N/A.						
	(d) for personal injury or death:						
	(i) of the Contractor's employees: 1,000,000 (One Million Kenya Shillings) [amount].						
	(ii) of other people: 500,000 (Five Hundred Thousand Kenya Shillings)						
GCC 14.1	Site Data are: [list Site Data]						
GCC 20.1	The Site Possession Date(s) shall be AS PER THE CONTRACT AGREEMENT						

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
GCC 23.1 & GCC 23.2	Appointing Authority for the Adjudicator: County Government of Bomet.
	Hourly rate and types of reimbursable expenses to be paid to the Adjudicator: [AS PER THE CONTRACT AGREEMENT].
B. Time Contro	ol
GCC 26.1	The Contractor shall submit for approval a Program for the Works within 14 (Fourteen) days from the date of the Letter of Acceptance.
GCC 26.3	The period between Program updates is 28 (Twenty-Eight) days.
	The amount to be withheld for late submission of an updated Program is; N/A
C. Quality Cor	ntrol
GCC 34.1	The Defects Liability Period is: 180 days.
D. Cost Contro	
GCC 38.9	If the value engineering proposal is approved by the Procuring Entity the amount to be paid to the Contractor shall be $N/A %$ (<i>insert appropriate percentage. The percentage is normally up to 50%</i>) of the reduction in the Contract Price.
GCC 44.1	The currency of the Procuring Entity's Country is: Kenya Shillings [insert name of currency of the Procuring Entity's Country].
GCC 45.1	The Contract <i>is</i> " <i>Not</i> " subject to price adjustment in accordance with GCC Clause 45, and the following information regarding coefficients [<i>specify</i> " <i>does</i> " or " <i>does not</i> "] apply.
	[Price adjustment is mandatory for contracts which provide for time of completion exceeding 18 months]
	The coefficients for adjustment of prices are:
	(a) [insert percentage] percent nonadjustable element (coefficient A).
	(ib) [insert percentage] percent adjustable element (coefficient B).
	(c) The Index I for shall be <i>[insert index]</i> .
GCC 46.1	The proportion of payments retained is: 10% (Ten percent)
GCC 47.1	The liquidated damages for the whole of the Works are 0.05% per day. The maximum amount of liquidated damages for the whole of the Works is 10% (Ten Percent) of the final Contract Price.
GCC 48.1	The Bonus for the whole of the Works is N/A per day. The maximum amount of Bonus for the whole of the Works is 0% of the final Contract Price.
GCC 49.1	The Advance Payments shall be: N/A
GCC 50.1	The Performance Security amount is 5% (Five Percent) <i>of the contract sum</i>
	 (a) Performance Security – Bank Guarantee: in the amount(s) of [insert related figure(s)] percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount.

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
E. Finishing the	e Contract
GCC 56.1	The date by which operating and maintenance manuals are required is 60 (Sixty) Days from the date of practical completion
	The date by which "as built" drawings are required is 60 (Sixty) Days From the date of practical completion .
GCC 56.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is 5% (Five Percent)
GCC 57.2 (g)	The maximum number of days is: 20% (Twenty Percent) of the contract period; consistent with Clause 47.1 on liquidated damages].
GCC 58.1	The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is N/A <i>J</i> .



FORM No 1: NOTIFICATION OF INTENTION TO AWARD

This Notification of Intention to Award shall be sent to each Tenderer that submitted a Tender. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

-

FORMAT

- 1. For the attention of Tenderer's Authorized Representative
 - *i)* Name: [insert Authorized Representative's name]
 - *ii)* Address: [insert Authorized Representative's Address]
 - *iii)* Telephone: [*insert Authorized Representative's telephone/fax numbers*]
 - *iv)* Email Address: [insert Authorized Representative's email address]

[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]

2. <u>Date of transmission</u>: [*email*] on [*date*] (local time)

This Notification is sent by (Name and designation)

3. <u>Notification of Intention to Award</u>

- *i)* Procuring Entity: [insert the name of the Procuring Entity]
- *ii)* Project: [insert name of project]
- *iii)* Contract title: [insert the name of the contract]
- *iv)* Country: [insert country where ITT is issued]
- *v)* ITT No: [insert ITT reference number from Procurement Plan]

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

4. <u>Request a debriefing in relation to the evaluation of your tender</u>

Submit a Procurement-related Complaint in relation to the decision to award the contract.

- a) The successful tenderer
 - i) Name of successful Tender_____
 - ii) Address of the successful Tender
 - iii) Contract price of the successful Tender Kenya Shillings ______ (in words ______)
- b) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out. For Tenders not evaluated, give one main reason the Tender was unsuccessful.

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

5. <u>How to request a debriefing</u>


- a) DEADLINE: The deadline to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - ii) Agency: [insert name of Procuring Entity]
 - iii) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

6. <u>How to make a complaint</u>

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [*insert date*] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website <u>info@ppra.go.ke</u> or <u>complaints@ppra.go.ke</u>.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
 - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process, and is the recipient of a Notification of Intention to Award.



- iii) You must submit the complaint within the period stated above.
- iv) You must include, in your complaint, all of the information required to support your complaint.

7. <u>Standstill Period</u>

- i) DEADLINE: The Standstill Period is due to end at midnight on [*insert date*] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5 (d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature:	Name:NAme:AMAMe:_AMAME:	Name:			
Title/position:	Teleph	10ne:	Email:		



FORM NO. 2 - REQUEST FOR REVIEW

FORM FOR REVIEW(r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF......20.....

BETWEEN

.....APPLICANT

AND

REQUEST FOR REVIEW

1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that:
1.
2.
SIGNEDday of/20

FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on......day of20......

SIGNED

Board Secretary



FORM NO 4: CONTRACT AGREEMENT

_____, 20____, between THIS AGREEMENT made the day of (hereinafter "the Procuring of Entity"), of the one part, and of (hereinafter

"the Contractor"), of the other part:

WHEREAS the Procuring Entity desires that the Works known as should be executed by the Contractor, and has accepted a Tender by the Contractor for the execution and completion of these Works and the remedving of any defects therein.

The Procuring Entity and the Contractor agree as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.
 - the Letter of Acceptance a)
 - b) the Letter of Tender
 - the addenda Nos (if any) c)
 - the Special Conditions of Contract d)
 - the General Conditions of Contract; e)
 - f) the Specifications
 - the Drawings; and **g**)
 - h) the completed Schedules and any other documents forming part of the contract.
- 3. In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in this Agreement, the Contractor hereby covenants with the Procuring Entity to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Procuring Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the Laws of Kenya on the day, month and year specified above.

Signed and sealed by (for the Procuring Entity)

Signed and sealed by _____(for the Contractor).

FORM NO. 5 - PERFORMANCE SECURITY

[Option 1 - Unconditional Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary:

[insert name and Address of Procuring Entity] Date:_____

[Insert date of issue]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

- 2. Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
- 3. At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of ______(in

words), 1 such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.

- 4. This guarantee shall expire, no later than the Day of, 2.....², and any demand for payment under it must be received by us at the office indicated above on or before that date.
- 5. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."

[Name of Authorized Official, signature(s) and seals/stamps].

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

²Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM

INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the Tenderer by meeting one or more of the following conditions:

- Directly or indirectly holding 25% or more of the shares.
- Directly or in directly holding 25% or more of the voting rights.
- Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

 Tender Reference No.:
 [insert identification no]

 Name of the Assignment:
 [insert name of the assignment] to:

 [insert complete name of Procuring Entity]

In response to your notification of award dated *[insert date of notification of award]* to furnish additional information on beneficial ownership: *[select one option as applicable and delete the options that are not applicable]*

I) We here by provide the following beneficial ownership information.

Details of beneficial ownership

Identity of Beneficial Owner [include full name (last, middle, first), nationality, country of residence]	Directly or indirectly holding 25% or more of the shares (Yes / No)	Directly or indirectly holding 25 % or more of the Voting Rights (Yes / No)	Directly or indirectly having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer (Yes / No)

OR

ii) We declare that there is no Beneficial Owner meeting one or more of the following conditions: directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

OR

We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If this option is selected, the Tenderer shall provide explanation on why it is unable to identify any Beneficial Owner]

Directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights.

Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer]"

Name of the Tenderer:	*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer:	
** [insert complete name of person duly authorized to sign the Tender]	
Title of the person signing the Tender: [insert complete title of the person signing the Tender]	
Signature of the person named above: [insert signature of person whose name and capacity are shown above]	

ltem	Description	Unit	Qty	Rate	Amount Kshs
	BILL NO.1				
	DOORS & IRON MONGERY-(Supply and fix items)				
	Flush doors				
	45 mm Solid core flush doors faced both sides with 6 mm plywood zen veneered for polishing , moulded and lipped all round with 300mm high van light, size ;				
А	Door leaf size 900x2100mm high	No	7.0		-
	Doors, frames and finishings in sawn cypruss timber to approval. 150 x 50 mm thick door frame with 3 labours 40 x 25 mm architrave with one labour 25 mm quadrant	LM LM LM	51 51 51		
Е	Funlight 5mm Clear sheet glass and glazing to timber wooden frames with timber beading	SM	3		-
F	100mm X3 mm thick stainless steel butt hinges	Pairs	10.50		-
G	Two lever door lock as per union catalouge ref 2237	NO	7		-
н	38 mm rubber door stop fixed with rawl bolts	NO	7		-
J	125 x 25 x3mm thick wrought door fixing cramps	NO	42		-
к	Ditto but Indicator bolt to washrooms	NO	4		-
L	35 x 25 mm rubber door stoper	NO	14		-
Μ	Back of wood before fixing; not exceeding 100 mm girth	LM	51		-
	Prepare and apply Three coats clear varnish paint to :-				-
Ν	General surfaces of timber internally	SM	14.00		-
Ρ	Ditto externally	SM	14.00		-
					-
	Total carried to summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.2				
	FLOOR TILES & EXTERNAL WALL FINISHES				
	PCC COPING Supply and fix 250X500x 50mm thick Pcc coping twise				
	weathered and throated fixed to parabet walls along caple				
А	ends, painted to approval.	LM	50		-
	Prepare and apply one undercoat and two finishing coats weatherguard paint or any other approved by the project manager to:				-
В	Surface of the Coping stones externaly	SM	13.00		-
	INTERNAL WALL FINISHES				-
	12mm thick plaster Wood float finish to walls to receive tiles				
С	finish M.s only to washrooms.	SM	64		-
	CERAMIC WALL TILES				-
	Coloured ceramic wall tiles: 300 x 200 x 6mm : first grade: from 'Saj ceramics Ltd' or equal and approved: fixed with 'sealmaster 101' or equal and approved tile adhesive: bedded, jointed and pointed in grout: : on and including				
D	cement and sand (1:4) backing: to To Walls in bathrooms	SM	64		-
		Civi	04		-
	INTERNAL FLOOR FINISHES cement and sand (1:4) backing				-
					-
Е	32mm thick cement and sand screed wood trowell finish to receive ceramic floor tiles.	SM	395		-
	Supply and fix non slip ceramic floor tiles : as 'Saj ceramics' or equal and approved : take delivery, transport to site, store and fix : bedded on cement and sand screeds (measured separately) : jointed and grouted in coloured cement mortar				-
	Supply and fix 400x400x8mm thick non-slip ceramic floor tiles				
F	including bedding in approved adhesive.	SM	355		-
G	100mm high white ceramic tile skirting	LM	226		-
	Terrazo Floor finish to lab				_
	Supply, deliver and fix 25mm thick Terrazo floor finish using				
	white cement, including dividing stips grounded smooth and				
	with approved colour to project manager's approval.	SM LM	40 36		-
J	150mm high skirting	LIVI	30		-
	Carried Forward to Summary of Section No.				-

ltem	Description	Unit	Quantity	Rate	Amount
	BILL NO 3: PLUMBING & DRAINAGE INSTALLATIONS				
	All works to be carried out by a registered and approved				
	plumbing sub-contractor approved by the Architect.				
	Supply and fix the following sanitary ware and fittings				
	complete with all necessary piping as selected and				
	approved by the architect / client.				
	Vanity tops				
	600mm wide vanity tops comprising 75mm thick concrete slab				
	with and including BRC mesh wire A66 ,formwork .plaster and				
	paint to soffits of worktop, making opening for plastic sinks				
	where necessary intermediate masonry block surport all in				
А	accordance with architect's drawings and specification	LM	14.0		-
	Ceramic tile finish to vanity tops				-
	Supply and fix 400x400x8mm thick granito tile finish to 600mm				
	wide vanity tops and 100mm skirting and 150mm fascia fixed				
В	with approved adhesive	SM	21.0		-
	SINK				-
	Supply and fix "ASL" double bowl single drain stainless steel				
	sink (1000 x 500mm) or approved lab plastic sinks with 15mm				
	bib tap, chain and waste 32mm, C.P. 32mm bottle trap with				
	75mm seal with 200mm long tail piece, capnuts and wall				
С	flange, brackets including fixing to the wall of the lab.	No	4.0		-
	WATER CLOSET				-
	Twyford' or equivalent water closet comprising WC pan,low level 9litres cistern side inlet internal overflow with valveless				
	fittings:innlet connection;flush pipe and chrome plated				
	lever; white plastic seat and cover; including fixing pan to floor				
D	and cistern to wall with screws and plugs	NO	4		-
	WASH HAND BASIN		•		-
	Twyford or equivalent wash hand basin as semi-recessed				
	vitreouswhite china(450 x 300mm) with two				
	taphole,taps,chain,and waste 32mm C.P 32mm bottle trap				
	with 75mm seal with 200mm tail piece, capnuts and wall				
	flange,brackets including fixing	NO	3		-
F	ditto soap dish	NO	3		-
	Mirror size 600 x450mm high bevelled edges on plywood				
	backing fixed with C.P screws with dome covers;plugged to				
G	wall	NO	3		-
Н	25mm diameter crome plated towel rail 600mm long	NO	3		-
	Foul drainage connections				-
	Allow the Provisinal sum of Kenya shillings				
	(Ksh.00000-) only for pipeworks, water supply waste water drainage works to project manager's				
J	approval.	ITEM	1.0	150,000	
K	Allow for testing of all plumbing works by water test	ITEM	1	5,000.0	
	Total carried to summary				-
	· · · · · · · · · · · · · · · · · · ·				

ltem	Description	Unit	Qty	Rate	Amount
	Bill No.4				
	<u>External foul water drainage Works (All provisional)</u> <u>Element No.1</u> Inspection Chambers/ man-holes				
	Inspection Chamber 3 in No. Consisting of concrete class 20/20 in 100 mm thick bed, concrete class 20/20 in benching and channeling for 150mm diameter upvc pipes (m.s) ;150 mm thick block walling ,75 mm thick suspended slab to top, reinforced with 10 mm diameter mild steel bars at 200 mm centres both ways ,cement and sand (1:4) render to sides and both ,including all the necessary excavations , back filling and carting away excavated materials ,formwork and boxing in for opening.				
А	600 X 600 mm manhole internal dimensions : 750mm average depth to invert	NO	5		-
В	450 X 450 mm medium duty manhole covers	NO	5		-
С	300 X300 mm gulley trap internal dimensions	NO	2		-
Е	Excavate trench average depth 750 mm to receive upvc , return fill and ram surplus material	LM	25		-
F	150 mm diameter heavy duty upvc pipe in ground	LM	25		-
	Total carried to Collection				-

ltem	Description	Unit	Qty	Rate	Amount
	SEPTIC TANK				
	<u>The following in septic tank size 7000x3000x3000mm</u> <u>deep</u>				
A	Excations and Earthwork Excavate oversite to reduce levels	СМ	37		-
В	Excavate pit for septic tank not exceeding 1.50 metres deep commencing at reduced level	СМ	37		-
С	Ditto but over 1.50m and not exceeding 3.0m deep	СМ	37		-
D	Extra over all excavations for excavating in soft rock (murram)	СМ	19		-
	Disposal of excavated material				-
E	Backfill and compact selected excavated material in 300 mm layers around foundations	СМ	35		-
F	Remove excavated material and deposit on site as directed	СМ	39		-
	Hardcore filling				-
G	Imported hardcore filling	СМ	7		-
	Approved murram as described				-
н	50mm Thick filling under floor bed	SM	25		-
	Concrete work				-
	Mass concrete 1:4:8 mix as described in:				-
J	50 mm Thick (average) blinding under floor bed	SM	25		-
					-
	Total carried collection				-

ltem	Description	Unit	Qty	Rate	Amount
А	200 mm Thick floor bed	SM	25		-
в	150mm Cover slab	SM	25		-
с	Scum buffle size 800 x 100 thick	LM	4		-
	Supply and fix steel following reinforcement including cutting bending, hooking, tying and supporting as required.				-
D	High tensile square twisted bars to BS 4461as described Assorted bars of D8,D10 & D12	KG	525		- -
Е	BRC fabric mesh reinforcement ref: A98 to bases of the tank.	SM	25		-
	Sawn formwork to:				-
F	Horizontal concrete soffits of the slab including withdrawing through confined areas	SM	25		-
G	Sides and soffits of scum buffle	SM	2		-
н	Vertical edges of strip footing 150 - 225mm high overall	LM	19		-
J	Vertical edges of suspended slab 75 - 150mm high overall	LM	20		-
к	Boxing to form opening size 600 x 450mm in 100mm roof slab.	NO	2		-
					- - -
					-
					-
					-
					-
					-
		I			-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	Load bearing machine cut natural stone walling bedded and jointed in cement and sand (1:3) mortar,including 25 mm x 20 gauge hoop iron reinforcement at every alternate course as described in:				
А	200mm Thick walling	SM	80		-
	<u>Finishes</u>				-
	<u>Floor</u>				-
В	40mm Thick water proofed cement and sand (1:4) screed steel trowel finish to falls	SM	25		-
с	15mm Thick cement and sand (1:4) with steel trowel finish to soffits of suspended slab	SM	25		-
D	Extra over for working finish into manhole opening size 450 x 450mm in 150mm thick roof slab (m.s)	NO	2		-
	Wall				-
E	15mm Thick water prooved sulphate resistant cement and sand 1:3 plaster to walls internally	SM	80		-
_	<u>Cover</u>	014	10		-
F	20mm Thick cement and sand screed to falls	SM	12		-
G	600 X 450 mm medium duty manhole covers	NO	4		-
					-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	sundries				
А	Make or form hole through 200mm thick walling for and including building in ends of 100mm diameter drain pipe (m.s), make good	NO	2		-
в	100mm Diameter medium duty Upvc drain pipe	LM	2		-
С	Extra over for 100 x 100mm equal tee	NO	2		-
	total carried to collection				-
	COLLECTION				
1	Total br/f page 1				-
2	Total br/f page 2				-
3	Total br/f page 3				-
4	Total br/f page4				-
5	Total br/f abve				-
	Totals carried to summary				-

ltem	Description	Unit	Qty	Rate	Amount
	The following in 1 No. soak pit				
	Excations and Earthwork				
A	Excavate for soak pit commencing at existing ground level, not exceeding 1.50m deep	СМ	5		-
в	Ditto but over 1.50m and not exceeding 3.0m deep	СМ	5		-
с	Disposal of excavated material Return, fill in and ram selected excavated material around foundation as before described	СМ	4		-
D	Remove surplus excavated material and deposit on site as directed	СМ	10		-
E	Hardcore filling Approved Imported hardcore filling	СМ	29		-
	Concrete work				-
	In-situ vibrated reinforced concrete 1:2:4 mix (Class 20/20 mm) as described in:				-
F	Foundations	СМ	1		-
G	150mm thick in cover slab	SM	4		-
	Supply and fix steel following reinforcement including cutting beading, hooking, tying and supporting as required.				-
	High tensile square twisted bar to BS 4461 as described				-
н	Assorted bars of Y8,Y10 & Y12	КG	60		-
					_
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	Sawn formwork to:				
А	Horizontal soffits of slab	SM	4		-
В	Vertical edges of roof slab 150 - 225mm high ditto	LM	7		-
с	Boxing to form opening size 600 x 450mm in 100mm roof slab	NO	3		-
	Load bearing natural stone walling bedded and jointed in cement and sand (1:3) mortar, including 25 mm x 20 gauge hoop iron reinforcement at every alternate course as described in:				-
D	200 mm Thick walling	SM	13		-
	<u>Cover</u>				-
E	20mm thick cement and sand (1:4) screed with steel trowel finish to falls	SM	13		-
	Manhole				-
F	Manhole size 700 x 650 x 450mm deep (average) complete with medium duty cover and frame as before described	NO	1		-
G	<u>sundries</u> Make or form hole through 200mm thick walling for and including building in ends of 100mm diameter drain pipe (m.s), make good	NO	2		-
н	100mm Diameter medium duty Upvc drain pipe	LM	2		-
					-
	Total carried to collection	<u> </u>			-
	COLLECTIONS				
1	Total br/ f pg 6				-
2	Total br/ f abve				-
	Total carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	SEPTIC TANK & SOAK PIT CONSTRUCTION				
	COLLECTION SUMMARY				
1	Septic tank & drainage works				-
2	Soak pit construction				-
	Totals carried to summary				
					-

	PROPOSED ACCESS RAMP				
ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.5				
	SUB-STRUCCTURE WORKS/ ALL PROVISIONALS				
А	SITE CLEARANCE Excavate vegetable top soil average 150mm deep set aside in spoil heaps and later spread around the site as directed.	SM	24		-
с	Excavate foundation columns not exceeding 1.50m deep commencing from stripped level and backfill	СМ	8		-
D	Allow for keeping excavations free from all water by pumping or otherwise and allow for plunking and struting.	ITEM	1		-
Е	<u>Disposal</u> Load,wheel and cart away surplus soil.	СМ	13		-
F G	Hardcore filling to column bases. Imported and Hand packed hardcore; watered and well compacted in 150mm thickness upto 300mm maximum depth to column bases. 50mm thick murram blinding to surfaces of hardcore	SM SM	27 27		-
н	CONCRETE 50mm thick concrete (1:4:8 mix) blinding under column bases. Insitu concrete class 20/20, vibrated and reinforced as described, in:-	SM	10		-
J K L	To column Bases Ditto but to foundation columns 100mm thick surface bed	CM CM SM	3 2 27		-
м	Reinforcement works all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to; Ditto but to column bases	Kg	200		-
N	SAWN FORMWORK TO; Ditto but to Column bases and foundation columns Edges of ground floor slab over 75mm but not exceeding 150mm high	SM LM	25 81		
Q	FOUNDATION WALLS 200mm thick natural stone foundations walls bedded and jointed in c.s morta 1;3.	SM	81		-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	RC SUPERSTRUCTURE WORKS				
	Vibrated reinforced concrete (1;2;4) class 20 in;				
Α	Columns	СМ	3	-	-
в	Ditto but to Beams of the slab of landing and sloping slab of ramp.	СМ	1	-	-
С	V.r.c 150mm thick to sloping ramp.	SM	14	-	-
D	Ditto but to landing	SM	3	-	-
	REINFORCEMENT				-
	Reinforcement in different sizes in structural concrete work all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to;				-
Е	In columns	kg	300		-
F	Beams	Kg	100		-
G	Ditto to solid slab of the ramp	kg	223		-
	SAWN FORMWORK TO;				-
н	Sides of vertical columns	SM	24		-
J	Sides and of beams	SM	10		-
к	Soffits of the sloping slab.	SM			-
L	Ditto but to soffits of landing	SM	3		-
М	Edges of suspended slabs over 75mm but not exceeding 150mm high	LM	22		-
					-
					-
					-
	Total Carried to summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Finishing to ramp				
A	25mm thick cement and sand (1:3) screed wood float finish to sloping sides.	SM	-		-
в	Ditto to landing	SM	3		-
	Staircase balustrading, / raillings				
С	1500mm high mild steel railing to sides of ramp comprising 50mm diametre handrail welded on to and including 40 x 40 x 3mm thick SHS posts built into concrete floors at 750mm centres and infilled with horizontal and diagonal 25 x 25 x 2mm thick SHS members including priming with red oxide primer before delivery to site all in accordance with project manager's drawings, details and approvals.	LM	21		-
	Prepare and apply three coats gloss paints to metal raillings on both sides.				
D	Balustrading and railling (m.s)	SM	63		-
	Total carried to collection				-
	COLLECTION				
1	Total c/f				-
2	Total c/f				-
3	Total B/F from above				
З					
	Total Carried to summary				
	Total Carried to summary				-

Item	Description	Unit	Qty	Rate	Amount
	STAIR CASES				
	Vibrated reinforced concrete (1;2;4) class 20 in;				
A	steps and risers	СМ	1	-	-
В	Ditto but to sloping sides 150mm thick	SM	6	-	-
С	Ditto but to 150mm landing.	SM	4	-	-
	FORMWORK TO;				
D	Risers of staircase of 75-150mm high	LM	14		-
E F	Ditto but to 300mm wide steps Ditto but to soffits of landing	LM SM	4		-
G	Ditto but to sloping soffits of staircase	SM	4 6		-
н	Ditto but to plain edges of string 150-225mm	LM	36		-
	REINFORCEMENT (ALL PROVISIONAL)				
J	Assorted sizes of Y-10 and Y-12 bars	KGS	225		-
	Finishing staircase				
	Insitu cement sand (1:3) screed beds ,with wood float				
к	25mm thick cement and sand (1:3) screed wood float finish to receive tile finish (m/s)to landing	SM	4		-
L	Ditto to 300mm wide treads	LM	16		-
М	Ditto to 150mm wide riser	LM	14		-
N	soffits of landing	SM			-
Ρ	sloping soffits of staircase	SM	6		-
QR	Prepare and apply undercoat and two finishing coats first grade plastic emulsion paint as described to: soffits of landing sloping soffits of staircase	SM	- 6		-
	carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	balustrading, / raillings				
A	900mm high mild steel railing to staircases and balconies comprising 50mm diametre handrail welded on to and including 40 x 40 x 3mm thick SHS posts built into concrete floors at 750mm centres and infilled with horizontal and diagonal 25 x 25 x 2mm thick SHS members including priming with red oxide primer before delivery to site all in accordance with project manager's drawings, details and approvals.	LM	12		-
	Prepare and apply three coats gloss paints to metal raillings on both sides.				
В	Balustrading and railling (m.s)	SM	22		-
	Total carried to collection				-
	COLLECTION FOR STAIRCASE				
1	Total brought forward from pg 18				-
2	TOtal brought forward from above				
	STAIRCASE STEPS				-
	GRAND SUMMURY				
1	ACCESS RAMP				
2	STEPS/ STAIRCASE				-
	Staircase and ballustrating				-
	-				

Item	Description	Unit	Qty	Rate	Amount
	BILL NO 6.				
	PROPOSED RETAINING WALL				
	SUBSTRUCTURE WORKS ALL PROVISIONAL				
	Excavate for column pits & foundation trench not exceeding				
А	1.50m deep commencing from stripped level and backfill av depth 600mm.	СМ	24.0		-
					-
в	Allow for plunking and strutting sides of excavation trenches	ITEM	1.0	-	-
	Disposal				-
С	Load,wheel and cart away surplus soil.	СМ	6.0		-
	CONCRETE				-
D	50mm thick concrete (1:4:8 mix) blinding under footings	SM	8.0		-
	Insity concrete class 20/20 withroted and reinforced as				-
	Insitu concrete class 20/20, vibrated and reinforced as described, in:-				-
Е	strip footing	СМ	2.0		-
	Ditto but to Column bases and foundation columns spaced at				-
F	2.0m c/c.	СМ	3.0		-
	Reinforcement works all in accordance with the				-
	Engineer's details and approval including all				
0	cutting,bending,laying and binding wire to;		040.0		-
G	strip footing, ground Beams and foundation columns	Kg	210.0		-
	SAWN FORMWORK TO;				-
Н	Vertical sides of strip footing size150-175mm high.	LM	48.0		-
J	Ditto but to verticle sides of columns	SM	21.0		-
	RETAINING WALL				-
	RETAINING WALL				-
	Supply and fix 200mm thick natural stone foundation walling				
	to a stable base of the pit bedded and jointed in c.s morta 1;4				
к	with hoop iron reinforcement at alternate coaser with 75mm diam PVC pipe holes spaced at equal centres and heights.	SM	60.0		-
	Open Channel				-
	(internal dimensions): covered storm drain comprising 300				-
	wide X 350 mm deep IBD channel class 20 concrete bed and				
	200 mm thick walling jointed in cement sand mortar sides: 50mm thick mass concrete blinding:50X50X3mm thick				
	angleline, steel grating framed with angleline and flat bars				
L	spaced at 25mm c/c, welded and groundsmooth, allow for	SM	40.0		-
	TOTAL CARRIED TO SUMMARY				-

ltem	TASK DESCRIPTION	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO 7				
	PLANTING WORKS				
А	GROUND PREPARATION, PLANTING AND INSTALLATION Ground preparation in marking up of working levels and disposal of arisings	SM	300		-
	FARMYARD MANURE & RED SOIL				
	Supply, spread, and rake well decomposed goat farm yard manure to be mixed with red soil free from weeds, roots and debri average 150mm for lawn areas and use in backfilling of planting pits	СМ	20		_
		OW	20		
В	LAWN GRASS Supply, sort and plant in 100mm centre to centre 'kikuyu grass' as per the design .	SM	120		-
с	GROUND COVERS				-
_	installation of groundcovers				-
D	Excavate circular pits, average 300mm diameter, commencing at existing ground level but not exceeding 500mm depth average 350mm deep and dispose the arisings as instructed Planting of Groundcovers Ground covers	СМ	2		- - -
	supply ,plant , weed , water and tend well the undermentioned assorted species of groundcovers till handing over Sedum spp wedelia trilobata sansevieria trifasciata ophiopogon japonicum Phormium tenax spp Aptenia cardifolia	SM SM NO NO SM	2 5 10 20 10 5		
Е	SHRUBS				-
	Pits excavation for Shrubs Excavate circular pits, average 450mm diameter, commencing at existing ground level depth average 600mm deep and dispose the arisings	СМ	3		-
	Carried to collection				-

ltem	TASK DESCRIPTION	Unit	Qty	Rate Kshs	Amount Kshs
	Planting of shrubs Supply, plant, weed, water and tend well the under-mentioned				
	Assorted species of shrubs till handing over;				
	shefflera arboricola	NO	6		-
	monstera deliciosa bambusa speciosa	NO NO	3 20		-
	acalypha ssp.	NO	5		-
	thuja	NO	6		-
	bougainvellia rosenka	NO	200		-
Α	TREES				-
	Pits excavation for Trees				-
	Excavate circular pits, average 600mm diameter, commencing				
	at existing ground level depth average 600mm deep and dispose the arisings	СМ	7		
	Backfilling of Planting pits	CIVI	1		-
	Backfill excavated planting pits with Approved imported Red		_		
	soil mixed with decomposed farmyard goat manure	СМ	7		-
	Planting of Trees Supply, plant, weed, water and tend well the under-mentioned				-
	Assorted species of shrubs till handing over;				-
	Bambusca vulgaris	NO	15		-
	assorted palms	NO	4		-
	filicium decipiens	NO	10		-
	podorcarpus gracillior	NO	10		-
в	concrete seat				-
	450mm wide by 2.5m long insitu Concrete seats: comprising				
	50mm thick concrete class 20 worktop: reinforced with BRC A				
	65: finished in cement screed on top and edges: including		0		
	formwork: with Cement slurry finish on concrete seats	NO	3		-
С	Maintenance				-
	Allow for a follow up of all installations and constructions to				
	insure establishment and concept preservation. Mowing,				
	watering, training and trimming all included for 12 months	Item	1	60,000.0	
					-
					-
					-
					-
	Carried to collection				-

ltem	TASK DESCRIPTION	Unit	Qty	Rate	Amount
				Kshs	Kshs
				1/3/13	13113
	SECTION SUMMARY				
1	Total brought forward from page 1				-
2	Total brought forward from page 2				-
	· · · · · · · · · · · · · · · · · · ·				
	Total carried forward to summa	l rv			-
		·			

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.8				
	PROPOSED ELEVATED WATER TANK MAST SUBSTRUCTURES (ALL PROVISIONAL)				
	SITE CLEARANCE				
A	Clear site of bushes,shrubs and the like, grup up there root and burn the arisings	SM	6		-
В	Excavate vegetable top soil average 150mm deep set aside in spoil heaps and later spread around the site as directed.	SM	6		-
С	Excavate for foundation columns not exceeding 1.50m deep commencing from stripped level and backfill av depth 1200mm.	СМ	4		-
D	Allow for plunking and strutting sides of excavation trenches	ITEM	1	3,000	
E	Disposal Load,wheel and cart away surplus soil.	СМ	4		-
F	Hardcore filling Hand packed hardcore; water and well compacted of 150mm thickness	SM	9		-
G	50mm thick murram blinding to surfaces of hardcore	SM	9		-
Н	CONCRETE 50mm thick concrete (1:4:8 mix) blinding under column & tank slab bases.	SM	6		-
J	Insitu concrete class 25/20, vibrated and reinforced as described, in:- column bases & tank slab	СМ	4		-
к	Reinforcement works all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to; Column bases assorted size of Y12 & Y10	Kg	320		-
L	SAWN FORMWORK TO; Vertical sides of column bases.	SM	17		-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Mild steel: including anti-rust treatment				
	Mild steel section; one coat prefabrication primer;				
	approved anti-rust treatment; welded and smooth ground joints; to				
	<u>,</u>				
А	100x100x4mm SHS main members to column anchored prepared concrete base and 6mm thick ms base plate M/S.	LM	24		-
В	75x50x3mm SHS bearers carrying the water tank at the top welded to the main bearer/ columns.	LM	44		-
С	Ditto; but size 50x50x3mm RHS welded to main bearer.	LM	37		-
D	500x500x8mm assembly base plate to columns with 4NO 16mm dia. Hold down bolts each.	NO	8		-
Е	Chequered plate 2.5mm thick to base of water tank at the top adequatly welded to bearers with one undercoat of paint before fixing and two coats of gloss paint.	SM	16		-
	Angle line				
F	50x50x3mm thick brazing angle line bolted to connecting plates welded to column members to structural engineer's details and approval.	LM	96		-
	Step ladder and balustrade at the edges of platform at the top.				
G	25x25x2mm SHS member for step ladder and balustrade at the platform welded to the main members to structural engineers approval.	LM	73		-
н	40X2mm thick flat bar protective member at the step ladder welded to the main members.	LM	40		-
┣—	Carried to summary				
l	variou to summary				-

Item	Description	Unit	Qty	Rate Kshs	Amount Kshs
	PC AND PROVISIONAL SUMS				
	PIPE WORK CONNECTIONS				
A	Allow a Provisional sums of kshs shillings only for , Pipework work pipework connections, including purchase of Electric morta including testing and commisioning.	Item	1.00	40,000	-
В	Allow the Provisional Sum for supply and installation of 5,000 elevated water tank and 10,000 litres water storage tank on a concrete base to project manager's approval.	Item	1	170,000	-
С	Allow a pc sum j bolts, washers and nuts				-
					-
	Carried to collection				-
	COLLECTION				
1	Concrete works				-
2	Steel Fabrication works				-
3	PC Sums B/F frm above				
	Cummon for the Elevated water tends much equiled to				
	Summary for the Eleveted water tank mast carried to collection				-

REPUBLIC OF KENYA



BOMET COUNTY. Department of Roads, Transport & Public works

PROPOSED GATE & GATE HOUSE

BOMET COUNTY.

Bill of quantities

ARCHITECT PUBLIC WORKS ARCHITECTS BOMET COUNTY P.O.BOX 496-20400, BOMET. STRUCTURAL ENGINEERS PUBLIC WORKS ENGINEERS BOMET COUNTY P.O.BOX 19-20400, BOMET.

QUANTITY SURVEYORS PUBLIC WORKS SURVEYORS BOMET COUNTY P.O.BOX 19-20400, BOMET.

05/0ct/21

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	BILL NO.9				
	SUBSTRUCTURES / PROVISIONAL				
	Element 1				
	SITE CLEARANCE				
	Clear site of bushes, shrubs and the like, grup up there root				
А	and burn the arisings	SM	18.0		-
	Excavate vegetable top soil average 150mm deep set aside in		10.0		
В	spoil heaps and later spread around the site as directed.	SM	18.0		-
С	Excavate oversite commencing from stripped level average depth 200mm but not exceeding 1.5m deep	SM	16.0		
C	Excavate foundation trench not exceeding 1.50m deep	SIVI	10.0		-
D	commencing from stripped level and backfill	СМ	13.0		_
E	Ditto but to columns	CM	23.0		_
		Civi	23.0		-
F	Allow for keeping excavations free from all water by pumping or otherwise	ITEM	1.0	8,000	
	Disposal		1.0	8,000	
F	Load,wheel and cart away surplus soil.	СМ	17.0		_
	Hardcore filling	OW	17.0		-
	Imported hardcore, Hand packed; water and well compacted				
G	of 150mm thickness and minimum depth of 300mm.	SM	16.0		-
H	50mm thick murram blinding to surfaces of hardcore	SM	16.0		-
	Anti-termite treatment				-
	Termidor' or other equal and approved chemical treatment to				
	surfaces of blinded hardcore and around foundations; apply in				
	accordance with manufacturers specification; provide a				
J	ten(10) written quarantee against termites	SM	16.0		-
	Mesh fabric reinforcement to B.S 4483 and setting in				
	concrete with 300mm side and end laps (measured nett-				
	allow for laps)				-
	Fabric mesh ref:A98 weighing 0.98 kg per square metre in		10.0		
К		SM	16.0		-
	DAMP PROOF MEMBRANE 1000 gauge polythene damp proof memmbrane laid under				-
	surface bed with 300mm side and end laps (measured net -				
L	allow for laps)	SM	16.0		_
	CONCRETE	Olvi	10.0		-
	50mm thick concrete (1:4:8 mix) blinding under;				-
М	Column Bases and stripfooting	SM	24.0		-
	Insitu concrete class 20/20, vibrated and reinforced as	_	_		
	described, in:-				-
Ν	Groundbeams	СМ	2.0		-
	Ditto but to stripfooting	СМ	2.0		-
Р	Ditto but to foundation columns and bases	СМ	10.0		-
Q	100mm thick VRC surface bed	SM	34.0		-
	Reinforcement works all in accordance with the				
	Engineer's details and approval including all				
	cutting,bending,laying and binding wire to;	17	000.0		-
R S	Column bases and Foundation columns Groundbeams	Kg	900.0		-
	strip footing	Kg Kg	180.0 80.0		-
	Carried to collection	ivg	00.0		
					-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
^	SAWN FORMWORK TO;		10.0		
A	Vertical sides of groundbeams	SM	12.0		-
В	Ditto but to Column bases and foundation columns	SM	33.0		-
С	Edges of ground floor slab over 75mm but not exceeding 150mm high	LM	15.0		:
	Foundation walls				-
D	200mm thick natural stone wall foundations bedded and jointed in c.s morta 1;4 with hoop iron bars at alternate course	SM	23.0		-
	DPC Three -ply bituminous felt damp proof course bedded in cement and sand morta(1;3)				-
Е	200mm Wide horizontal layer	LM	17.0		-
	PLINTH FINISH				-
_	Cement and Sand 1:4 render				-
F	12 mm thick render wood float	SM	6.0		-
	Prepare and apply two coats bituminous paint to:				-
G	Render surfaces externally	SM	6.0		-
					-
	Carried to collection				-
	COLLECTION				
1	Total Brought Forward From Page No.2				-
2	Total Brought Forward From Page No. 3				-
	TOTAL CARRIED TO SUMMARY				
					-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	REINFORCED CONCRETE WORKS SUPERSTRUCTURE				
А	Vibrated reinforced concrete (1;2;4) class 25 in; Columns	СМ	5.0	-	-
В	Ditto but to Ring Beams.	СМ	2.0	-	-
С	Ditto but to 350 wide x 650mm high Rc water guters	SM	17.0	-	-
D	Ditto but to 125mm thick RC Slab above the gate.	SM	18.0	-	-
	REINFORCEMENT (ALL PROVISIONAL) Reinforcement in different sizes in structural concrete work all in accordance with the Engineer's details and approval including all cutting,bending,laying and binding wire to;				-
Е	Columns	kg	450.0	-	-
F	Ditto but to Ring Beams.	kg	180.0	-	-
F	Ditto but to Rc suspended slabs and gutters	kg	394.0	-	-
	SAWN FORMWORK TO;				-
G	Sides of columns.	SM	47.0		-
н	Ditto but to Ring Beams.	SM	11.0		-
н	Ditto but to soffits of the Rc slab at the entrance gate	SM	35.0		-
н	Ditto but to soffits of the Rc Rc gutters	SM	26.0		-
					-
					-
					-
					-
					-
					-
					-
	Carried to summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.3				
	LOAD BEARING WALLINGS				
	EXTERNAL WALLING				
	Supply and fix 150 mm thick natural chisel cut walling,jointed in cement and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windows openings formed accurately as per Architects schedule				
A	150mm thick walling	SM	29.0		
	INTERNAL WALLING				
	Supply and fix 150 mm thick natural chisel cut walling,jointed in cement and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windows openings formed accurately as per Architects schedule				
В	150mm thick	SM	5.0		-
	PCC COPING				
С	Supply and fix 550X550 Pcc coping twise weathered and throated fixed to concrete columns and painted to approval.	NO	5.0		-
	Carried to summay				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.4 ROOF CONSTRUCTION MAIN ROOF -TIMBER TRUSSES Structural timber trusses in pressure impregnated treated sawn cypress including fabrication, jointing with necessary timber plates ,bolts and connecting plates, hoisting and fixing in position all in accordance with Engineers details and drawings				
А	100X50mm wall plate secured with and including 12mm diameter mild steel 'J'bolt 100x50mm thick at 1500mm centres cast in concrete ring beams	LM	15.0		-
В	100x50mm principle rafters	LM	34.0		-
С	Ditto but to tie beam / ceilling joist	LM	16.0		-
D	100x50mm but common rafters	LM	23.0		-
Е	Ditto but king post	LM	4.0		-
F	75 x 50 mm but struts and ties.	LM	32.0		-
G	75x50mm purlins	LM	40.0		-
	ROOF FINISHES AND COVERING				-
Η	Supply and fix gauge 30.0 pre-painted normal corrugated (11/3) Roof covering sheets at 25.0 degrees from horizontal from MRM or any other equal and approved by P.M fixed to timber purlins m/s and including all necessary accessories. Down Pipes with solvent welded joints, fixed to walls with holderbolts size 100 x 100 mm or any other approved	SM LM	18.0 5.0		- - -
к	Extraover for shoe in pipe , size' - 100 x 100 mm	No.	2.0		-
	Carried Forward to ourspace of Sociar				
	Carried Forward to summary of Section				-

ltem	Description	Unit	Qty	Rate Kshs	Amount <i>Kshs</i>
	Element NO.5 WINDOWS				
	Supply and fix the following purpose made standard 25mm 'Z'- section , 25mm T-sections, steel casement window fabricated to approved detailed designs: hooded mosquito proofed permanent vents: pin type hinges: : including all necessary cutting, welding, grinding, ironmongery one coat red oxide primer before fixing: window size				
А	window size 1500x1200mm high	NO	1.0		-
В	window size 1200x600mm high	NO	1.0		-
С	window size 800x600mm high	NO	1.0		-
D	window cill 75mm cast insitu concrete cill in class 20 concrete	LM	3.0		-
E	Clear sheet glass 5mm Glass and glazing to metal with putty in panes - 0.50 to 1.00 square metres	SM	2.0		-
	PAINTING AND DECORATION				-
F	Prepare and apply three coats of gloss oil paints to metal surface of window externally	SM	2.0		-
G	ditto internally	SM	2.0		-
					-
					-
					-
					-
					-
					-
					-
					-
	Carried Forward to summary of Section				-

Element N0.6 DOCRS & IRON MONGERY-(Supply and fix items) Timber doors Softmattick solid hardwood panel doors comprising of standard panels with 300mm wide van light to Architects door schedule. A Door size 900x2400mm high No Doors, frames and finishings in sawn cypruss timber to approval. I.M B 150 x 50 mm thick door frame with 3 labours L.M C 40 x 25 mm architrave with one labour L.M D 25 mm quadrant L.M 7.0 E 38 mm rubber door stop fixed with rawl bolts NO 2.0 F 100 mm steel butt hinges Pairs 1.5 G Two lever door lock as per union catalouge ref 2237 NO 1.0 H 125 x 25 x3mm thick wrought door fixing cramps NO Prepare and apply undercoat to :- J Back of wood before fixing: not exceeding 100 mm girth Frepare and apply Three coats clear varnish paint to :- SM 2.0 K General surfaces of timber internally SM 2.0 SM L Ditto externally SM 2.0 SM 2.0 STEEL DOORS Supply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle raii) The door divided divided in	unt Kshs
A Schedule. No 1.0 Door size 900x2400mm high No 1.0 Doors, frames and finishings in sawn cypruss timber to approval. ISO × 50 mm thick door frame with 3 labours LM 7.0 B 150 × 50 mm thick door frame with 3 labours LM 7.0 C 40 × 25 mm architrave with one labour LM 7.0 D 25 mm quadrant LM 7.0 E 38 mm rubber door stop fixed with rawl bolts NO 2.0 F 100 mm steel butt hinges Pairs 1.5 G Two lever door lock as per union catalouge ref 2237 NO 1.0 H 125 x 25 x3mm thick wrought door fixing cramps NO Prepare and apply undercoat to :- J Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- SM 2.0 K General surfaces of timber internally SM 2.0 SM 2.0 L Ditto externally SM 2.0 SM 2.0 SM 2.0 K General surfaces of timber internally SM 2.0 SM 2.0 SM	
approval.B150 x 50 mm thick door frame with 3 laboursLM7.0C40 x 25 mm architrave with one labourLM7.0D25 mm quadrantLM7.0E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNOPrepare and apply undercoat to :-JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight:, priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :-SM2.0	-
B150 x 50 mm thick door frame with 3 laboursLM7.0C40 x 25 mm architrave with one labourLM7.0D25 mm quadrantLM7.0E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNOPrepare and apply undercoat to :-JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Undercoat to :-SM2.0JBack of wood before fixing; not exceeding 100 mm girthSM2.0VGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :-N2.0	-
E38 mm rubber door stop fixed with rawl boltsNO2.0F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNO7.0JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :-NO1NGeneral surfaces of steel door internallySM2.0	-
F100 mm steel butt hingesPairs1.5GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNO1.0H125 x 25 x3mm thick wrought door fixing crampsNO7.0Prepare and apply undercoat to :-LM7.0JBack of wood before fixing; not exceeding 100 mm girthLM7.0Prepare and apply Three coats clear varnish paint to :-SM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
GTwo lever door lock as per union catalouge ref 2237NO1.0H125 x 25 x3mm thick wrought door fixing crampsNONOJBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Undercoat to :- Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0LDitto externallySM2.0STEEL DOORSS2.0Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
H125 x 25 x3mm thick wrought door fixing crampsNOJBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to SM2.0	-
Prepare and apply undercoat to :- Back of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSTEEL DOORSSMSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 400X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :- NSM2.0	-
JBack of wood before fixing; not exceeding 100 mm girth Prepare and apply Three coats clear varnish paint to :- General surfaces of timber internallyLM7.0KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSIPPly and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
KGeneral surfaces of timber internallySM2.0LDitto externallySM2.0STEEL DOORSSM2.0Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
STEEL DOORSSupply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
Supply and fix steel door comprising 40 x 40 x 1.5mm thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MPrepare and apply Two coats approved glosse paints to :- NSM2.0	-
thick RHS frame all round with 40 x 40 x 1.5mm thick SHS middle rail; The door divided divided into panels by 40X25 x 1.5mm RHS framework infill with 1.5mm ms plate panels 1500m above the floor both sides and 300mm wide vanlight; , priming door after prefabrication and fixing to 50 x 50 x 2mm RHS thick frame plugged with approved mild steel hinges and all neccessary iron mongeryNO1MDoor size. 900x2100mm high to external wallsNO1Prepare and apply Two coats approved glosse paints to :- NSM2.0	-
Prepare and apply Two coats approved glosse paints to :- N General surfaces of steel door internally SM 2.0	_
N General surfaces of steel door internally SM 2.0	-
	-
P Ditto externally SM 2.0 -	-
	-
Total carried to summary	-

ltem	Description	Unit	Qnty	Rate	Amount
	BILL NO 8: PLUMBING & DRAINAGE INSTALLATIONS				
	All works to be carried out by the Qualified plumbing sub- contractor approved by the architech				
	WATER CLOSET				
A	Twyford' or equivalent water closet comprising WC pan,low level 9litres cistern side inlet internal overflow with valveless fittings:innlet connection;flush pipe and chrome plated lever;white plastic seat and cover;including fixing pan to floor and cistern to wall wiith screws and plugs	NO	1		-
	WASH HAND BASIN				-
В	Twyford or equivalent wash hand basin as semi-recessed vitreouswhite china(450 x 300mm) with two taphole,taps,chain,and waste 32mm C.P 32mm bottle trap with 75mm seal with 200mm tail piece,capnuts and wall flange,brackets including fixing	NO	1		-
С	ditto soap dish	NO	1		-
D	Mirror size 600 x450mm high bevelled edges on plywood backing fixed with C.P screws with dome covers;plugged to wall	NO	1		-
E	25mm diameter crome plated towel rail 600mm long	NO	1		
F	Allow Provisional sums of ksh for pipework and for testing of all plumbing works by water test	ITEM	1	25,000	-
GH	Allow for testing of all plumbing works by water test	ITEM	1		-
					-
					-
	Total carried to summary				-
	i star surrisu to surrinu y				

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	Element NO.7 FINISHES				
A	EXTERNAL WALL FINISHES Horizontal key pointing and verticle flash joint to external surface of walls.	SM	29.0		-
в	15mm screed backing to receive weatherguard paint cable walls.	SM	-		-
С	Ditto but to verticle sides of columns and ringbeams	SM	11.0		-
D	Prepare and apply one undercoat and two finishing coats acrylic paint or other approved by the architect Rendered walls externaly	SM	11.0		-
	INTERNAL WALL FINISHES 16mm (minimum) cement sand (1:3) screed to receive ceramic tiles M.s. Steel trowelled smooth plasters to surfaces of wall to receive				-
Е	paint (m/s)	SM	39.0		-
F	Wood trowelled plasters to surfaces of wall to receive paint m.s.	SM	14.0		-
G	Steel trowelled smooth plasters to surfaces of, ring beams.	SM	11.0		-
н	Ditto but to soffits of the Rc slab at the entrance gate with waterproof cement	SM	35.0		-
J	Ditto but to sides soffits of the Rc gutters including water channel with approved waterproof cement to project manager's approval. PAINTING AND DECORATING	SM	26.0		-
	Prepare and apply three coats silk vinyl emulsion paint or other approved by Architect				-
К	To plastered surfaces of walls	SM	39.0		-
L	To plastered surfaces of, ring beams	SM	11.0		-
	CERAMIC WALL TILES 330X330X6mm thick coloured ceramic wall tiles in approved pattern.				-
М	To Walls in bathrooms	SM	14		-
N	INTERNAL FLOOR FINISHES <u>cement and sand (1:4) backing</u> 32mm thick cement and sand screed steel float finish with red oxide paint.	SM	34.0		- - -
					-
	Total carried to collection				-

Item	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	Coloured non-slip ceramic tiles as SAJ ceramic to floor				
	of washrooms.				-
٨	Supply and fixed 330x330x8mm thick saj ceramic tiles bonded	SM	16.0		
A	with an approved adhesive.	SIVI	10.0		-
В	150mm high tile skirting	LM	24.0		-
	CEILING FINISHES				-
	9mm thick Chipboard horizontal ceiling fixed to and including				
	50x50mm sawn cypress brandering at 600mm c/c both				
	directions, finishing joint with fibre tape and skimming before		10.0		
С	applying finishing coats of paint m/s.	SM	16.0		-
D	Extra`over ceiling for trap door size 600x600mm	NO	1.0		-
ļ					-
	Sawn cypress: pressure impregnated				-
	50 x 50mm Brandering to ceilings at 600mm centres both				
E	ways: plugged to walls where necessary	LM	85.0		-
	CORNICE	1		l	-
F	100X25mm cornice	LM	22.0		-
					-
	PAINTING AND DECORATING				-
	Prepare and apply three coats matt emulsion paint or other and approved				-
G	To surfaces of chipboard suspended ceiling	SM	16.0		-
Ŭ		OW	10.0		-
Н	Ditto but to cornice	LM	22.0		-
					-
					-
	Total carried to collection				-
	COLLECTION				
	COLLECTION				
_					
1	Total Brought Forward From Page No.12				-
2	Total Brought Forward From above				-
	Carried Forward to Summary of Section No.				
	Carned Forward to Summary of Section No.				-

ltem	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	Element NO 8				
	PC AND PROVISIONAL SUMS				
	ELECTRICAL INSTALLATION				
A	Allow a Provisinal sum of kshs only for electrical instalations works including power connections	Item	1.0	30,000	
В	Allow for profits %				
С	Allow for attendance				
D	Allow the Provisional Sum only for Project management services and supervision.	Item	1	30,000	
	CONTINGENCIES				
Е	Allow a contigency sum of kshsto be expended at the Architects discretion	item			-
	Total carried to main summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
1	SECTION SUMMARY Substructures works				
2	Reinforced concrete works				
3	External and internal walling				
4	Roof construction and covering				
5	Windows				
6	Doors and ironmongery				
7	Plumbing works				
8	External, internal wall and ceilling finishes				
9	Allow a pc sum for Electrical instalation works				
	Summary for the proposed works Carried to main summary				

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	STEEL GATE				-
	Purpose made mild steel gate overal size 5000x2100mm high in two(2) equal leaves fabricated from 75x50x3mm thick SHS braces and framed all round 50x50x3mm thick RHS middle rails and 25x25x2mm thick sections framing at 100mm centers and including all iron mongery and accessories and 4no. 100mm dia x4mm thick gate posts fixed to column and applying one coat of redoxide primer				
F	before delivery to site.	NO	1.0		-
G	Pedestrian gate size 1200x2100mm high	NO	1.0		-
н	Prepare surface and apply three coats of gloss oil paint on general metal surfaces (M/S)	SM	21.0		-
	Total carried to collection				

Item	GRAND SUMMARY		
1	Gate house		-
2	Fabrication of gate		-
	TOTAL FOR GATE HOUSES CARRIED TO COLLECTION		-
	IVIAL FOR GATE HOUSES CARRIED TO COLLECTION		-

ltem	Description	Unit	Qty	Rate Kshs	AMOUNT Kshs
	BILL NO. 10				
	ELECTRICAL WORKS				
	LIGHTING WIRING AND LIGHT FITTINGS				
A	Lighting points wired in 3x1.5mm sq PVC insulated single core copper cables drawn in 20mm Ø. HG PVC conduits concealed in building fabrics.	No.	46		-
В	Supply and install 1.5mm sq PVC inculated single core copper cables for the corridor lights contactor signal. Contactor to be at every level in the DB	Rolls	2		-
С	LED 18W, 6500K CRI<75% 1600lm 4ft T8 Tube as OPPLE, Philips or approved equivalent	No	52		-
D	LED 9W, 6500K CRI<75% 900lm 2ft T8 Tube as OPPLE, Philips or approved equivalent	No	56		-
Е	LED Tube Light Fixture, Surface Mount T Bar, for T8 4FT With diffuser2ft x 2ft (Nominal)	No	14		-
F	LED Tube Light Fixture, Surface Mount T Bar, for T8 4FT With diffuser 4ft x 1ft (Nominal)	No	26		-
G	IP44 rated LED Circular Ceiling Light. 10W, 6500K, cool white, 1250lm. As V-TAC VT- 8033/5566 or equivalent and Approved - Type S	No	4		-
Н	Dome LED Circular Ceiling Downlight. 15W, 6500K, cool white, 1250lm. As V-TAC VT- 8033/5566 or equivalent and Approved - Type S	No.	9		-
I	IP44 Rated Outdoor Bulkhead light (Metal + Glass Material) as Windsor	No.	4		-
J	LED Lamp type A60 B22 with low with 10W, 6500K as Opple,Philips or equivalent as approved	No.	4		-
к	IP44 Rated Photocell sensor light control switch as V-TAC VT8019 or approved equivalent	No.	1		-
L	Proximimity sensor light control switch as V-TAC or approved equivalent	No.	1		-
					-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	POWER OUTLET CONDUITING & WIRING				
	Ring mains socket outlet points wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 25mm Ø HG PVC conduitsconcealed in building fabrics.	No.	39		-
В	Undersink water heater point through a DP switch wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics	No.	0		-
С	Hand driers outlet point through a DP switch wired in 3 x 2.5mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics.	No.	3		-
D	Cabinet power point through a DP switch wired in 3 x 4.0mm2 PVC insulated single core copper cables drawn in 20mm Ø HG PVC conduits concealed in building fabrics.	No.	1		-
Е	TV outlet points complete with draw wire in 25mm Ø HG PVC conduits.	No.	4		
F	25mm diameter PVC HG sleeves.	No.	160		-
G	25mm diameter PVC couplers	No.	160		-
н	38mm diameter PVC HG sleeves.	No.	14		-
I	38mm diameter PVC couplers	No.	14		-
J	Purpose made adaptable boxes to Engineer's detail for Power, Telephone & TV.	No.	3		-
					-
					-
					-
					-
					-
					-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	DISTRIBUTION BOARDS				
	4 way Consumer unit CU c/w Bus bars and Integral isolator				
А	rated at 63A SPN as Schneider or approved equivalent	No.	1		-
	10A SP MCB	No.	1		
	32A SP MCB	No.	2		_
		No.	1		-
U	Blanking covers	INO.	I		-
	12way TPN Distribution board c/w Bus bars and Integral				
	isolator rated at 125A TPN as Schneider or approved	Nia	4		
	equivalent	No.	1		-
	10A SP MCB	No.	2		-
	20A SP MCB	No.	1		-
	30A SP MCB	No.	1		-
	Blanking covers	No.	8		-
J	SUB-MAINS CABLING				-
	Supply and install 16.0 mm2 4C XLPE SWA PVC CU Cable				
ĸ	from the UPS Sub- board to the Distribution board	LM	18		-
L	Cable glands for CU cables above	No.	4		-
	, and the second s				-
М	Cable lugs for CU cables above.	No.	4		-
		_			_
	Supply and install 10.0 mm2 3C XLPE SWA PVC CU Cable				
Ν	from the DB to the consumer unit	LM	18		_
			10		_
0	Cable glands for CU cables above	No.	2		-
U	Cable giands for CO cables above	INO.	2		
Р	Cable luga for CLL apples above	No.	4		-
Р	Cable lugs for CU cables above. EARTHING	INO.	4		-
					-
	16.0mm sq SC multistrand Yellow/Green PVC CU cable c/w				
	appropriate cable glands, cable		4.5		
Q	lugs & any other accessories for earthing the LV boards.	LM	15		-
					-
	10.0mm sq SC multistrand Yellow/Green PVC CU cable c/w				
	appropriate cable glands, cable				
R	lugs & any other accessories for earthing the LAN Cabinet	LM	20		-
S	Earth pit construction for earth termination	No.	2		-
					-
	15mm diameter, 1200mm copper bonded earth rod, complete				
Т	with clamps, driving stud and spike.	No.	2		-
	UNDERGROUND DUCTS AND MANHOLE	_			_
	600 x 450 x 600mm deep power manhole medium gauge c/w				
U	"E.A.F.W. steel cover engraved 'POWER'.	No.	1		_
Ŭ		110.	1		_
	600 x 450 x 600mm deep ICT manhole medium gauge c/w				
V	"E.A.F.W. steel cover engraved 'ICT'.	No.	1		_
Ň					_
	Excavating trensch for the sleeves, 600mm deep, 300mm				-
w	wide, laying the sleeve and back filling	LM	30		
٧V	while, raying the sleeve and back lilling		30		-
	Corriged to collection				-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	LIGHTINING PROTECTION				
	Air Termination				
A	15mm diameter multiple point copper air terminal as Furse Cat. No. RA 600.	No.	1		-
В	Copper junction clamps for tape	No.	1		-
С	25 x 3mm turned copper tape as Furse Cat. No. TC 230.	LM	25		-
D	Copper ridge saddle as Furse Cat. No. CD 115.	No.	1		-
Е	D.C. Brass tape clip as Furse Cat. No. CP 210	No.	7		-
F	Oblong test/junction clamp as Furse Cat. No. CN 105	No.	1		-
G	Diameter 38mm HG PVC conduits for linking the columns to the inspection pits.	LM	1		-
Н	Earth Termination 15mm diameter, 1200mm copper bonded earth rod , complete with clamps, driving stud and spike.	No.	1		-
I	U-Bolt rod-to-tape clamp, Furse CR705	No.	1		-
J	Earth pit construction for the earth termination.	Lot	1		-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
					-
	Carried to collection				-

ltem	Description	Unit	Qty	Rate	Amount
	GRAND SUMMARY				
1	LIGHTING WIRING AND LIGHTING FITTINGS				-
2	POWER OUTLET CONDUITING & WIRING				-
3	DISTRIBUTION BOARDS				
4	LIGHTNING PROTECTION				-
	Total cost carried to main summary				-

ltem	Description	Unit	Qty	Rate	Amount
				Kshs	Kshs
	BILL NO 11				
	PC AND PROVISIONAL SUMS				
A	Allow the Provisional Sum only for Project management services and supervision.	Item	1	150,000	
	TESTING AND COMMISIONING				
В	Allow for testing & commissioning during progress after installation to architects' satisfaction	Item	1	10,000.0	
	CONTINGENCIES				
с	allow a contingecy sum of kshs. To be expended at the project manager's discretion for any unforseen work done to be quantified accordingly by the QS	1	Pc		-
	Total carried to main summary				-

ltem	Description	Unit	Qty	Rate Kshs	Amount Kshs
	SECTION SUMMARY				
1	Doors and ironmongery				-
2	Internal floor tiles and External finishes				-
3	Plumbing and drainage works				-
4	Septic tank construction				-
5	Access Ramp & Steps				-
6	Retaining wall				-
7	Landscaping works				-
8	Supply and instalations of water storage tanks with tower mast				-
9	Gate & gatehouse				#REF! -
10	Electrical works				-
11	PC & Provisional sums				
	Total Summary for the proposed works				#REF!

	GRAND SUMMARY			
1	PROPOSED WORKS			#REF!
	SUB-TOTALS			#REF!
2	PRELIMINARIES %		5%	#REF!
	TOTAL CARRIED TO FORM OF TENDER (Rates are V.A.T			
	Inclusive)			#REF!
	Amount in words			
	Official stamp			
	Signed:			
	Date:			
	Signed			
	Withness			
	Name			
	Address			
	Date			