COUNTY GOVERNMENT OF BOMET





Kenya Climate Smart Agriculture Project (KCSAP) Project Coordinating Unit – Bomet P.O. Box 27-20400 Bomet

TENDER NAME: PROPOSED EXCAVATION OF SARAMEK WATER PAN AT KONGASIS WARD, CHEPALUNGU SUB-COUNTY IN BOMET COUNTY

TENDER NO:

CGB /AGRI/ KCSAP/RFQ/001/2021-2022

July 2021

Summary Description

SBD for Procurement of Small Works

PART 1 – BIDDING PROCEDURES

Section I. Instructions to Bidders (ITB)

This Section provides relevant information to help Bidders prepare their bids. Information is also provided on the submission, opening, and evaluation of bids and on the award of Contracts. Section I contains provisions that are to be used without modification.

Section II. Bid Data Sheet (BDS)

This Section includes of provisions that are specific to each procurement and that supplement Section I, Instructions to Bidders.

Section III. Evaluation and Qualification Criteria

This Section includes the criteria to determine the lowest evaluated bid and the qualifications of the Bidder to perform the contract.

Section IV. Bidding Forms

This Section includes the forms which are to be completed by the Bidder and submitted as part of his Bid

Section V. Eligible Countries

This Section contains information regarding eligible countries.

Section VI. Bank Policy – Corrupt and Fraudulent Practices

This Section provides the Bidders with the reference to the Bank's policy in regard to corrupt and fraudulent practices applicable to this process.

PART 2 – WORKS REQUIREMENTS Section VII. Works Requirements

This Section contains the Specification, the Drawings, and supplementary information that describe the Works to be procured. The Works Requirements shall also include the environmental, social (including sexual exploitation and abuse (SEA) and gender based violence (GBV)), health and safety (ESHS) requirements to be satisfied by the Contractor in executing the Works.

PART 3 – CONDITIONS OF CONTRACT AND CONTRACT FORMS Section VIII. General Conditions of Contract (GCC)

This Section contains the general clauses to be applied in all contracts. The text of the clauses in this Section shall not be modified.

Section IX. Particular Conditions of Contract (PCC)

This Section consists of Contract Data and Specific Provisions which contains clauses specific to each contract. The contents of this Section modify or supplement, but not over-write, the General Conditions and shall be prepared by the Employer.

Section X. Contract Forms

This Section contains the Letter of Acceptance, Contract Agreement and other relevant forms

Attachment: Invitation for Bids

An "Invitation for Bids" form is provided at the end of the Bidding Documents for information.

PROPOSED EXAVATION OF SARAMEK WATER PAN AT KONGASIS WARD, CHEPALUNGU SUB-COUNTY IN BOMET COUNTY

CGK /AGRI/KCSAP /RFQ/001/2020-2021

Project: KENYA CLIMATE SMART PROJECT (KCSAP)

Employer: BOMET COUNTY GOVERNMENT

Country: KENYA

Issued date: 30/07/2021

Table of Contents

PART 1 – Bidding Procedures	1-1
Section 1 - Instructions to Bidders Section II - Bid Data Sheet (BDS) Section III - Evaluation and Qualification Criteria Section IV - Bidding Forms Section V - Eligible Countries	
PART 2 – Works Requirements	2-1
Section VII - Works Requirements	2-3
PART 3 – Conditions of Contract and Contract Form	ns 3-1
Section VIII. General Conditions of Contract Section IX. Particular Conditions of Contract Section X - Contract Forms	3-49

PART 1 – Bidding Procedures

Section 1 - Instructions to Bidders

Table of Clauses

A .	General	5
1. 2. 3. 4. 5.	Scope of Bid Source of Funds Corrupt and Fraudulent Practices Eligible Bidders Eligible Materials, Equipment and Services	5 6 6
В.	Contents of Bidding Document	. 11
6. 7.	Sections of Bidding Document Clarification of Bidding Document, Site Visit, Pre-Bid Meet 12	
8.	Amendment of Bidding Document	. 14
С.	Preparation of Bids	. 14
10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	Cost of Bidding Language of Bid Documents Comprising the Bid Letter of Bid and Schedules Alternative Bids Bid Prices and Discounts Currencies of Bid and Payment Documents Comprising the Technical Proposal Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security Format and Signing of Bid.	. 14 . 15 . 16 . 16 . 17 . 18 . 18 . 19 . 19 . 20
D.	Submission and Opening of Bids	.24
22.	Sealing and Marking of Bids Deadline for Submission of Bids Late Bids	. 25

1-4	Section I - Instructions to Bio	
24.	Withdrawal, Substitution, and Modification of Bids	25
25.	Bid Opening	26
E.	Evaluation and Comparison of Bids	28
26.	Confidentiality	28
27.	Clarification of Bids	28
28.	Deviations, Reservations, and Omissions	29
29.	Determination of Responsiveness	29
30.	Nonconformities, Errors, and Omissions	30
31.	Correction of Arithmetical Errors	31
32.	Conversion to Single Currency	32
33.	Margin of Preference	32
	Subcontractors	
35.	Evaluation of Bids	32
36.	Comparison of Bids	34
37.	Qualification of the Bidder	34
38.	Employer's Right to Accept Any Bid, and to Reject Any or Bids 34	A11
F.	Award of Contract	35
39.	Award Criteria	35
40.	Notification of Award	35
41.	Signing of Contract	37
42.	Performance Security	37
	Adjudicator	
42.	Performance Security	37

Section I - Instructions to Bidders

A. General	
1. Scope of Bid	1.1 In connection with the Invitation for Bids specified in the Bid Data Sheet (BDS) , the Employer, as specified in the BDS , issues these Bidding Documents for the procurement of the Works as specified in Section VII, Works Requirements. The name, identification, and number of lots (contracts) of this bidding are specified in the BDS .
	1.2 Throughout this Bidding Document:
	(a) the term "in writing" means communicated in written form and delivered against receipt;
	(b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular;
	(c) "day" means calendar day; and
	(d) "ESHS" means environmental, social (including sexual exploitation and abuse (SEA) and gender based violence (GBV)), health and safety.
2. Source of Funds	2.1 The Borrower or Recipient (hereinafter called "Borrower") specified in the BDS has received or has applied for financing (hereinafter called "funds") from the International Bank for Reconstruction and Development or the International Development Association (hereinafter called "the Bank") in an amount specified in the BDS , toward the project named in the BDS . The Borrower intends to apply a portion of the funds to eligible

1-6	Section I - Instructions to Bidders
	payments under the contract(s) for which these Bidding Documents are issued.
	2.2 Payment by the Bank will be made only at the request of the Borrower and upon approval by the Bank, and will be subject, in all respects, to the terms and conditions of the Loan (or other financing) Agreement. The Loan (or other financing) Agreement prohibits a withdrawal from the Loan (or other financing) account for the purpose of any payment to persons or entities, or for any import of goods, if such payment or import, to the knowledge of the Bank, is prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations. No party other than the Borrower shall derive any rights from the Loan (or other financing) Agreement or have any claim to the proceeds of the Loan (or other financing).
3. Corrupt and Fraudulent Practices	3.1 The Bank requires compliance with its policy in regard to corrupt and fraudulent practices as set forth in Section VI.
	3.2 In further pursuance of this policy, Bidders shall permit and shall cause their agents (whether declared or not), sub-contractors, sub-consultants, service providers, or suppliers and any personnel thereof, to permit the Bank to inspect all accounts, records and other documents relating to any prequalification process, bid submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Bank.
4. Eligible Bidders	 4.1 A Bidder may be a firm that is a private entity, or a government-owned entity—subject to ITB 4.5—or any combination of them in the form of a joint venture (JV), under an existing agreement, or with the intent to enter into

	such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the bidding process and, in the event the JV is awarded the Contract, during contract execution. Unless specified in the BDS , there is no limit on the number of members in a JV.
4.	2 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest for the purpose of this bidding process, if the Bidder:
	(a) directly or indirectly controls, is controlled by or is under common control with another Bidder; or
	(b) receives or has received any direct or indirect subsidy from another Bidder; or
	(c) has the same legal representative as another Bidder; or
	(d) has a relationship with another Bidder, directly or through common third parties, that puts it in a position to influence the bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
	(e) Participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which such Bidder is involved. However, this does not

1-8	Section 1 - Instructions to Bludders
	limit the inclusion of the same subcontractor in more than one bid; or
	 (f) or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the bid; or
	(g) or any of its affiliates has been hired (or is proposed to be hired) by the Employer or Borrower as Engineer for the Contract implementation;
	(h) would be providing goods, works, or non- consulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the BDS ITB 2.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm;
	 (i) has a close business or family relationship with a professional staff of the Borrower (or of the project implementing agency, or of a recipient of a part of the loan) who: (i) are directly or indirectly involved in the preparation of the bidding documents or specifications of the contract, and/or the bid evaluation process of such contract; or (ii) would be involved in the implementation or supervision of such contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Bank throughout the procurement process and execution of the contract.
2	4.3 A Bidder may have the nationality of any country, subject to the restrictions pursuant to ITB 4.7. A Bidder shall be deemed to have the nationality of a country if the Bidder is
	J J

ction I - Instructions to B	idders 1-9
	constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
	4.4 A Bidder that has been sanctioned by the Bank in accordance with the above ITB 3.1, including in accordance with the Bank's Guidelines on Preventing and Combating Corruption in Projects Financed by IBRD Loans and IDA Credits and Grants ("Anti- Corruption Guidelines"), shall be ineligible to be prequalified for, bid for, or be awarded a Bank-financed contract or benefit from a Bank-financed contract, financially or otherwise, during such period of time as the Bank shall have determined. The list of debarred firms and individuals is available at the electronic address specified in the BDS .
	4.5 Bidders that are Government-owned enterprises or institutions in the Employer's Country may participate only if they can establish that they (i) are legally and financially autonomous (ii) operate under commercial law, and (iii) are not dependent agencies of the Employer. To be eligible, a government-owned enterprise or institution shall establish to the Bank'a actisfaction through all relevant

autonomous (ii) operate under commercial law,
and (iii) are not dependent agencies of the
Employer. To be eligible, a government-owned
enterprise or institution shall establish to the
Bank's satisfaction, through all relevant
documents, including its Charter and other
information the Bank may request, that it: (i) is
a legal entity separate from the government (ii)
does not currently receive substantial subsidies
or budget support; (iii) operates like any
commercial enterprise, and, inter alia, is not

	obliged to pass on its surplus to the government, can acquire rights and liabilities, borrow funds and be liable for repayment of its debts, and can be declared bankrupt; and (iv) is not bidding for a contract to be awarded by the department or agency of the government which under their applicable laws or regulations is the reporting or supervisory authority of the enterprise or has
	the ability to exercise influence or control over the enterprise or institution.
4.6	5 A Bidder shall not be under suspension from bidding by the Employer as the result of the operation of a Bid–Securing Declaration.
	 Firms and individuals may be ineligible if so indicated in Section V and (a) as a matter of law or official regulations, the Borrower's country prohibits commercial relations with that country, provided that the Bank is satisfied that such exclusion does not preclude effective competition for the supply of goods or the contracting of works or services required; or (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's country prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. A Bidder shall provide such evidence of eligibility satisfactory to the Employer, as the

5.	Eligible	5.1 The materials, equipment and services to be
	Materials,	supplied under the Contract and financed by
	Equipment	the Bank may have their origin in any country
	and	subject to the restrictions specified in Section
	Services	V, Eligible Countries, and all expenditures
		under the Contract will not contravene such
		restrictions. At the Employer's request,
		Bidders may be required to provide evidence of
		the origin of materials, equipment and
		services.

B. Contents of Bidding Document

6. Sections of Bidding Document	6.1 The Bidding Document consist of Parts 1, 2, and 3, which include all the Sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITB 8.
	PART 1Bidding ProceduresSection I - Instructions to Bidders (ITB)Section II - Bid Data Sheet (BDS)Section III - Evaluation andQualification CriteriaSection IV - Bidding FormsSection V - Eligible CountriesSection VI - Bank Policy-Corrupt andFraudulent Practices
	PART 2 Works Requirements Section VII - Works Requirements
	PART 3 Conditions of Contract and
	Contract Forms Section VIII - General Conditions of Contract (GCC)
	Section IX - Particular Conditions of Contract (PCC) Section X - Contract Forms
	6.2 The Invitation for Bids issued by the Employer is not part of the Bidding Document.

1-12	Section I - Instructions to Bidders
	6.3 Unless obtained directly from the Employer, the Employer is not responsible for the completeness of the Bidding Documents, responses to requests for clarification, the minutes of the pre-Bid meeting (if any), or Addenda to the Bidding Documents in accordance with ITB 8. In case of any contradiction, documents obtained directly from the Employer shall prevail.
	6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents and to furnish with its bid all information and documentation as is required by the Bidding Documents.
7. Clarificatio n of Bidding Document, Site Visit, Pre-Bid Meeting	 7.1 A Bidder requiring any clarification of the Bidding Document shall contact the Employer in writing at the Employer's address specified in the BDS or raise its inquiries during the pre-bid meeting if provided for in accordance with ITB 7.4. The Employer will respond in writing to any request for clarification, provided that such request is received prior to the deadline for submission of bids within a period specified in the BDS. The Employer shall forward copies of its response to all Bidders who have acquired the Bidding Documents in accordance with ITB 6.3, including a description of the inquiry but without identifying its source. If so specified in the BDS, the Employer shall also promptly publish its response at the web page identified in the BDS. Should the clarification result in changes to the essential elements of the Bidding Documents, the Employer shall amend the Bidding Documents following the procedure under ITB 8 and ITB 22.2. 7.2 The Bidder is advised to visit and examine
	the Site of Works and its surroundings and

	obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.
7.	3 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the Employer and its personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.
7.	4 If so specified in the BDS , the Bidder's designated representative is invited to attend a pre-bid meeting. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
	(there shall be no pre bid meeting)
7.	5 The Bidder is requested, to submit any questions in writing, to reach the Employer not later than one week before the meeting.
7.	6 Minutes of the pre-bid meeting, if applicable, including the text of the questions asked by Bidders, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Documents in accordance with ITB 6.3. Any modification to

1-14	Section I - Instructions to Bidders	
	the Bidding Documents that may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an addendum pursuant to ITB 8 and not through the minutes of the pre-bid meeting. Nonattendance at the pre-bid meeting will not be a cause for disqualification of a Bidder.	
8. Amendment of Bidding Document	8.1 At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Documents by issuing addenda.	
	8.2 Any addendum issued shall be part of the Bidding Documents and shall be communicated in writing to all who have obtained the Bidding Document from the Employer in accordance with ITB 6.3. The Employer shall also promptly publish the addendum on the Employer's web page in accordance with ITB 7.1.	
	8.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer may, at its discretion, extend the deadline for the submission of bids, pursuant to ITB 22.2.	
C. Preparation	C. Preparation of Bids	
9. Cost of Bidding	9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.	
10. Language of Bid	 10.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the BDS (English). Supporting documents and printed literature that are part of the Bid may be in 	

	another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS , in which case, for purposes of interpretation of the Bid, such translation shall govern.
11. Documents	11.1 The Bid shall comprise the following:
Comprising the Bid	(a) Letter of Bid in accordance with ITB 12;
	(b)completed Schedules, in accordance with ITB 12 and 14: as specified in the BDS ;
	(c) Bid Security or Bid Securing Declaration, in accordance with ITB 19.1;
	(d)alternative bids, if permissible, in accordance with ITB 13;
	(e) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 20.2;
	(f) documentary evidence in accordance with ITB 17 establishing the Bidder's qualifications to perform the contract if its Bid is accepted;
	(g) Technical Proposal in accordance with ITB 16;
	(h)any other document required in the BDS .
	11.2 In addition to the requirements under ITB 11.1, bids submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement.

	11.3 The Bidder shall furnish in the Letter of Bid information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Bid.
12. Letter of Bid and Schedules	12.1 The Letter of Bid and Schedules shall be prepared using the relevant forms furnished in Section IV, Bidding Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITB 20.2. All blank spaces shall be filled in with the information requested.
13. Alternative Bids	13.1 Unless otherwise specified in the BDS , alternative bids shall not be considered.
	13.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the BDS , as will the method of evaluating different times for completion.
	13.3 Except as provided under ITB 13.4 below, Bidders wishing to offer technical alternatives to the requirements of the Bidding Document must first price the Employer's design as described in the Bidding Document and shall further provide all information necessary for a complete evaluation of the alternative by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the lowest evaluated Bidder conforming to the basic technical requirements shall be considered by the Employer.
	13.4 When specified in the BDS , Bidders are permitted to submit alternative technical solutions for specified parts of the Works. Such parts will be identified in the BDS and

Section I - Instructions to Bidders

14. Bid Prices and Discounts	described in Section VII. Works Requirements. The method for their evaluation will be stipulated in Section III. Evaluation and Qualification Criteria.
	 conform to the requirements specified below. 14.2 The Bidder shall submit a bid for the whole of the works described in ITB 1.1 by filling in prices for all items of the Works, as identified in Section IV. Bidding Forms. In case of admeasurement contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered
	 by the rates for other items and prices in the Bill of Quantities. 14.3 The price to be quoted in the Letter of Bid, in accordance with ITB 12.1, shall be the total price of the bid, excluding any discounts offered.
	14.4 The Bidder shall quote any discounts and the methodology for their application in the Letter of Bid, in accordance with ITB 12.1.
	14.5 Unless otherwise provided in the BDS and the Conditions of Contract, the prices quoted by the Bidder shall be fixed. If the prices quoted by the Bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, the Bidder shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data in Section IV- Bidding Forms

1-18	Section I - Instructions to Bidders
	and the Employer may require the Bidder to justify its proposed indices and weightings.
	14.6 If so specified in ITB 1.1, bids are invited for individual lots (contracts) or for any combination of lots (packages). Bidders wishing to offer discounts for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITB 14.4, provided the bids for all lots (contracts) are opened at the same time.
	14.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 28 days prior to the deadline for submission of bids, shall be included in the rates and prices ¹ and the total bid price submitted by the Bidder.
15. Currencies of Bid and Payment	15.1 The currency(ies) of the bid and the currency(ies) of payments shall be as specified in the BDS .
	15.2 Bidders may be required by the Employer to justify, to the Employer's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data are reasonable ² , in which case a detailed breakdown of the foreign currency requirements shall be provided by Bidders.
16. Documents Comprising the	16.1 The Bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section

Technical Proposal	IV, Bidding Forms, in sufficient detail to demonstrate the adequacy of the Bidders' proposal to meet the work requirements and the completion time.
17. Documents Establishin g the Qualificatio ns of the Bidder	17.1 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract, the Bidder shall provide the information requested in the corresponding information sheets included in Section IV, Bidding Forms.
	17.2 If a margin of preference applies as specified in accordance with ITB 33.1, domestic Bidders, individually or in joint ventures, applying for eligibility for domestic preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITB 33.1.
18. Period of Validity of Bids	18.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Employer in accordance with ITB 22.1. A bid valid for a shorter period shall be rejected by the Employer as nonresponsive.

1-20	Section I - Instructions to Bidders
	18.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. If a bid security is requested in accordance with ITB 19, it shall also be extended for twenty-eight (28) days beyond the deadline of the extended validity period. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request shall not be required or permitted to modify its bid, except as provided in ITB 18.3.
	18.3 If the award is delayed by a period exceeding fifty-six (56) days beyond the expiry of the initial bid validity, the Contract price shall be determined as follows:
	(a) In the case of fixed price contracts, the Contract price shall be the bid price adjusted by the factor specified in the BDS .
	(b) In the case of adjustable price contracts, no adjustment shall be made.
	(c) In any case, bid evaluation shall be based on the bid price without taking into consideration the applicable correction from those indicated above.
19. Bid Security	19.1 The Bidder shall furnish as part of its bid, either a Bid-Securing Declaration or a bid security as specified in the BDS , in original form and, in the case of a bid security, in the amount and currency specified in the BDS .
	19.2 A Bid Securing Declaration shall use the form included in Section IV, Bidding Forms.
	19.3 If a bid security is specified pursuant to ITB 19.1, the bid security shall be a demand

Section I - Instructions to B	1dders 1-21
	guarantee in any of the following forms at the Bidder's option:
	(a)an unconditional guarantee issued by a bank or financial institution (such as an insurance, bonding or surety company);
	(b)an irrevocable letter of credit;
	(c) a cashier's or certified check; or
	(d)Another security specified in the BDS .
	From a reputable source from an eligible country. If the unconditional guarantee is issued by a financial institution located outside the Employer's Country, the issuing financial institution shall have a correspondent financial institution located in the Employer's Country to make it enforceable. In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section IV, Bidding Forms, or in another substantially similar format approved by the Employer prior to bid submission. The bid security shall be valid for twenty-eight (28) days beyond the original validity period of the bid, or beyond any period of extension if requested under ITB 18.2.
	19.4 If a bid security or Bid Securing Declaration is specified pursuant to ITB 19.1, any bid not accompanied by a substantially responsive bid security or Bid-Securing Declaration shall be rejected by the Employer as non-responsive.
	19.5 If a bid security is specified pursuant to ITB 19.1, the bid security of unsuccessful Bidders shall be returned as promptly as possible upon th
	19.6

1-22	Section 1 - Instructions to bluders
	19.7 e successful Bidder's signing the Contract and furnishing the performance security and if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security pursuant to ITB 42.
	19.8 The bid security of the successful Bidder shall be returned as promptly as possible once the successful Bidder has signed the Contract and furnished the required performance security and if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security.
	19.9 The bid security may be forfeited or the Bid Securing Declaration executed:
	 (a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Letter of Bid, , or any extension thereto provided by the Bidder; or
	(b) if the successful Bidder fails to:
	(i) sign the Contract in accordance with ITB 41; or
	(ii) furnish a performance security and if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security in accordance with ITB 42.
	19.10 The bid security or the Bid Securing Declaration of a JV shall be in the name of the JV that submits the bid. If the JV has not been constituted into a legally-enforceable JV, at the time of bidding, the Bid Security or the Bid Securing Declaration shall be in the names of all future members as named in the letter of intent mentioned in ITB 4.1 and ITB 11.2.

Section I - Instructions to Bidders

1-22

	19.11 If a bid security is not required in the BDS ,
	and
	(a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Letter of Bid, or
	 (b) if the successful Bidder fails to: sign the Contract in accordance with ITB 41; or furnish a performance security and if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security in accordance with ITB 42;
	the Borrower may, if provided for in the BDS , declare the Bidder ineligible to be awarded a contract by the Employer for a period of time as stated in the BDS .
20. Format and Signing of Bid	
	20.2 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the BDS and shall be attached to the bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the bid where entries or amendments have been

1-24	Section I - Instructions to Bidders	
	made shall be signed or initialed by the person signing the bid.	
	 20.3 In case the Bidder is a JV, the Bid shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives. 20.4 Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the bid. 	
D. Submission and Opening of Bids		
21. Sealing and Marking of Bids	e e	
	21.2 The inner and outer envelopes shall:	
	(a) bear the name and address of the Bidder;	
	(b) be addressed to the Employer as provided in the BDS pursuant to ITB 22.1;	
	(c) bear the specific identification of this bidding process specified in accordance with BDS 1.1; and	
	(d) bear a warning not to open before the time and date for bid opening.	
	21.3 If all envelopes are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the bid.	

22. Deadline for Submission of Bids	22.1 Bids must be received by the Employer at the address and no later than the date and time specified in the BDS . When so specified in the BDS , bidders shall have the option of submitting their bids electronically. Bidders submitting bids electronically shall follow the electronic bid submission procedures specified in the BDS .
	22.2 The Employer may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Document in accordance with ITB 8, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.
23. Late Bids	23.1 The Employer shall not consider any bid that arrives after the deadline for submission of bids, in accordance with ITB 22. Any bid received by the Employer after the deadline for submission of bids shall be declared late, rejected, and returned unopened to the Bidder.
24. Withdrawal, Substitutio n, and Modificatio n of Bids	 24.1 A Bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB 20.2, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be: (a) prepared and submitted in accordance with ITB 20 and ITB 21 (except that withdrawal
	notices do not require copies), and in addition, the respective envelopes shall be

1-26	Section I - Instructions to Bidders
	clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
	(b) Received by the Employer prior to the deadline prescribed for submission of bids, in accordance with ITB 22.
	24.2 Bids requested to be withdrawn in accordance with ITB 24.1 shall be returned unopened to the Bidders.
	24.3 No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Letter of Bid or any extension thereof.
25. Bid Opening	25.1 Except in the cases specified in ITB 23 and 24, the Employer shall publicly open and read out in accordance with ITB 25.3 all bids received by the deadline, at the date, time and place specified in the BDS , in the presence of Bidders` designated representatives and anyone who choose to attend. Any specific electronic bid opening procedures required if electronic bidding is permitted in accordance with ITB 22.1, shall be as specified in the BDS .
	25.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding bid being substituted, and the substituted bid shall not be opened, but

Section 1 - Instructions to D	
	returned to the Bidder. No bid substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at bid opening. Envelopes marked "MODIFICATION" shall be opened and read out with the corresponding bid. No bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at bid opening. Only envelopes that are opened and read out at bid opening shall be considered further.
	25.3 All other envelopes shall be opened one at a time, reading out: the name of the Bidder and whether there is a modification; the total Bid Price, per lot (contract) if applicable, including any discounts and alternative bids; the presence or absence of a bid security, or Bid Securing Declaration, if required; and any other details as the Employer may consider appropriate. Only discounts and alternative bids read out at bid opening shall be considered for evaluation. The Letter of Bid and the Bill of Quantities are to be initialed by representatives of the Employer attending bid opening in the manner specified in the BDS . The Employer shall neither discuss the merits of any bid nor reject any bid (except for late bids, in accordance with ITB 23.1).
	25.4 The Employer shall prepare a record of the bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, substitution, or modification; the Bid Price, per lot (contract) if applicable, including any discounts and alternative bids; and the presence or absence of a bid security, if one was required. The Bidders' representatives who are present shall be

requested to sign the record. The omission of a Bidder's signature on the record shall not
invalidate the contents and effect of the record.
A copy of the record shall be distributed to all
Bidders.
Bidders.

E. Evaluation and Comparison of Bids

26. Confidentia lity	26.1 Information relating to the evaluation of bids and recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with the bidding process until information on Contract award is communicated to all Bidders in accordance with ITB 40.
	26.2 Any attempt by a Bidder to influence the Employer in the evaluation of the bids or Contract award decisions may result in the rejection of its bid.
	26.3 Notwithstanding ITB 26.2, from the time of bid opening to the time of Contract award, if a Bidder wishes to contact the Employer on any matter related to the bidding process, it shall do so in writing.
27. Clarificatio n of Bids	27.1 To assist in the examination, evaluation, and comparison of the bids, and qualification of the Bidders, the Employer may, at its discretion, ask any Bidder for a clarification of its bid given a reasonable time for a response. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease in the prices or substance of the bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the

Section I - Instructions to E	Bidders 1-29					
	Employer in the evaluation of the bids, in accordance with ITB 31.					
	27.2 If a Bidder does not provide clarifications of its bid by the date and time set in the Employer's request for clarification, its bid may be rejected.					
28. Deviations, Reservation and Omissions	28.1 During the evaluation of bids, the following definitions apply:(a) "Deviation" is a departure from the requirements specified in the Bidding Document;					
	(b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and					
	(c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.					
29. Determinati on of Responsive ness	29.1 The Employer's determination of a bid's responsiveness is to be based on the contents of the bid itself, as defined in ITB11.					
	29.2 A substantially responsive bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that,					
	(a) if accepted, would:					
	(i) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or					
	(ii) Limit in any substantial way, inconsistent with the Bidding Document, the Employer's rights or the					

1-30	Section I - Instructions to Bidders						
	Bidder's obligations under the proposed Contract; or (b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive bids.						
	29.3 The Employer shall examine the technical aspects of the bid submitted in accordance with ITB 16, Technical Proposal, in particular, to confirm that all requirements of Section VII (Works Requirements) have been met without any material deviation, reservation or omission.						
	29.4 If a bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.						
30. Nonconfor mities, Errors, and Omissions	30.1 Provided that a bid is substantially responsive, the Employer may waive any nonconformity in the bid.						
	30.2 Provided that a bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.						
	30.3 Provided that a bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities						

	related to the Bid Price. To this effect, the Bid Price may be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component. The adjustment shall be made using the methods specified in Section III (Evaluation and Qualification Criteria).
31. Correction of Arithmetica 1 Errors	 31.1 Provided that the bid is substantially responsive, the Employer shall correct arithmetical errors on the following basis: (a) only for admeasurement contracts, if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected; (b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and (c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
	31.2 Bidders shall be requested to accept correction of arithmetical errors. Failure to accept the correction in accordance with ITB 31.1 shall result in the rejection of the Bid.

32. Conversion to Single Currency	32.1 For evaluation and comparison purposes, the currency(ies) of the Bid shall be converted into a single currency as specified in the BDS .						
33. Margin of Preference	33.1 Unless otherwise specified in the BDS, a margin of preference for domestic bidders ³ shall not apply.						
34. Subcontract ors	34.1 Unless otherwise stated in the BDS, the Employer does not intend to execute any specific elements of the Works by sub- contractors selected in advance by the Employer.						
	 34.2 The Employer may permit subcontracting for certain specialized works as indicated in Section III. When subcontracting is permitted by the Employer, the specialized subcontractor's experience shall be considered for evaluation. Section III describes the qualification criteria for sub-contractors. 34.3 Bidders may propose subcontracting up to the percentage of total value of contracts or the volume of works as specified in the BDS. 						
35. Evaluation of Bids	35.1 The Employer shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.						
	35.2 To evaluate a bid, the Employer shall consider the following:						
	(a) the bid price, excluding Provisional Sums and the provision, if any, for contingencies in the Summary Bill of Quantities ⁴ for admeasurement contracts, but including						

Section I - Instructions to Bi	aders 1-33
	Daywork ⁵ items, where priced competitively;
	(b) price adjustment for correction of arithmetic errors in accordance with ITB 31.1;
	(c) price adjustment due to discounts offered in accordance with ITB 14.4;
	(d) converting the amount resulting from applying (a) to (c) above, if relevant, to a single currency in accordance with ITB 32;
	(e) price adjustment for nonconformities in accordance with ITB 30.3;
	(f) the additional evaluation factors are specified in Section III (Evaluation and Qualification Criteria);
	35.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.
	35.4 If this Bidding Document allows Bidders to quote separate prices for different lots (contracts), the methodology to determine the lowest evaluated price of the contract combinations, including any discounts offered in the Letter of Bid, is specified in Section III. Evaluation and Qualification Criteria.
	35.5 If the bid for an admeasurement contract, which results in the lowest Evaluated Bid Price, is seriously unbalanced or, front loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal

1-34	Section I - Instructions to Bidders				
	consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.				
36. Comparison of Bids	36.1 The Employer shall compare the evaluated prices of all substantially responsive bids established in accordance with ITB 35.2 to determine the lowest evaluated bid.				
37. Qualificatio n of the Bidder	37.1 The Employer shall determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated and substantially responsive bid meets the qualifying criteria specified in Section III. Evaluation and Qualification Criteria.				
	37.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 17.1.				
	37.3 An affirmative determination of qualification shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the bid, in which event the Employer shall proceed to the next lowest evaluated bid to make a similar determination of that Bidder's qualifications to perform satisfactorily.				
38. Employer's Right to Accept Any Bid, and to	38.1 The Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any				

Reject Any or All Bids	liability to Bidders. In case of annulment, all bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.					
F. Award of Co	ontract					
39. Award Criteria	39.1 Subject to ITB 37.1, the Employer shall award the Contract to the Bidder whose bid has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.					
40. Notification of Award	40.1 Prior to the expiration of the period of bid validity, the Employer shall notify the successful Bidder, in writing, via the Letter of Acceptance included in the Contract Forms, that its bid has been accepted. At the same time, the Employer shall also notify all other Bidders of the results of the bidding, and shall publish in UNDB online the results identifying the bid and lot (contract) numbers and the following information:					
	(i) name of each Bidder who submitted a Bid;					
	(ii) bid prices as read out at Bid Opening;					
	(iii) name and evaluated prices of each Bid that was evaluated;					
	(iv) name of bidders whose bids were rejected and the reasons for their rejection; and					
	(v) Name of the winning Bidder, and the Price it offered, as well as the duration and summary scope of the contract awarded.					
	40.2 Until a formal contract is prepared and executed, the notification of award shall constitute a binding Contract.					

40.3 The Employer shall promptly respond in							
writing to any unsuccessful Bidder who, after							
notification of award in accordance with ITB							
40.1, requests in writing the grounds on which							
its bid was not selected.							

41. Signing of Contract	41.1 Promptly upon notification, the Employer shall send the successful Bidder the Contract Agreement.						
	41.2 Within twenty-eight (28) days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Employer.						
42. Performanc e Security	42.1 Within twenty-eight (28) days of the receipt of notification of award from the Employer, the successful Bidder shall furnish the performance security and, if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security in accordance with the conditions of contract, subject to ITB 35.5, using for that purpose the Performance Security and ESHS Performance Security Forms included in Section X. Contract Forms, or another form acceptable to the Employer. If the performance security furnished by the successful Bidder is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Bidder to be acceptable to the Employer. A foreign institution providing a bond shall have a correspondent financial institution located in the Employer's Country.						
	42.2 Failure of the successful Bidder to submit the above-mentioned Performance Security and, if required in the BDS, the Environmental, Social, Health and Safety (ESHS) Performance Security, or to sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security. In that event the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by						

	the Employer to be qualified to perform the Contract satisfactorily.					
43. Adjudicator	43.1 The Employer proposes the person named in the BDS to be appointed as Adjudicator under the Contract, at the hourly fee specified in the BDS , plus reimbursable expenses. If the Bidder disagrees with this proposal, the Bidder should so state in his Bid. If, in the Letter of Acceptance, the Employer does not agree on the appointment of the Adjudicator, the Employer will request the Appointing Authority designated in the Particular Conditions of Contract (PCC) pursuant to Clause 23.1 of the General Conditions of Contract (GCC), to appoint the Adjudicator.					

Section II - Bid Data Sheet (BDS)

A. Introduction

ITB 1.1	The number of the Invitation for Bids is : CGB/ AGRIC/KCSAP/ RFQ/001/2021-2022 The Employer is: COUNTY GOVERNMENT OF BOMET						
ITB 1.1	The name of the bidding process is: REQUEST FOR QUOTATION						
	The identification number of the bidding process is: CGB/ AGRICP/KCSAP/ RFQ/001/2021-2022						
	The number and identification of lots comprising this bidding process is: N/A						
ITB 2.1	The Borrower is: GOVERNMENT OF KENYA						
ITB 2.1	The name of the Project is: KENYA CLIMATE SMART AGRICULTURE PROJECT.						
ITB 2.1	Loan or Financing Agreement amount: [\$250 MILLION]						
ITB 4.1	Maximum number of members in the Joint Venture shall be: N/A						
ITB 4.4	A list of debarred firms and individuals is available on the Bank's external website: http://www.worldbank.org/debarr.						

B. Bidding Documents

ITB 7.1	For	<u>clarification</u>	purposes	only,	the	Employer's
	addı	ress is:				

	Attention: Kenduiwa k Julius county project coordinator
	Street Address: P.o Box 27-20400,Bomet tel no: 0721403231
	Block/Room number: KCSAP Block next to county commissioner offices
	City: Bomet
	ZIP Code: 20400
	Country: <i>Kenya</i>
	Telephone: 0721403231
	Facsimile number: N/A
	Electronic mail address: <i>kenduiwaj@gmail.com</i>
	Requests for clarification should be received by the Employer no later than:
ITB 7.1	Web page: -
ITB 7.4	A Pre-Bid meeting shall not take place due to Government covid 19 measures on social distancing.

C. Preparation of Bids

ITB 10.1	The language of the bid is: English
----------	--

		All correspondence exchange shall be in English language.
ITB (b)	11.1	The following schedules shall be submitted with the bid: <i>as per section IV</i>
ITB (h)	11.1	The Bidder shall submit the following additional documents in its Bid: N/A
		Code of Conduct (ESHS)
		The Bidder shall submit its Code of Conduct that will apply to its employees and subcontractors, to ensure compliance with its Environmental, Social, Health and Safety (ESHS) obligations under the contract. [Note: Complete and include the risks to be addressed by the Code in accordance with Section VII-Works' Requirements, e.g. Risks associated with: labor influx, spread of communicable diseases, sexual harassment, gender based violence, sexual exploitation and abuse, illicit behavior and crime, and maintaining a safe environment etc.]
		In addition, the Bidder shall detail how this Code of Conduct will be implemented. This will include: how it will be introduced into conditions of employment/engagement, what training will be provided, how it will be monitored and how the Contractor proposes to deal with any breaches.
		The Contractor shall be required to implement the agreed Code of Conduct upon contract award.
		Management Strategies and Implementation Plans (MSIP) to manage the (ESHS) risks
		The Bidder shall submit Management Strategies and Implementation Plans (MSIP) to manage the following key Environmental, Social, Health and Safety (ESHS) risks.
		• Mandatory

ITB 19.9	The following provision should be included and the required corresponding information inserted
	Not applicable
ITB 19.3 (d)	Other types of acceptable securities:
ITB 19.1	A Bid Security of 300,000 shall be required.
ITB 18.3 (a)	The bid price shall be adjusted by the following factor(s): <i>N/A</i>
ITB 18.1	The bid validity period shall be in 120 d ays.
ITB 15.1	The prices shall be quoted by the bidder in: KES
ITB 14.5	The prices quoted by the Bidder "shall not be subject to adjustment during the performance of the Contract.
ITB 13.4	Alternative technical solutions may be permitted for the following parts of the Works:
ITB 13.2	Alternative times for completion <i>may be</i> permitted.
ITB 13.1	Alternative bids shall not be permitted.
	The Contractor shall be required to submit for approval, and subsequently implement, the Contractor's Environment and Social Management Plan (C-ESMP), in accordance with the Particular Conditions of Contract Sub-Clause 16.2, that includes the agreed Management Strategies and Implementation Plans described here. <i>Environmental and Social Impact Assessment (ESIA)</i>

	<u>only</u> if a bid security is not required under provision ITB 19.1 and the Employer wishes to declare the Bidder ineligible for a period of time should the Bidder incur in the actions mentioned in provision ITB 19.9. Otherwise omit.
	If the Bidder incurs any of the actions prescribed in subparagraphs (a) or (b) of this provision, the Borrower will declare the Bidder ineligible to be awarded contracts by the Employer for a period of years. N/A
ITB 20.1	In addition to the original of the bid, the number of copies is: original only
ITB 20.2	The written confirmation of authorization to sign on behalf of the Bidder shall consist of: approval of the power of attorney

D. Submission and Opening of Bids

ITB 22.1	Bidders shall submit hard copy documents to the Kcsap Block, reception. And address to County Project Coordinator -KCSAP P.O box 27-20400 Bomet
ITB 22.1	For <u>bid</u> submission purposes only, the Employer's address is:
	Attention: county project coordinator Kenya climate smart project
	Street Address: along Bomet county government
	Block/Room number: KCSAP
	City: Bomet county
	ZIP Code: 20400
	Country: Kenya
	The deadline for bid submission is:
	Date: Friday 13 th August 2021at 1200hrs
	Time: 12.00 noon
ITB 25.1	The bid opening shall take place at: Kcsap offices on Friday 13 th August 2021 at 12. oo noon
	Street Address: County commissioner's compound
	Floor/Room number: K Block
	City: Bomet
	Country: Kenya
	Date: Friday 13 th August 2021 at 1200hrs
	Time: 12.00am

ITB 25.3	The Letter of Bid and Priced Bill of Quantities shall be
	initialed by 3- five representatives of the Employer
	conducting Bid opening.

E. Evaluation and Comparison of Bids

ITB 32.1	The currency that shall be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is: KES N/A
ITB 33.1	A margin of preference shall not apply .
ITB 34.1	At this time the Employer to execute certain specific parts of the Works by sub-contractors selected in advance .applicable
ITB 34.3	Contractor's proposed subcontracting: Maximum percentage of subcontracting permitted is:0% of the total contract amount or0% of the volume of worknot applicable
	 b) Bidders planning to subcontract more than 10% of total volume of work shall specify, in the Letter of Bid, the activity (ies) or parts of the works to be subcontracted along with complete details of the subcontractors and their qualification and experience. The qualification and experience of the sub-contractors must meet the minimum criteria for the relevant work to be sub-contracted failing which such subcontractors will not be permitted to participate. c) Sub-contractors' qualification and experience will
	not be considered for evaluation of the Bidder. The Bidder on its own (without taking into account the

qualification and experience of the sub-contractor)
should meet the qualification criteria/A

F. Award of Contract

ITB 42.1 and 42.2	N/A
ITB 43.1	The Adjudicator proposed by the Employer is: Engineers Association. The hourly fee for this proposed Adjudicator shall be: market rate The biographical data of the proposed Adjudicator is as follows:

Section III - Evaluation and Qualification Criteria

This section contains all the criteria that the Employer shall use to evaluate bids and qualify Bidders if the bidding was not preceded by a prequalification exercise and post-qualification is applied. In accordance with ITB 35 and ITB 37, no other methods, criteria and factors shall be used. The Bidder shall provide all the information requested in the forms included in Section 4 (Bidding Forms).

Wherever a Bidder is required to state a monetary amount, Bidders should indicate the KSHs equivalent using the rate of exchange determined as follows:

- -For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- -Value of single contract rates should be in kshs

Exchange rates shall be taken from the publicly available source identified in the ITB 32.1. Any error in determining the exchange rates in the Bid may be corrected by the Employer

Table of Criteria

Margin of Preference	1-49
Evaluation	1-50
Multiple Contracts Alternative Completion Times	1-50 1-53
Qualification Error! Bookmark not det	ined.
Historical Contract Non Performance Financial Situation Experience Personnel	59 59 59 59
	Margin of Preference Evaluation Adequacy of Technical Proposal Multiple Contracts Alternative Completion Times Technical Alternatives Specialized Subcontractors Qualification Eligibility Historical Contract Non Performance Financial Situation Experience Personnel Equipment

1. Margin of Preference

- If a margin of preference shall apply under ITB 33.1, the procedure will be as follows as:
- A margin of preference of 7.5% (seven and one-half percent) shall be granted to domestic contractors, in accordance with, and subject to, the following provisions:
- (a) Contractors applying for such preference shall provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Borrower and accepted by the Bank, a particular contractor or group of contractors qualifies for a domestic preference. The bidding documents shall clearly indicate the preference and the method that will be followed in the evaluation and comparison of bids to give effect to such preference.
- (b) After bids have been received and reviewed by the Borrower, responsive bids shall be classified into the following groups:
- (i) Group A: bids offered by domestic contractors eligible for the preference.
- (ii) Group B: bids offered by other contractors.
- All evaluated bids in each group shall, as a first evaluation step, be compared to determine the lowest bid, and the lowest evaluated bids in each group shall be further compared with each other. If, as a result of this comparison, a bid from Group A is the lowest, it shall be selected for the award. If a bid from Group B is the lowest, as a second evaluation step, all bids from Group B shall then be further compared with the lowest evaluated bid from Group A. For the purpose of this further comparison only, an amount equal to 7.5% (seven and one-half percent) of the respective bid price corrected for arithmetical errors, including unconditional discounts and excluding

provisional sums and the cost of day works, if any, shall be added to the evaluated price offered in each bid from Group B. If the bid from Group A is the lowest, it shall be selected for award. If not, the lowest evaluated bid from Group B based on the first evaluation step shall be selected

2. Evaluation

In addition to the criteria listed in ITB 35.2 (a) – (e) the following criteria shall apply:

2.1 Adequacy of Technical Proposal

Evaluation of the Bidder's Technical Proposal will include an assessment of the Bidder's technical capacity to mobilize key equipment and personnel for the contract consistent with its proposal regarding work methods, scheduling, and material sourcing in sufficient detail and fully in accordance with the requirements stipulated in Section VII (Works Requirements).

2.2 Multiple Contracts

Pursuant to Sub-Clause 35.4 of the Instructions to Bidders, if Works are grouped in multiple contracts, evaluation will be as follows:

Award Criteria for Multiple Contracts [ITB 35.4]:

Lots

Bidders have the option to Bid for any one or more lots. Bids will be evaluated lot-wise, taking into account discounts offered, if any, for combined lots. The contract(s) will be awarded to the Bidder or Bidders offering the lowest evaluated cost to the Employer for combined lots, subject to the selected Bidder(s) meeting the required qualification criteria for lot or combination of lots as the case may be.

Packages

Bidders have the option to Bid for any one or more packages and for any one or more lots within a package. Bids will be evaluated package-wise, taking into account discounts offered, if any, for combined packages and/or lots within a package. The contract(s) will be awarded to the Bidder or Bidders offering the lowest evaluated cost to the Employer for combined packages, subject to the selected Bidder(s) meeting the required qualification criteria for combination of packages and or lots as the case may be.

Qualification Criteria for Multiple Contracts:

Section III describes criteria for qualification for each lot (contract) for multiple lots (contracts). The criteria for qualification is aggregate minimum requirement for respective lots as specified under items 3.1, 3.2, 4.2(a) and 4.2(b). However, with respect to the specific experience under item 4.2 (a) of Section III, the Employer will select any one or more of the options as identified below:

N is the minimum number of contracts

V is the minimum value of a single contract

(a) For one Contract:

Option 1:

(i) N contracts, each of minimum value V;

Or

Option 2:

(i) N contracts, each of minimum value V; or

(ii) Less than or equal to N contracts, each of minimum value V, but with total value of all contracts equal or more than N \times V.

(b) For multiple Contracts

Option 1:

(i) Minimum requirements for combined contract(s) shall be the aggregate requirements for each contract for which the bidder has submitted bids as follows, and N1, N2, N3, etc. shall be different contracts:

Lot 1: N1 contracts, each of minimum value V1;

Lot 2: N2 contracts, each of minimum value V2;

Lot 3: N3 contracts, each of minimum value V3;

----etc.

or

Option 2:

(i) Minimum requirements for combined contract(s) shall be the aggregate requirements for each contract for which the bidder has submitted bids as follows, and N1,N2,N3, etc. shall be different contracts:

Lot 1: N1 contracts, each of minimum value V1;

Lot 2: N2 contracts, each of minimum value V2;

Lot 3: N3 contracts, each of minimum value V3;

----etc, **or**

(ii) Lot 1: N1 contracts, each of minimum value V1; or number of contracts less than or equal to N1, each of minimum value V1, but with total value of all contracts equal or more than N1 x V1.

Lot 2: N2 contracts, each of minimum value V2; or number of contracts less than or equal to N2, each of minimum value V2, but with total value of all contracts equal or more than N2 x V2.

Lot 3: N3 contracts, each of minimum value V3; or number of contracts less than or equal to N3, each of minimum value V3, but with total value of all contracts equal or more than N3 x V3.

----etc.

Or

Option 3:

(i) Minimum requirements for combined contract(s) shall be the aggregate requirements for each contract for which the Bidder has bid for as follows, and N1, N2, N3, etc. shall be different contracts:

Lot 1: N1 contracts, each of minimum value V1;

Lot 2: N2 contracts, each of minimum value V2;

Lot 3: N3 contracts, each of minimum value V3;

----etc, **or**

(ii) Lot 1: N1 contracts, each of minimum value V1; or number of contracts less than or equal to N1, each of minimum value V1, but with total value of all contracts equal or more than N1 x V1.

Lot 2: N2 contracts, each of minimum value V2; or number of contracts less than or equal to N2, each of minimum value V2, but with total value of all contracts equal or more than N2 x V2.

Lot 3: N3 contracts, each of minimum value V3; or number of contracts less than or equal to N3, each of minimum value V3, but with total value of all contracts equal or more than N3 x V3.

```
----etc, or
```

(iii) Subject to compliance as per (ii) above with respect to minimum value of single contract for each lot, total number of contracts is equal or less than N1 + N2 + N3 +--but the total value of all such contracts is equal or more than N1 x V1 + N2 x V2 + N3 x V3 +---.

2.3 Alternative Completion Times

An alternative Completion Time, if permitted under ITB 13.2, will be evaluated as follows:

2.4 Technical Alternatives

Technical alternatives, if permitted under ITB 13.4, will be evaluated as follows:

2.5 Specialized Subcontractors

Only the specific experience of sub-contractors for specialized works permitted by the Employer will be considered. The general experience and financial resources of the specialized sub-contractors shall not be added to those of the Bidder for purposes of qualification of the Bidder.

The specialized sub-contractors proposed shall be fully qualified for their work proposed, and meet the following criteria:

Evaluation Criteria

1. Preliminary Evaluation

S/No.	Evaluation Criteria
1.	Copy of certificate of incorporation/ registration
2.	Serialized bid document in all pages
3.	Attach copy of CR12
4.	Tax compliance certificate valid as from the date of
	tender opening
5.	Copy of certificate from NCA for class 7 Water
	Works
6.	Copy of Practicing license from NCA for the year
	2021
7.	Copy of valid business permit for the year 2021
8.	Submit audited accounts for the year 2018,2019
	and2020
9.	Dully filled, signed and stamped form of tender
10.	Dully filled, signed and stamped confidential
	business questionnaire

4.4	
	Self-declaration that shall not be involved in
	corrupt practices
12.	Declaration that the bidder is not debarred
13.	Tender security shall be in form of bank guarantee
	or insurance companies approved by PPRA of
	Kshs. 300,000
14.	Bidders with arithmetic errors shall be disqualified
	at this stage

These requirements are compulsory and mandatory. Any bidder who fails to meet any of the above requirements shall be disqualified at this stage

2. Technical Evaluation Criteria

S/No		Evaluation	Weighting Score	Maxim
•	Criteria	Attribute		um
				Score
1.	Experienc	No. of years in	10 years and	10
	e of the	water pan	above = 10	Marks
	bidders in	construction	Marks	
	constructi	(Attach certificate	Others prorated	
	on of	of incorporation)	at	
	water	- ,	No. of years x10	
	pans/Eart		Marks/10 years	
	h dam	No. of business	10 businesses	20
		done in water	and above = 20	Marks
		pans/ water works	Marks	
		(Attach	Others prorated	
		LSOs/Completion	at	
		Certificates/Award	No. of business	
		Letters)	x20 Marks/10	
			Businesses	

		Magnitude of businesses done in water works/water pan in the year 2017, 2018 and 2019 (Attach LSOs/Completion Certificates/Award Letters)	10Million and above = 20 Marks Others prorated at Value of businesses x20 Marks/100 Million	20 Marks
2.	Financial capacity	Liquidity ratios Current Ratio =Current Asset/Current liabilities (Attach Audited Account for year 2017, 2018and 2019)	1 and above ratio = 10 Marks Others prorated at Ratio x10 Marks/1 ratio	10 Marks
		Acid test Ratio = Current Assets less (-) Stock/Current liabilities (Attach Audited Account for year 2016, 2017 and 2018)	2 and above ratio = 10 Marks Others prorated at Ratio x10 Marks/2 ratio	10 Marks
		Line of credit (Attach a letter from a recognized financial institution by CBK)	20 Million and above = 10 Marks Others prorated at Value of credit x10 Marks/ 20 Million	10 Marks

3.	Staff	Technical staff	Degree and	10
	Qualificati	engineer	above = 10	Marks
	on	(attach	Marks	
		Certificates and	Others prorated	
		Cvs)	at	
		,	No degree	
			x0/degree	
		Surveyor	Degree and	10
			above = 10	Marks
		(attach	Marks	
		Certificates and	Others prorated	
		Cvs)	at	
			No degree	
			x0/degree	
		Foreman	Diploma and	10
			above = 10	Marks
		(attach	Marks	
		Certificates and	Others prorated	
		Cvs)	at	
			No	
			diplomax0/diplo	
			ma	1.0
4.	Equipmen	1. Excavator	For each	10
	t Holding	2. Tipper (3no)	equipment listed	Marks
		3. Dozer(D7)	Owned = 2	
		(attach log books,	Marks	
		receipts, hire	Hired = 1 Mark	
		agreements or		
		lease agreements)		100
				120 Morlea
				Marks

Bidders who score 75% and above shall proceed to the financial stage

3. Financial evaluation

The evaluation committee shall conduct price comparison of the bidders and shall make recommendation for award to the lowest evaluated bidder.

4. Due Diligence

5 Key Personnel

[<u>Note</u>: Insert in the following table, the minimum key specialists required to execute the contract, taking into account the nature, scope, complexity and risks of the contract.]

The Bidder must demonstrate that it will have a suitably qualified (and in adequate numbers) minimum Key Personnel, as described in the table below, that are required to perform the Contract.

The Bidder shall provide details of the Key Personnel and such other Key Personnel that the Bidder considers appropriate, together with their academic qualifications and work experience. The Bidder shall complete the relevant Forms in Section IV, Bidding Forms.

The Contractor shall require the Employer's consent to substitute or replace the Key Personnel (reference the Particular Conditions of Contract 9.1).

Item No.	Position/specialization	Relevant academic qualifications	Minimum years of relevant work experience	
1				
2				
Suitable experts in the following specializations				
3	[Environmental]	e.g. degree in relevant environmental field	e.g. [<i>years</i>] in similar work environments	
4	[Health and Safety]			
5	[Social]		e.g. [<i>years</i>] of monitoring and	

Key Personnel

			managing risks related to GBV/ SEA
6	[add others appropriate]	as	

6. Equipment

The Bidder must demonstrate that it will have access to the key Contractor's equipment listed hereafter:

[Specify requirements for each lot as applicable]

No.	Equipment Characteristics	Туре	and	Minimum Number required
1	Excavator			1 no
2	Tipper			3 no
3	Doser (D7)			<u>1no</u>

The Bidder shall provide further details of proposed items of equipment using the relevant Form in Section IV.

Section IV - Bidding Forms

Table of Forms

Letter of Bid	64
Schedules	67
Bill of Quantities Schedule(s) of Adjustment Data	
Form of Bid Security (Bank Guarantee)	39
Form of Bid Security (Bid Bond)	41
Form of Bid-Securing Declaration	43
Technical Proposal	45
Technical Proposal Forms Form PER -1 Form PER-2: Equipment Site Organization Method Statement. Mobilization Schedule Construction Schedule ESHS Management Strategies and Implementation Plans Code of Conduct: Environmental, Social, Health and Safety	46 52 54 55 56 57 58
Bidder's Qualification	61
 Form ELI -1.1: Bidder Information Form Form ELI -1.2: Information Form for JV Bidders Form CON – 2: Historical Contract Non-Performance, Pend and Litigation History Form CON – 3:Environmental, Social, Health, and Safety Form CCC: Current Contract Commitments / Works in Proform FIN – 3.1: Financial Situation and Performance Form FIN – 3.2: Average Annual Construction Turnover Form FIN – 3.3: Financial Resources Form EXP – 4.1: General Construction Experience Form EXP – 4.2(a): Specific Construction and Contract Experience Form EXP – 4.2(b): Construction Experience in Key Activity 	64 ling Litigation 66 68 ogress71 72 75 76 77 Management 79

Letter of Bid

The Bidder must prepare the Letter of Bid on stationery with its letterhead clearly showing the Bidder's complete name and address.

Date: _______ [insert date (as day, month and year) of Bid Submission] RFQ No.:______ [insert number of bidding process] Invitation for Bid No.:______ [insert identification] Alternative No.: ______

[insert identification No if this is a Bid for an alternative]

To: [insert complete name of Employer]

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB 8)_;
- (b) We meet the eligibility requirements and have no conflict of interest in accordance with ITB 4;
- (c) We have not been suspended nor declared ineligible by the Employer based on execution of a Bid Securing Declaration in the Employer's country in accordance with ITB 4.6
- (d) We offer to execute in conformity with the Bidding Documents the following Works.....
- (e) The total price of our Bid, excluding any discounts offered in item (f) below is:

In case of only one lot, total price of the Bid _______ [insert the total price of the bid in words and figures, indicating the various amounts and the respective currencies];

In case of multiple lots, total price of each lot **[insert the total price of** <u>each lot in words and figures, indicating the various amounts</u> <u>and the respective currencies];</u>

In case of multiple lots, total price of all lots (sum of all lots) **[insert the** total price of all lots in words and figures, indicating the various amounts and the respective currencies];

1-64

- (f) The discounts offered and the methodology for their application are:
 - (i) The discounts offered are: **[Specify in detail each discount** <u>offered.</u>]
 - (ii) The <u>exact method of calculations to determine the net price after</u> <u>application of discounts is shown below</u>: [Specify in detail the <u>method that shall be used to apply the discounts</u>];
- (g) Our bid shall be valid for a period of **[specify the number of calendar days]** days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (h) If our bid is accepted, we commit to obtain a performance security [and an Environmental, Social, Health and Safety (ESHS) Performance Security, **Delete if not applicable**] in accordance with the Bidding Documents;
- (i) We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process in accordance with ITB 4.2(e), other than alternative bids submitted in accordance with ITB 13;
- (j) We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by a member of the World Bank Group or a debarment imposed by the World Bank Group in accordance with the Agreement for Mutual Enforcement of Debarment Decisions between the World Bank and other development banks. Further, we are not ineligible under the Employer's country laws or official regulations or pursuant to a decision of the United Nations Security Council;
- (k) We are not a government owned entity/ We are a government owned entity but meet the requirements of ITB 4.5;⁶
- (l) We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

⁶

j		Section 3 - Evaluation and Qualification					
Name Recipient	of Address	Reason	Amount				

(If none has been paid or is to be paid, indicate "none.")

- (m)We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed; and
- (n) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
- (o) We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in any type of fraud and corruption

Name of the Bidder*_____

1-66

Name of the person duly authorized to sign the Bid on behalf of the Bidder**

Title of the person signing the Bid _____

Signature of the person named above_____

Date signed ______ day of _____**]**, ____**[insert year]** *: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

**: Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid Schedules.

Schedules

Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- (a) To provide sufficient information on the quantities of Works to be performed to enable bids to be prepared efficiently and accurately; and
- (b) When a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and contents of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Employer of the realism of rates quoted by the bidders, the Daywork Schedule should normally comprise the following:

- (a) A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor shall be paid for work executed on a daywork basis.
- (b) Nominal quantities for each item of daywork, to be priced by each Bidder at daywork rates as Bid. The rate to be entered by the Bidder against each basic daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary priced Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the Special Conditions of Contract should state the manner in which they shall be used, and under whose authority (usually the Project Manager's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Employer to select such specialized contractors. To provide an element of competition among the bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

These Notes for Preparing a Bill of Quantities are intended only as information for the Employer or the person drafting the Bidding Documents. They should not be included in the final documents.

BILL OF QUANTITIES FOR SARAMEK

BILL NO.	DESCRIPTION	AMOUNT (KSHS)
Bill No. 1	Preliminaries & General Requirements	
Bill No. 2	Earth Works and Offtake	
Bill No. 3	Auxiliary Structures	
Bill No. 4	Construction Water Trough	
Bill No. 5	Construction of Yard Tap	
Bill No. 6	Fencing	
Bill No. 7	Conveyance Lines	
Bill No. 8	10m ³ Masonry Sump	
Bill No. 9	Elevated Steel Tank	
Bill No. 10	Control Room	
Bill No. 11	Electro-Mechanical Works	
Bill No. 12	Green House (40m x 8m)	

S/NO.	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUNT
				(KSHS)	(KSHS)
	BILL NO.1 - PRELIMINARIES AND GENERAL REQUIREMENTS				
1.1	Mobilization, Demobilization & Storage of Equipment and materials				
1.1.1	The contractor may allow for provision of Mobilization, Demobilization (after use) and storage facilities for all Equipment,Materials required on site. The client shall not accept any claim arising out of contractor's omission on this item.	Ls	1		
1.1.2	Provide for technical services of setting out of Pan, Survey and Supervision of Pan construction by a qualified Engineer/Surveyorapproved by the Employer	Ls	1	150,00 0	150,000.0 0
1.1.4	Prepare Health and Safety Plan and any costs associated with the implementation of the pan	Ls	1	100,00 0	100,000.0 0
1.1.5	Prepare and implement Environmental and Social Management Plan (ESMP)	Ls	1	200,00 0	200,000.0 0
1.1.6	Provide for community Policing (4 guards for maximum 60 days)	Man / Days	240	500	120,000.0 0
1.2	Project Sign board				
1.2.1	Provide, fix and maintain project sign board per drawing (including any payments to local authorities) through to end of defects liability period of contract)	No.	2		

1-'	70	Section 3 - Evaluation and Qualification Criteria					
		BILL NO. 1 TOTAL CARRIED OVER TO GRAND SUMMARY					

ITEM	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.			1	(KSHS)	(KSHS)
	BILL NO.2 - EARTH WORKS				
2.1	Reservoir excavation				
2.1.1	Clear site of all trees, tree stumps, shrubs and grass commencing fromground level n.e 300mm deep and dispose off the construction site as directed.	m ³	450		
2.1.2	Commence reservoir excavation from the stripped level to achieve a volume of 17,000m ³ , cart away to form the embankment or dispose asmay be directed by the water Engineer	m ³	17,000		
2.1.3	Excavate for draw off/scour pipe trench not exceeding 1.0m from thestripped level and cart away as directed by the Project Engineer.	m ³	135		
2.1.4	Construct Embankment using selected excavated materials other than Top soil and rocks as per designed drawing plans and sections with side slopes of 2:1 upstream and 2:1 downstream with suitable selected materials. The material should be hauled through the buffer zone that isspecified in the design drawings as may be directed by the Supervising Engineer. Embarkment filling shall be compacted in layers of 150mm thick to achieve 95% Maximum Dry Density.	m ³	8,500		
2.1.5	Provide for the hauling of excess material to spoil and dispose it to anidentified site as may be directed by the Supervising Engineer	m ³	1,000		
2.1.6	Excavate for silt trap measuring 6 by 10m with side slope 2:1 to a depthof 1.5m from ground surface and dispose / reuse excavated materials as directed by the Engineer	m ³	90		

TOTAL BILL NO. 2 TOTAL CARRIED OVER TO GRAND SUMMARY	

1-1-5

ITEM	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.			1	(KSHS)	(KSHS)
	BILL NO. 3- WATER PAN ANCILLARIES				
3.1	Spillway sill & Ripraps				
3.1					
3.1.1	Allow for excavation and construction of spillway concrete sill 6.0m x 0.6m x 0.3m across the whole span of spillway mouth comprising of Reinforced concrete class 20/20 and including 10mm Re-Bars as per detailed drawing Nr And its associated formwork.	m ³	2		
3.1.2	Supply 150mm average size hard boulders, Prepare surface, compaction, build, and joining with mortar 1;3 a 150mm Thick spillway riprap to the satisfaction of the Engineer.	m ²	60		
3.1.3	Allow for placing, compaction and joining with mortar a 150mm riprap on theinlet channel as directed by the engineer and to the design standard.	m ²	100		
3.1.4	Allow for placing, compaction of 150mm riprap on the silt trap wall, base and inlet to the pan buttress wall to the design specification and under supervision of the Engineer.	m ²	60		
3.2	Draw-off system				
3.2.1	Excavate using strictly an excavator a 60m trench from the inside edge of the water pan and to the design levels about 3.5m deep and backfill required by the Engineer so as to allow least dead storage	m ³	210		
3.2.2	Provide for a standard intake tower using perforated OD 150 mm GI pipes with wire mesh screens 3m high using concrete mix of ration 1:2:4 (cement. Sand andBallast). Provide a dead storage of 0.5m on the pipe.as described in the workingdrawings	Ls	1		
3.2.3	Provide, lay and connect to intake tower OD 150mm GI pipes including fittings for draw off system under the entire embankment	m	78		
3.2.4	Provide, lay and connect to cattle trough OD 50mm GI pipes including fittings from draw off system	m	30		
3.2.5	Provide and fix the following:				
3.2.6	Sluice valve of OD 150mm	No.	1		
3.2.7	150 mm dia flanged x 50 mm dia Steel Cross	No.	1		
3.2.8	Steel Socket, 150 mm Dia	No.	1		
3.2.9	End Plug, 150mm Dia	No.	1		
3.2.10	Steel Bend, 50mm Dia	No.	1		
3.2.11	Equal Steel Tee, 50mm Dia	No.	1		
5.2.12	Gate Valves (Pegler), 25 mm Dia	No.	2		
3.2.13	Allow for excavate, provide for materials and construct lockable masonry chambers with internal dimensions 1000mm x1000 mm as indicated in the drawings and as directed by the Engineer. Rates to include formwork.	No.	1		
3.2.14	Supply and Installation of ring culverts of OD 900mm with concrete surround concrete (class 20/20)	m	24		

Section 5	n III - Evaluation and Qualification Criteria		1- 1-5
	TOTAL BILL NO.3 TOTAL CARRIED OVER TO GRAND SUMMARY		

ITEM	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.			-	(KSHS)	(KSHS)
	BILL NO.4: CONSTRUCTION OF 10M LONG CATTLE TROUGH				
4.1	Earthworks				
4.1.1	Prepare site by stripping top 150 mm of soil to remove all debris including sand (if any) from site and carting away spoil	m ²	52.00		
4.1.2	Excavate for foundation strip commencing at stripped levels depth not exceeding 1.50m deep	m ³	25.00		
4.1.3	Remove surplus excavated material from site	m ³	15.00		
4.1.4	Backfill around foundation	m ³	10.00		
4.2	Filing				
4.2.1	200 mm thick approved hardcore filling spread, well rammed and compacted in 150mm layers to receive concrete surface bed	m ³	8.00		
4.3	Concrete work				
	Mass Concrete class 15 (1:3:6) with 20mm thick maximum aggregate size in				
4.3.1	50mm blinding layer on hardcore surfaces	m ²	38.00		
	Vibrated reinforced concrete class 25 (1:1.5:3) with 20mm maximum aggregate as described in:				
4.3.2	Strip foundation	m ³	1.50		
4.3.3	75mm thick concrete benching laid to falls and with surface steel trowelled rough (Optional)	m ²	27.00		
4.3.4	100 mm thick floor slab	m ³	2.00		
4.4	Reinforcement				
4.4.1	Mesh fabric reinforcement ref. No. A142 laid in floor slab with minimum 150 mm side allowance	m ²	20.00		
4.5	Finishes				
	Cement and sand mortar (1:3) in:				
4.5.1	12 mm Thick paving to floor with water proof cement (Optional)	m ²	10.00		
4.5.2	15mm thick plaster to internal side of wall with water proof cement	m ²	14.00		
4.5.3	12mm thick plaster to external side of wall	m ²	6.00		
	Sub-Total Carried Over to the Next Page				

ITEM	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.				(KSHS)	(KSHS)
	Sub-Total Brought Overfrom the previous Page				
4.6	Blockwork and Masonry				
1.0					
	To include supply and lay dressed building stones for masonry walls				
4.6.1	225mm thick ashlar masonry, vertical straight walls; thickness 150- 250	m ²	21.00		
4.7	Galvanized mild steel pipes class "B" medium thickness with and including jointing fittings and fixed as described				
4.7.1	25mm diameter inlet pipe chased through masonry wall 300 mm long with and including stop cork (Float Valve)	No	1.00		
4.7.2	25mm diameter inlet pipe	m	30.00		
	BILL NO. 4 TOTAL CARRIED OVER TO GRAND SUMMARY				

ITEM	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.				(KSHS)	(KSHS)
	BILL NO. 5: CONSTRUCTION OF 5 NO. YARD TAPS				
5.1	SITE CLEARANCE AND SETTING OUT				
5.1.1	Clear site of all bushes, shrubs, etc and dispose as directed by the Engineer	m ²	2		
5.2	EXCAVATION AND BACKFILLING				
	Top soil				
5.2.1	Rates to include removal of top vegetable soil average 250mm deep and dispose as directed by the Engineer.	m ²	2		
5.3	HARDCORE				
5.3.1	Well-watered hard core packing in layers 150mm thick to make up levels average 300mm deep.	m ³	0.75		
5.3. 2	50mm blinding to hardcore bed surfaces in quarry dust/murram or equal and approved.	m ²	2.5		
5.5	CONCRETE WORKS IN SUBSTRUCTURE				
	Rates to include providing and placing the following concrete mixes including all form-work.				
	Concrete Mix 1:2:4				
5.5.1	Ditto in 300mm concrete base	m ³	0.6		
5.6	Masonry Walling				
5.6.1	(1000 x 225 x 800)mm natural stone to walls to superstructures walling in 1:3 sand/cement mortar finished with steel finished on one side. Rate toincluded mild all reinforcement at every course	m ²	1		
5.7	FINISHES				
5.7.1	25mm thick sand cement lime plaster to external surfaces.	m ²	2		
5.7. 2	25mm thick sand cement lime plaster to floor surface	m ²	2		

S 9	ection II	I - Evaluation and Qualification Criteria		1- 1-9	
		Sub-Total Carried Over to the Next Page			

ITEM	DESCRIPTION	UNIT	QUANTIT	RATE	AMOUN
NO.			Y	(KSHS)	T (KSHS)
	Sub-Total Brought Overfrom the previous Page				
	Rates include supplying of pipe fittings including all jointing 'accessories,' handling, fixing, jointing and testing to the fetching bay. Rates also to include cutting and joining pipes.				
5.8.1	25mm dia. GI pipe class B to be connected to the distribution main	m	30		
	GI Pipe Fittings (Rates to include all connections)				
5.8. 2	25mm diameter Gate valve	No.	1		
5.8. 3	20mm diameter Heavy duty water taps (Pegler)	No.	4		
5.8. 4	25mm diameter Union	No.	4		
5.8. 5	25mm diameter long nipples	No.	4		
5.8. 6	25mm dia.1m long stand pipe	No.	3		
5.8. 7	25mm dia, 90° bend/elbow	No.	1		
5.8. 8	25mm x 20mm dia, Reducing Sockets	No.	4		
5.8. 9	25mm dia, Equal steel Tee	No.	3		
	SUB-TOTAL FOR 1 NO. YARD TAP (A)				
	TOTAL FOR 5 NO. YARD TAPS= 5 x (A) Above	No.	5		

S	ection II	I - Evaluation and Qualification Criteria		1-
1	1			1-11
		BILL NO. 5 TOTAL CARRIED OVER TO GRAND SUMMARY		
	1			

L NO. 6- FENCING ce vide and install 100mm by 125mm by 2.70m long Concrete ts so asto rise 2.1m above the grounds spaced at 3m centre to tre avation of holes to anchor posts concrete posts cerete class 1:3:6 for anchoring the posts vide and install 100mm by 125mm by 2.0m long strainer hereteposts (double struts) spaced at 30m and at all corners l gate avation of holes to anchor strainer concrete posts	m No No m ³	Y 480 200 200 16	(KSH)	T (KSH)
ce vide and install 100mm by 125mm by 2.70m long Concrete ts so asto rise 2.1m above the grounds spaced at 3m centre to tre avation of holes to anchor posts concrete posts acrete class 1:3:6 for anchoring the posts vide and install 100mm by 125mm by 2.0m long strainer acreteposts (double struts) spaced at 30m and at all corners l gate	No No m ³	200		
vide and install 100mm by 125mm by 2.70m long Concrete ts so asto rise 2.1m above the grounds spaced at 3m centre to tre avation of holes to anchor posts concrete posts accrete class 1:3:6 for anchoring the posts vide and install 100mm by 125mm by 2.0m long strainer accreteposts (double struts) spaced at 30m and at all corners l gate	No m ³	200		
ts so asto rise 2.1m above the grounds spaced at 3m centre to tre avation of holes to anchor posts concrete posts acrete class 1:3:6 for anchoring the posts vide and install 100mm by 125mm by 2.0m long strainer acreteposts (double struts) spaced at 30m and at all corners l gate	No m ³	200		
ncrete class 1:3:6 for anchoring the posts vide and install 100mm by 125mm by 2.0m long strainer ncreteposts (double struts) spaced at 30m and at all corners l gate	m ³			
vide and install 100mm by 125mm by 2.0m long strainer acreteposts (double struts) spaced at 30m and at all corners l gate		16	1 1	
acreteposts (double struts) spaced at 30m and at all corners I gate	No			
avation of holes to anchor strainer concrete posts	NO	10		
	No	10		
crete class 1:3:6 for anchoring the strainer posts	m ³	2		
oply and fix 6 strands of Barbed wire (barbed wire 16G x 25kg)	m	480		
oply and fix 16-gauge Chain link (8ft height, Mesh sizes 50mm×50mm) and provide for anchoring to the ground shall be acted by supervising Engineer.	m ²	1,200		
e				
oply and install 4000x2000mm double leave steel grill gate to 0x300mm concrete columns complete with iron mongery (use nmx25mmx6mm SHS with 38mmx25mmx6mm vertical mbers).Provide for epoxy primer paint with 2 coats of final as paint	Nr	1		
vide, cut and place 10mm square twisted steel rebars in gate umns l 600mmx600mm footing	Kg	20		
o 8mm twisted steel rebars as stirrups in column @150mm	Kg	14		
ss concrete class C20/25 in:				
acrete to poles	m ³	4		
0mmx300mm Gate columns	m ³	0.5		
mwork to;				
umn edges over 150mm but not exceeding 300 mm girth	m ²	7		
ishes				
51105	m ²	7		
nm thick cement: sand (1:4) screed to surfaces with 12mm thick e el trowelled smooth finish on columns	m ²	6		
nm thick cement: sand (1:4) screed to surfaces with 12mm thick	1			
isl	n thick cement: sand (1:4) screed to surfaces with 12mm thick trowelled smooth finish on columns	n thick cement: sand (1:4) screed to surfaces with 12mm thick m ² trowelled smooth finish on columns	n thick cement: sand (1:4) screed to surfaces with 12mm thick m ² 7 trowelled smooth finish on columns	n thick cement: sand (1:4) screed to surfaces with 12mm thick m ² 7 trowelled smooth finish on columns

Section III	- Evaluation and Qualification Criteria	1-	
13		1-13	

1-10

		I]			
ITE M No.	DESCRIPTIO N	UNIT	QUANTIT Y	RAT E Kshs	AMOUN T Kshs
	BILL NO.7- PIPELINES				
7.1	CLASS D: DEMOLITION AND SITE CLEARANCE				
7.1.1	General site clearance along the pipeline alignment.	m ²	500		
	Tree Cutting (Provisional)				
	Cut down trees, grub up roots and cart away to tips				
7.2	CLASS E: EARTHWORKS				
	Note:- Trench width and minimum cover to pipes is as per the Specification. The cost shall include for strutting, shuttering, stabilizing the earth faces of trenches and keeping the trenches freeof water from whatever source by pumping or other means and cost of use of selected soil from the excavated material for compaction in bed and surround to backfilling of trenches, etc., all as specified.				
7.2.1	Excavation and backfilling in normal material for HDPE pipes OD 90 mm for depth n.e 1.5 m	m ³	23		
7.2.2	Ditto but for OD 63 mm	m ³	137		
7.2.3	Ditto but for OD 50 mm	m ³	1,951		
7.2.4	E.O for excavation in rock (Provisional)	m ³	106		
7.3	CLASS I: PIPE WORK - PIPES				
	SUPPLY AND PIPE LAYING				
	HDPE PIPES				
	Supply, Transport to site and store in secure place High Density Polyethylene pipes (HDPE) Pipes PE 100 with Butt Fusion Jointingand or Coupling connectors. Include supply of jointing materials.				
7.3.1	OD 90 mm- PN 6 in Trenches	m	50		
7.3.2	OD 63 mm- PN 6 in Trenches	m	300		
7.3.3	OD 50 mm- PN 6 in Trenches	m	4,300		
	Sub-Total Carried Over to the Next Page				

Section III - Evaluation and Qualification Criteria 11

1-1-11

ITEM	DESCRIPTIO N	UNIT	QUANTIT Y	RAT E	AMOUN T
No.				Kshs	Kshs
	Sub-Total Brought Overfrom the previous Page				
	Sub-rotal Brought Overholn the previous Fage				
7.4	CLASS J: PIPE WORK - FITTINGS AND VALVES				
	Supply, Transport to site and store in secure place. Include supply of jointing materials, bolts, nuts, gaskets etc. as applicableas required by specifications and details on drawings. Transport from Site Store, Install, Test and Commission Ferrous pipe Fittings - Epoxy coated externally and cement mortar linedinternally or Approved equivalent				
7.4.1	Bends, OD 63 mm-PN 16				
7.4.1.	90º bend	Nr	1		
7.4.1.2	45 ^o bend	Nr	1		
7.4.2	PE BUTT FUSION FITTINGS				
	Bends to HDPE PE 100 PN16, OD 50 mm				
			-		
7.4.2.1	90º bend (Provisional)	Nr	2		
7.4.2.2	45 ^o bend	Nr	2		
7.5	CLASS K: PIPE WORK - CHAMBERS AND PIPE WORK ANCILLARIES				
	Note:- Items for work in this class shall include:- - Excavation, preparation of surfaces, disposal of excavated material, shoring sides of excavation, backfilling and removal of redundant services. - Concrete, reinforcement, formwork, joints and finishes. - Tips for disposal of excavated material or debris to be identifiedby the Contractor in liaison with the Local Authority.				
7.5.1	WASHOUTS				
7.5.1. 1	Excavate for, provide all materials and construct complete Lockableinspection valve chambers of internal dimensions 750 x 750 x 1000mm. Rates to including thrust blocks, step irons, pipe supports and covers as shown in the drawings.	Nr	1		
	Provide, handle, install and test the following steel and HDPE pipesand fittings, valves and specials. Special rates shall include for completing all pipe joints as specified in the drawings				
	Sub-Total Carried Over to the Next Page				

ITEM	DESCRIPTIO N	UNIT	QUANTIT Y	RAT E	AMOUN T
No.				Kshs	Kshs
	Sub-Total Brought Overfrom the previous Page				
	For 2 No. W/O Chambers				
7.5.1.2	63 mm dia, Flang Joint with metal Flange	Nr	2		
7.5.1.3	63 mm dia x 63 mm dia Level Invert Flanged GI Tee	Nr	1		
7.5.1.4	63 mm dia, 2 m long with flap valve	Nr	1		
7.5.1.5	63 mm dia, Flanged Sluice Valve	Nr	1		
	BILL NO. 7 TOTAL CARRIED OVER TO GRAND SUMM	MARY			

1-12

Section III - Evaluation and Qualification Criteria

1-1-13

ITE M	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
No.			1	(Kshs)	(Kshs)
	BILL 8: 10m ³ SUMP				
8.1	CLASS D: DEMOLITION AND SITE CLEARANCE				
	All materials arising from Demolition and site clearance unless otherwise stated shall remain the property of the employer and re-usable items to be stored at the employer's depot. Rates to include disposal to tip as directed				
8.1.1	General clearance; removal of all bushes, grass and shrubs etc. haul distance n.e.1km	m ²	16.0		
8.2	CLASS E: EARTHWORKS				
	Excavation shall include for strutting, shuttering, stabilising excavated surfacesand keeping excavations free of water by bailing out, pumping or other means and preparation of the excavated surfaces Excavation for foundations				
8.2.1	Topsoil; maximum depth n.e. 0.3m	m ³	5		
8.2.2	Materials other than topsoil, rock or artificial hard material maximum depth0.3m - 1m	m ³	10		
8.2.3	Materials other than topsoil, rock or artificial hard material maximum depth 1m -2.5m	m ³	15		
8.2.4	Rock material, maximum depth 2-2.5m (Provisional)	m ³	10		
	Excavation ancillaries Preparation of excavated surfaces				
8.2.5	Materials other than topsoil or rock surface				
8.2.6	Rock surface	m ²	16		
	Disposal of excavated material				
8.2.7	Approved material shall be retained for backfilling and unsuitable material shallbe disposed to tip as directed by the Engineer Topsoil distance of haul n.e. 1km	m ²	20		
8.2.8	Material other than topsoil or rock distance of haul n.e 1km	m ³	4		
8.3	CLASS F: IN SITU CONCRETE				
	Provision of concrete: Provide materials and mix concrete to the specified class, place, vibrate andcure; cement to BS 12 or BS 146				
8.3.1	Design mix; Grade C15; 20mm aggregate	m ²	8		
8.3.2	Design mix; Grade C25; 20mm aggregate	m ³	6		
	Sub-Total Carried Over to the Next Page				

1-14

ITE M	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
No.			1	(Kshs)	(Kshs)
	Sub-Total Brought Overfrom the previous Page				
8.4	CLASS G: CONCRETE ANCILLARIES				
	Dimensions as per details on Drawings of specific structural Formwork: Roughfinish; Plane vertical				
8.4.1	External sides of ground slab width > 0.4 < 1.22	m ²	10		
8.4.2	External sides of roof slab width > 0.2 < 0.4m	m ²	4		
	Formwork: Rough finish; Plane horizontal				
8.4.3	Soffit of suspended slab; width exceeding 1.22m	m ²	12		
	Reinforcement; plain round steel bars to BS4449				
	Rate to include for cutting, bending, supporting, tying and securing reinforcement				
8.4.4	Nominal size 6 mm	Kgs.	110		
8.4.5	Nominal size 8 mm	Kgs.	200		
	Reinforcement; High yield steel bars to BS 4449				
	Rate to include for cutting, bending, supporting tying and securing reinforcement				
8.4.6	Nominal size 10 mm	Kgs.	200		
	Miscellaneous work (including provision and laying)				
8.4.6	1:3 cement sand mortar screed placed on reservoir walls and floor as shown ondrawings to facilitate reservoir drainage				
8.4.7	1:3 cement sand mortar screed placed on reservoir floor and walls	m ³	1		
8.5	CLASS J: PIPEWORK - FITTINGS AND VALVES				
	STEEL PIPEWORK Supply, lay and joint pipe fittings & valves. Include for excavation & backfilling of pipe trenches				
	INLET PIPE WORK BENDS				
8.5.1	100 mm dia GI 90 [°] elbow	No.	1		
	OUTLET PIPE WORK				
	BENDS				
8.5.2	80 mm dia .90º elbow	No.	2		
	Sub-Total Carried Over to the Next Page				

1.5	ction III - Evaluation and Qualification Criteria
15	

ITE M	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
No.	Sub-Total Brought Overfrom the previous Page			(Kshs)	(Kshs)
	Sub-rotar brought overholn the previous rage				
	MISCELLANEOUS				
8.5.3	Strainer, 100mm dia.	No.	1		
	SCOUR & OVERFLOW PIPEWORK				
	BENDS				
8.5.4	90º Elbow, 100mm dia.	No.	2		
	TEES				
8.5.5	100 x 100 mm tee	No.	1		
	CLASS N: MISCELLANEOUS METAL WORK				
	Rate to include supply and fixing and inclusive of foundations where applicable				
8.5.6	Lockable mild steel sheet metal covers for access; 1100 x 1100 x 20 mm	No.	1		
8.5.7	50mm dia. elbows as Ventilators,	No.	4		
8.6	CLASS U: BLOCKWORK AND MASONRY				
	To include supply and lay dressed building stones for masonry walls				
8.6.1	225mm thick ashlar masonry, vertical straight walls; thickness 150 - 250	m^2	25		
				I	
	TOTAL CARRIED OVER TO GRAND SUMMARY				

ITEM NO.	DESCRIPTION	UNIT	QUANTIT Y	AMOUN T (Kshs)
	BILL No. 9 - 48 cu.m steel Tank			
9.1	 Works comprises of design and fabrication of a 48 Cubic metre tank on a 12 meters tower. The bidder is to supply with tank and foundation designs for approval before works commences on the ground. The steel plates, strut and tiemembers of the frame as well must be assessed at the fabrication site and approved before transportation to site. Material specifications: Hot rolled sections to BS 4360 Grade 43A or equivalent. Cold formed sections to BS 5950 Part 5: 1997 or equivalent. Bolt and nuts to BS 3692 and BS 4190 or equivalent. Welding specifications to BS 635 or equivalent. Welding electrodes to BS 635 or equivalent. Wind load to CP3 chapter V part 2 	Ls	1	
9.2	<u>Site investigations:</u> Provision for geotechnical investigation for the tank foundation and tank designfor the proposed site. Provide for report to guide foundation design.	Ls	1	
9.3	<u>Supply and install on the foundation RC beams 48 m3 pressed steel</u> <u>tank:</u> Viking metric cold pressed mild steel panels 6 mm thick. Sectional water tank toBS 1564 part 2 complete with 3mm thick pitched roof cover, internal and external ladders, bracings, vent cleats, stays, manhole with lockable cover, glasschord joining compound, galvanized nuts, bolts, washers, sealants and standard 100NB threaded nozzles (All these Galvanized). To include 3 coats of non-toxic bituminous paint finish to interior surfaces of tank	Ls	1	
9.4	Supply design materials and install 12m Mild Steel tank tower: Tower to BS499 complete with complete with access ladders ladder to the deck, 1m wide 2.1mm thick suspended chequered steel plate walkway round the tank with 1.5m high guard railing, Internal access ladder into the tank, standard finish of 1 u/c zinc chromate and 2 f/c aluminium paint on external surfaces of tank, steel deck, walkway, sealants and standard 100NB threaded nozzles glasschord joining compound, galvanized nuts, bolt, washers, and accessladder	Ls	1	
9.5	<u>Plumbing works to the tank and connection to the existing reticulation</u> <u>system at 10m distance and test for leaks and strength:</u> Plumbing works OD 65mm GI class B for inlet, outlet, overflow and wash out.Provide for Functional Float and pointer type water level indicator. All pipes tillground level complete with sockets, unions, tees, Valve chambers with lockable lids, Pegler gate valves and any other necessary monger as will be directed by the site engineer. The inlet pipe should however be free of gate valves.	Ls	1	
9.6	<u>Civil Foundation works-to CESWI 5 and BS 8004:</u> Civil works for the concrete foundation columns anchored on a raft foundation/strip foundation as will be directed by the Engineer upon approval of the foundation details and design proposed by the contractor.	Ls	1	
9.7	<u>Testing and Commissioning:</u> Allow for disinfection testing and commissioning of the elevated tanks	Ls	1	

ITE M	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUN T
NO.			I	(KSHS)	(KSHS)
	BILL No. 10 - Control Room				
А	Excavate to firm ground on soft material as directed by the engineer	m ³	6		
В	Provide and place hardcore material to a depth of 300mm	m ³	2		
С	Mass concrete class 15/20(1:3:6) 150mm thick as strip footing	m ³	2		
D	Vibrated reinforced concrete class 25/20 to 150mm thick slab	m ³	1		
Е	10mm Diameter square twisted reinforcement bars for strip footing	Kg	74		
F	150mm thick fired clay brick walling bedded and jointed with 1:3 cement/sand mortar	m ²	24		
G	32mm thick cement sand screed to receive finishes	m ²	4		
Н	15mm thick cement/sand plaster to brick wall surfaces	m ²	24		
Ι	12 mm reinforcement to beam	Kg	48		
J	8 mm reinforcement to beam	Kg	22		
K	Provide and fix 28 gauge pre-painted sheets	m ²	5		
L	Provide and fix sawn timber 75*50 mm as purlins	m	13		
М	Provide and fix sawn timber 100*50mm as roof tie beams	m ²	15		
N	Provisional sum for drainage works	PC			
0	Provisional sum for electrical works as directed	PC			

1-18 Section 3 - Evaluation and Qualification Criteria		

	BILL No. 11 - ELECTRO - MECHANICAL WORKS			
11.1	Requirement			
	Solar Pumping System to power a 2.2Kw (3HP) Submersible Pump.			
11.2	Site Conditions:			
11.0.1	D : 117 11 15 00 2/11			
11.4.1	Desired Yield- 15-20m ³ /Hr			
11.2.2	Distance to Pumphouse- 10m			
11.2.3	Total Dynamic Head- 25m			
11.3	Equipment Required:			
	Pump Premium quality GRUNDFOS SP14-8 or DAYLIFF DS14-7 or PEDROLLO4SR12/14 pumps being constructed of stainless steel and fitted with 2.2Kw 3Ph motor			
	<u>Control Unit</u> The controller Sunverters 3.7kWp for controlling of the pump system, monitoring of the operating states and incorporates the following alarmfunctions: over current, under voltage, over speed, over temperature, reverse polarity, low water. It should have an integrated MPPT (Maximum Power Point Tracking) which maximizes power use from PV modules.			
	<u>Solar Panels</u> 17No. 200W, 24V, crystalline PV solar modules to provide a maximumof 3,400W output and a reserve capacity over the rated power requirement of the pump. 20 pieces will be wired in series, 1 string to provide the voltage requirement of the pump.			
	<u>Accessories</u> These will include underground cables and inter-panel wiring amongothers.			
	Ground Mount Solar Support Structure for the Solar Panels 3.5m high galvanized steel support structure for mounting the solarpanels.			
	Installatio n To include: i. &ransport of equipment to the site, ii. &lectrical connections between pump and controller, iii. &able Connections between pump, controller and the solar modules, iv. & commissioning and testing with water delivered to the surface.			
				<u> </u>
			•	

BILL OF QUANTITIES FOR DESILTING OF SARAMEK WATER PAN TO 17,000 $\ensuremath{M^3}$

ITEM	ITEM DESCRIPTION	UNIT	QUANTITY	RATE	AMOUN
NO.				(KSHS)	T (KSHS)
11.4	COST				
11.4.1	2.2kW PUMP END	No.	1		
11.4.2	2.2kW 3PH SUB-MOTOR	No.	1		
11.4.3	3.7KW 3PH SUNVERTER	No.	1		
11.4.4	DC PV DISCONNECT SWITCH 1000VDC/40A	No.	1		
11.4.5	200W 24VDC CRYSTALLINE SOLAR MODULE	No.	17		
11.4.6	2.5mm ² x 4 PVC FLAT SUBMERSIBLE DROP CABLE	m	15		
11.4.7	1.5mm2 x 2CORE SUB CABLE-FLOATSWITCH & CABLES	m	50		
11.4.8	FLOATSWITCH 0315/3 C/W 3M CABLE	No.	1		
11.4.9	2.5mm x 4 CORE U/G CABLE	m	50		
11.4.1 0	SENSUS WATER METER	No.	1		
11.4.11	LIGHTNING ARRESTOR SYSTEM	Ls	1		
11.4.1 2	GALVANISED STEEL GROUND MOUNT 18M STRUCTURE	No.	3400		
11.4.1 3	TWIN FLAT 6mm CABLE WITH EARTH	m	25		
11.4.1 4	2NO EARTHROD C/W CLAMP & 3M COPPER EARTH WIRE	Ls	1		
11.4.1 5	DAYLIFF PV SURGE PROTECT	No.	1		
11.4.1 6	INSTALLATION SUNDRIES & FITTINGS	Ls	1		
11.4.1 7	INSTALLATION LABOUR AND TRANSPORT	Ls	1		
	TOTAL BILL 11 CARRIED TO SUMMARY				

ITEM	ITEM DESCRIPTION	UNIT	QUANTIT Y	AMOUNT
NO.				(KSHS)
	BILL No. 12 - GREEN HOUSE (8m x 40m)			
12.1	<u>Green House (40m x 8m):</u> Greenhouse gutter heigth- 2.1m - 3.0mApex Height- 4m - 5.5m width- 8m Length- 30m			
	Rate should include Supply, installation and training of personnel.			
12.1. 1	 Prefabricated Galvanised metallic greenhouse tunnel type structure UV stabilized Green house polythene, thickness of between 200-220 microns, 1000gauge, the colour yello or milky, bilted, W-wire, and profile. 0.005mm vent and screen net/shade net 50% to 70% Crop Support It should come with a kit comprising of seedling trays, PPEs, 20L knapsack Sprayer,etc 	Ls	1	
12.1. 2	Complete drip irrigation system with 1,000L Plastic tank, and metallic stand	Ls	1	
12.1. 3	Training	Ls	1	30,000.0 0
12.1. 4	Nursery pack for one season	Ls	1	60,000.0 0
12.1. 5	Soil sampling and Full Analysis	Ls	1	10,000.00
-	TOTAL BILL 12 CARRIED OVER TO GRAND SUMMARY			

BILL OF QUANTITIES FOR DESILTING OF SARAMEK WATER PAN TO 17,000 $\ensuremath{\mathsf{M}}^3$

Item	Description	Unit	Qty	Rate	Amoun
				Kshs	t Kshs
	BILL NO.13: PROPOSED PIT				
	LATRINE/BATHROOM BILL NO.13.1				
	SUBSTRUCTURE WORKS ALL PROVISIONAL				
A	Clear site of bushes,shrubs and the like, grup up there root and burn thearisings	SM	30		
В	Excavate vegetable top soil average 150mm deep set aside in spoil heapsand later spread around the site as directed.	SM	30		
С	Excavate oversite commencing from stripped level average depth 300mmbut not exceeding 1.5m deep	SM	25		
D	Excavate foundation trench not exceeding 1.50m deep commencing fromstripped level and backfill av depth 600mm.	СМ	20		
F	Allow for plunking and strutting sides of excavation	ITE	1		
	trenches <u>Disposa</u> l	М			
G	Load,wheel and cart away surplus soil.		20		
	Hardcore filling	СМ			
Н	Imported hardcore ; water and well compacted in thickness of 150mmbut maximum depth of 300mm to sides of the excavated pit.		16		
J	50mm thick murram blinding to surfaces of hardcore	SM	16		
	surfaces. <u>PIT EXCAVATION (4X1.5M)</u>	SM			
К	Excavate for pit commencing from stripped level but not exceeding 1.5mdeep		12		
L	Ditto but over 1.5m n.e 3.0m	СМ	12		
Μ	deep.Ditto but over 3.0m n.e	С	12		
Ν	4.5m deep.	М	34		
М		С	35		
	Ditto but over 4.5m deep but not exceeding 9.0m	М			
	deep.Extra over excavation in soft rocks	C			
		Μ			
		С			
		Μ			
	Carried to collection				

BILL OF QUANTITIES FOR DESILTING OF SARAMEK WATER PAN TO $17,000 \text{ M}^3$

Item	Description	Unit	Qty	Rate Kshs	Amoun t Kshs
	<u>Mesh fabric reinforcement to B.S 4483 and setting in concrete</u> with 300mm side and end laps (measured nett-allow for laps)				
А	Fabric mesh ref:A142weighing 2.22kg per square metre in floor	SM	25		
	bed <u>DAMP PROOF MEMBRANE</u>				
В	500 gauge polythene damp proof memmbrane laid under surface bedwith 300mm side and end laps (measured net -allow for laps)	SM	25		
С	<u>CONCRETE</u> 50mm thick concrete (1:4:8 mix) blinding under footings	SM	9		
	Insitu concrete class 20/20, vibrated and reinforced as				
D	described, in:-strip footing and groundbeam	С	4		
Е	150mm thick surface bed	М	25		
		S			
	<u>Reinforcement works all in accordance with the Engineer's</u> details and approval including all cutting, bending, laying and	М			
F	binding wire to;		200		
1	strip footing and ground		200		
G	BeamSAWN FORMWORK	Kg	55		
Н	TO;	кg	18		
11	Vertical sides of strip footing size175-225mm high.	L	10		
J	Edges of ground floor slab over 75mm but not exceeding 150mm high	М	10		
	200mm thick natural stone foundation walling to a stable base of the pitbedded and jointed in c.s morta 1;4	L M			
K	DPC Three -ply bituminous felt damp proof course bedded in cement and sandmorta(1;3)	SM	15		
	200mm Wide horizontal				
L	layer <u>PLINTH FINISH</u>		7		
М	<u>Cement and Sand 1:4</u> <u>render</u> 12 mm thick render wood float	LM	7		
	Prepare and apply two coats bituminous paint				
	to:Render surfaces externally	SM			
		SM			
	Carried to collection				

Item	Description	Unit	Qty	Rate	Amoun
				Kshs	t Kshs
	COLLECTION				
1	Total Brought Forward From Page No.1				
2	Total Brought Forward From Page No. 2				
-					

25

tem	Description	Unit	Qty	Rate Kshs	Amoun t
					Kshs
	REINFORCED CONCRETE WORKS				
	SUPERSTRUCTUREBILL NO. 13.2				
	Vibrated reinforced concrete (1;2;4) class 20				
A	in;Ring Beams and lintols	СМ	2		
	REINFORCEMENT Reinforcement in different sizes in structural concrete work all inaccordance with the Engineer's details and approval including allcutting, bending, laying and binding wire to;				
В	Ring Beams and lintols	kg	120		
	SAWN FORMWORK TO;				
С	Sides and soffits of ring beams average heights 125-175mm.	LM	58		

110110	Item	Description	Unit	Qty	Rate	Amoun
LOAD BEARING WALLINGSImage: Constraint of the section of					Kshs	t Kshs
EXTERNAL WALLINGImage: Second sec		BILL NO.13.3				
ALoad bearing chisel cut natural stone walling,jointed in cement and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windowsopenings formed accurately as per Architects 		LOAD BEARING WALLINGS				
and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windowsopenings formed accurately as per Architects scheduleS46A150mm thick wallingM13BDitto but to dwarf wall at the entrance and cable wallINTERNAL WALLINGSMCLoad bearing chisel cut natural stone walling,jointed in cement at alternate courses,including allnecessary working around all door and window openings formed accuratelyM13		<u>EXTERNAL WALLING</u>				
B 150mm thick walling M 13 Ditto but to dwarf wall at the entrance and cable S S wallINTERNAL WALLING M 13 C Load bearing chisel cut natural stone walling,jointed in cement and sand(1;3) mortar and including hoop-iron reinforcement at alternate courses,including allnecessary working around all door and window openings formed accurately M I		and sand(1;3)morter and including hoop iron reinforcement at alternate courses including all necessary working around all door and windowsopenings formed accurately as per Architects				
B M 13 Ditto but to dwarf wall at the entrance and cable S S wallINTERNAL WALLING M M Load bearing chisel cut natural stone walling,jointed in cement and sand(1;3) mortar and including hoop-iron reinforcement at alternate courses,including allnecessary working around all door and window openings formed accurately M I	А	150mm thick walling	S	46		
wallINTERNAL WALLING S Load bearing chisel cut natural stone walling, jointed in cement and sand(1;3) mortar and including hoop-iron reinforcement at alternate courses, including allnecessary working around all door and window openings formed accurately M	в		М	13		
C Load bearing chisel cut natural stone walling, jointed in cement and sand(1;3) mortar and including hoop-iron reinforcement at alternate courses, including allnecessary working around all door and window openings formed accurately			S			
sand(1;3) mortar and including hoop-iron reinforcement at C alternate courses,including allnecessary working around all door and window openings formed accurately		wallINTERNAL WALLING	М			
150mm thick SM 17	С	sand(1;3) mortar and including hoop-iron reinforcement at alternate courses, including all necessary working around all				
		150mm thick	SM	17		
Carried to summay		Consid to summary				

Item	Description	Unit	Qty	Rate	Amoun
				Kshs	t Kshs
	<u>BILL NO.13.4</u>				
	ROOF CONSTRUCTION AND				
	<u>COVERING</u> MAIN ROOF -TIMBER				
	TRUSSES				
	Structural timber trusses in pressure impregnated treated sawn cypressincluding fabrication, jointing with necessary timber plates ,bolts and connecting plates, hoisting and fixing in position all in accordance with Engineers details and drawings				
А	100X50mm wall plate secured with and including 12mm diameter mildsteel 'J'bolt	LM	30		
В	100x50mm thick at 1500mm centres cast in concrete ring beam principlerafters.	L	80		
В	100x50mm principle members	М	50		
С	100x50mm but common rafters, struts and ties and kingpost	L	60		
	75x50mm purlins	М			
D	ROOF FINISHES AND COVERING	L			
D	Supply and fix 30 gauge prepainted box profile Roof covering at 15.0 degrees from horizontal including all necessary timber battens	М	31		
Е	and fixturesm/s.		24		
F	Wrot timber selected and kept clean225x25mm Fascia or barge board	SM	24		
	Prepare and apply Three coats gloss paint to :- knot prime and stop and apply three coats of gloss oil paints to Generalsurfaces of timber 100 to 200mm girth externally	LM			
		LM			
	Carried to collection				

RAN WATER DISPOSAL Kshs 100mm diameter UPVC gutters fixed to fascia with including appropriatebrackets hangers bends, and gutter spout or out leaf for connection to down pipes by outs all in accordance with architect drawings. LM 11 B Down Pipes with solvent welded joints, fixed to walls with holderboards: 100 x 100 mm or any other approved holderboards: 100 x 100 mm or any other approved No. 1 D Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 C Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 COLLECTION Total Brought Forward Prom above	Item	Description	Unit	Qty	Rate Kshs	Amoun t
A 100mm diameter UPVC gutters fixed to fascia with including appropriatebrackets hangers bends, and gutter spout or out lets for connection to down pipes by outs all in accordance with holderboltssize 100 x 100 mm or any other approved I.M 11 B pown Pipes with solvent welded joints, fixed to walls with holderboltssize 100 x 100 mm or any other approved I.M 4 C Extraover for swan kneck in pipe , size' - 100 x 100 mm I.M 4 C Extraover for shoe in pipe , size' - 100 x 100 mm No. 1 C Cultection No. 1 C Cultection No. 1 C Cultection No. 1 C Cultection No. 1 1 Total Brought Forward From above No. I.M 2 Total Brought Forward From Page No. I.M I.M I.M 1 Intervent of the output forward From Page No. I.M I.M I.M						Kshs
A appropriatebrackets hangers bends, and gutter spout or out lets for connection to down pipes by outs all in accordance with architect drawings. I.M 11 B Down Pipes with solvent welded joints, fixed to walls with holderboltssize 100 x 100 mm or any other approved I.M 4 C Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 Extraover for shoe in pipe , size' - 100 x 100 mm No. 1 Carried to collection No. 1 COLLECTION Total Brought Forward From above No. 2 Total Brought Forward From Page No. No.						
Lown Pipes with solvent weided joints, itsed to walls with holderbolissize 100 x 100 mm or najvoyded No. 1 C Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 D Extraover for shoe in pipe , size' - 100 x 100 mm No. 1 Carried to collection No. 1 1 Collection No. 1 2 Cotal Brought Forward From above No. 1	А	appropriatebrackets hangers bends, and gutter spout or out lets for connection to down pipes by outs all in accordance with	LM	11		
Extraover for swan kneck in pipe , size' - 100 x 100 mm No. 1 D Extraover for shoe in pipe , size' - 100 x 100 mm No. 1 Carried to collection Page No. Page No. 1 Total Brought Forward From above Image No. Image No. 2 Total Brought Forward From Page No. Image No. Image No.	В		LM	4		
Extraover for shoe in pipe , size' - 100 x 100 mm Carried to collection I COLLECTION 1 Total Brought Forward From above 2 Total Brought Forward From Page No.		Extraover for swan kneck in pipe , size' - 100 x 100 mm				
1 COLLECTION 1 Total Brought Forward From above 2 Total Brought Forward From Page No.	D	Extraover for shoe in pipe , size' - $100 \ge 100$ mm	NO.	1		
1 Total Brought Forward From above Image: Construction of the second secon		Carried to collection				
1 Total Brought Forward From above Image: Construction of the second secon						
1 Total Brought Forward From above Image: Construction of the second secon						
1 Total Brought Forward From Above 2 Total Brought Forward From Page No.		COLLECTION				
2 Total Brought Forward From Page No.	1	Total Brought Forward From above		110		
Carried Forward to summary of Section	2	Total Brought Forward From Page No.				
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
Carried Forward to summary of Section						
		Carried Forward to summary of Section				

Item	Description	Unit	Qty	Rate	Amoun
nem	Description	Omt	Qty	Kate Kshs	t
					Kshs
	BILL NO.13.5 WINDOWS AND DOORS				
	Supply and fix Staal accoment windowscasti including				
	<u>Supply and fix Steel casement windowssecti including</u> <u>mullions,4mm thick glass clear glass to schedule and approval</u> <u>Steel casement windowssecti including mullions,5mm window</u>				
	<u>stays,fasteners all to</u> <u>architect's schedule and approvalthick</u> <u>obscured glass</u>				
А	window size 800x600mm high	Ν	4		
В	louvered window with clay bricks jointed with c/s morta 1;3 to approvalsize 1000x600mm	0	0		
С	window cill	Ν	4		
C	75mm cast in situ concrete cill in class 20 concrete	0	4		
	PAINTING AND DECORATION				
D	Prepare and apply three coats of gloss oil paints to metal surface	1.14	3		
Е	ofwindow externally	LM	3		
	ditto internally				
	DOORS & IRON MONGERY-(Supply and fix	S			
	items)Timber doors	М			
	<u>45 mm Semi-Solid core flush doors faced both sides with 6 mm</u> <u>plywood zen veneered for polishing , moulded and lipped all round,</u>	s			
F	<u>size ;</u>	М	4		
	900x2100mm				
G	Doors, frames and finishings in wrought		28		
Н	hardwood100 x 50 mm thick door frame with		6		
	3 labours Ironmongery				
J	100 mm steel butt hinges	No.	4		
	Two lever mortice lock complete with fittings as per Union cataloque2237				
		LM			
		Pair			
		s			
		NO			
	Carried Forward to summary of				
	Section				

Item	Description	Unit	Qty	Rate Kshs	Amoun t Kaba
	BILL NO.7 FINISHES				Kshs
	EXTERNAL WALL				
	FINISHES				
A	Horizontal key pointing and verticle flash joint to external	S	59		
В	surface of walls.	М	9		
	Ditto but to verticle sides of ringbeams externaly and internaly.	s			
С	Prepare and apply one undercoat and two finishing coats acrylic paintor other approved by the architect	М	9		
	Rendered walls				
	INTERNAL WALL FINISHES	SM			
	16mm thick (minimum) cement sand (1:3) screed to receive ceramictiles and 2 coats of paint m/s to approval.	5101			
D	cerametrics and 2 coats of paint m/s to approval.		93		
	Steel trowelled smooth plasters to surfaces of wall to receive paint (m/s)				
		SM			
	PAINTING AND DECORATING				
F	Prepare and apply three coats silk vinyl emulsion paint or otherapproved by Architect		93		
	To plastered surfaces of				
	walls INTERNAL FLOOR	SM			
Η	FINISHES		25		
	cement and sand (1:3) backing				
	32mm thick cement and sand screed steel float finish/ smooth finish tofloor with redoxide paints.	SM			
	Total carried to collection				

1	-31	

Item Description	Unit	Qty	Rate Kshs	Amoun t Kshs
------------------	------	-----	--------------	--------------------

	SECTION SUMMARY		
1	Substructures works		
2	Reinforced concrete works		
3	External and internal walling		
5			
4	Roof construction and covering		
5	Windows, Doors and iron mongery		
6	External, internal wall finishes		

TOTAL BILL 13 CARRIED OVER TO GRAND SUMMARY		

Item no.	Description	Unit	Amount
	[To be entered by the Employer;Delete if not applicable:] Provisional sums for additional ESHS outcomes		
	[To be entered by the Employer; Delete if not applicable:/ Provisional sum for sexual exploitation and abuse (SEA) / gender based violence (GBV) awareness and sensitization training.		

Sample Activity Schedule

2. Schedule of Payment Currencies

Forinsert name of Section of the Works

Separate tables may be required if the various sections of the Works (or of the Bill of Quantities) will have substantially different foreign and local currency requirements. The Employer should insert the names of each Section of the Works.

	Α	В	С	D
Name of Payment Currency	Amount of Currenc y	Rate of Exchang e to Local Currenc y		Percentage of Total Bid Price (TBP) <u>100xC</u> TBP
Local currency 		1.00		
Foreign Currency #1 				
Foreign Currency #2 				
Foreign Currency #3 				
Total Bid Price		1		100.00
Provisional Sums Expressed in		1.00		

Local Currency		
TOTAL BID PRICE (Including provisional sum)		

Schedule(s) of Adjustment Data

Table A - Local Currency

Index Code	Index Descripti on	Source of Index	Base Value and Date	Bidder's Local Currency Amount	Bidder's Proposed Weightin g
	Nonadjus table				A:* B:* C:* D:* E:*
			Total		1.00

[* To be entered by the Employer. Whereas "A" should a fixed percentage, B, C, D and E should specify a range of values and the Bidder will be required to specify a value within the range such that the total weighting = 1.00]

Table B - Foreign Currency

Name of Currency: _____

If the Bidder wishes to quote in more than one foreign currency, this table should be repeated for each foreign currency.

Inde x Code	Index Descripti on	Source of Index	Base Value and Date	Bidder's Currenc y in Type/A mount	Equival ent in FC1	Bidder's Propose d Weightin g	
	Nonadjus table					A: <u>*</u> B: <u>*</u> C: <u>*</u> D: <u>*</u> E: <u>*</u>	
			·	Total		1.00	

[* To be entered by the Employer. Whereas "A" should a fixed percentage, B, C, D and E should specify a range of values and the Bidder will be required to specify a value within the range such that the total weighting = 1.00]

Form of Bid Security (Bank Guarantee)

[Guarantor letterhead or SWIFT identifier code]

Beneficiary:

[Insert name and address of the Employer]

Invitation for Bids No: [Insert reference number for the Invitation for Bids]

Date: [Insert date of issue]

BID GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that *[insert name of the Bidder, which in the case of a joint venture shall be the name of the joint venture (whether legally constituted or prospective) or the names of all members thereof]* (hereinafter called "the Applicant") has submitted or will submit to the Beneficiary its bid (hereinafter called "the Bid") for the execution of *[insert description of contract]* under Invitation for Bids No. [*insert number*] ("the IFB").

Furthermore, we understand that, according to the Beneficiary's conditions, bids must be supported by a bid guarantee.

At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in letters]* (*insert amount in numbers*) upon receipt by us of the Beneficiary's complying supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating either that the Applicant:

- (a) has withdrawn its Bid during the period of bid validity specified by the Applicant in the Letter of Bid, or any extension thereto provided by the Applicant; or
- (b) having been notified of the acceptance of its Bid by the Beneficiary during the period of bid validity, (i) fails to execute the Contract Agreement or (ii) fails to furnish the performance security, and, if required, the Environmental, Social, Health and Safety (ESHS) Performance Security, in accordance with the Instructions to Bidders ("ITB") of the Beneficiary's bidding document.

This guarantee will expire: (a) if the Applicant is the successful Bidder, upon our receipt of copies of the contract agreement signed by the Applicant and the performance security and, if required, the Environmental, Social, Health and Safety (ESHS) Performance Security, issued to the Beneficiary upon the instruction of the Applicant; and (b) if the Applicant is not the successful Bidder, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the bidding process; or (ii) twentyeight days after the end of the Bid Validity Period.

Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758.

[signature(s)]

Form of Bid Security (Bid Bond)

[The Surety shall fill in this Bid Bond Form in accordance with the instructions indicated.]

BOND NO. _____

BY THIS BOND [name of Bidder] as Principal (hereinafter called "the Principal"), and [name, legal title, and address of surety], authorized to transact business in [name of country of Employer], as Surety (hereinafter called "the Surety"), are held and firmly bound unto [name of Employer] as Obligee (hereinafter called "the Employer") in the sum of [amount of Bond]⁷ [amount in words], for the payment of which sum, well and truly to be made, we, the said Principal and Surety, bind ourselves, our successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a written Bid to the Employer dated the ____ day of _____, 20__, for the supply of *[name of Contract]* (hereinafter called the "Bid").

NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Principal:

- (a) withdraws its Bid during the period of bid validity specified in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Employer during the period of Bid validity; (i) fails or refuses to execute the Contract Form; or (ii) fails or refuses to furnish the Performance Security, and, if required, the Environmental, Social, Health and Safety (ESHS) Performance Security, in accordance with the Instructions to Bidders.

then the Surety undertakes to immediately pay to the Employer up to the above amount upon receipt of the Employer's first written demand, without the Employer having to substantiate its demand, provided that in its demand the Employer shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.

The Surety hereby agrees that its obligation will remain in full force and effect up to and including the date 28 days after the date of expiration of the Bid validity as stated in the Invitation to Bid or extended by the Employer at any time prior to this date, notice of which extension(s) to the Surety being hereby waived.

IN TESTIMONY WHEREOF, the Principal and the Surety have caused these presents to be executed in their respective names this ____ day of _____ 20_.

Principal: _____ Surety:

Corporate Seal (where appropriate)

(Signature) (Printed name and title) (Signature) (Printed name and title)

Form of Bid-Securing Declaration

Date:______ [insert date (as day, month and year)] Bid No.:______ [insert number of bidding process] Alternative No.: _____

To: ______j

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the entity that invited Bids for the period of time of _______starting on ______, if we are in breach of our obligation(s) under the bid conditions, because we:

- (a) have withdrawn our Bid during the period of bid validity specified in the Letter of Bid; or
- (b) having been notified of the acceptance of our Bid by the Employer during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, and, if required, the Environmental, Social, Health and Safety (ESHS) Performance Security, in accordance with the ITB.

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twentyeight days after the expiration of our Bid.

Name of the Bidder*_

Name of the person duly authorized to sign the Bid on behalf of the Bidder**

Title of the person signing the Bid _____

Signature of the person named above_____

Date signed _____

*: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

**: Person signing the Bid shall have the power of attorney given by the Bidder to be attached with the Bid *[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the bid.]*

Technical Proposal

Technical Proposal Forms

- Key Personnel Schedule
- Equipment
- Site Organization
- Method Statement
- Mobilization Schedule
- Construction Schedule
- ESHS Management Strategies and Implementation Plans
- Code of Conduct (ESHS)
- Others

Form PER -1

Key Personnel Schedule

Bidders should provide the names and details of the suitably qualified Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Key Personnel

1.	Title of position:			
	Name of candidate:			
	Duration of appointment:			
	Time commitment: for this position:			
	Expected time schedule for this position:			
2.	Title of position:			
	Name of candidate:			
	Duration of appointment:			
	Time commitment: for this position:			

1				
	Expected			
	time schedule			
	for this			
	position:			
3.	Title of position	:		
	Name of candida	ite:		
	Duration of			
	appointment:			
	Time			
	commitment:			
	for this			
	position:			
	Expected			
	time schedule			
	for this			
	position:			
4.	Title of position:			
	Name of candida	ite:		
	Duration of			
	appointment:			
	Time			
	commitment:			
	for this			
	position:			
	Expected			
	time schedule			
	for this			
	position:			
5.	Title of position	:		
	Name of candida	ite		
	Duration of			
	appointment:			
1				

Time	
commitment:	
for this	
position:	
Expected	
time schedule	
for this	
position:	

Form PER-2:

Resume and Declaration Key Personnel

Name of 1	Bidder		
Position	[#1]: [title of positio	n from Form PER-1]	
Personn el informat ion	Name:	Date of birth:	
	Address:	E-mail:	
	Professional qualifi	cations:	
	Academic qualifica	tions:	
	Language proficien reading and writing	cy: [language and levels of speaking skills]	
details			
	Address of employer:		
	Telephone:Contact (manager / personnel officer):		
	Fax:		

Job title:	Years	with	present
	employ	ver:	

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Projec t	Role	Duration of involve ment	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to this position]

Declaration

I, the undersigned Key Personnel, certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Bid:

Commitment		Details		
Commitment duration of contract:	to	[insert period (start and end dates) for which this Key Personnel is available to work on this contract]		
Time commitment:		[insert the days/week/months/ Personnel will be enga	that	of Key

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Bid evaluation;
- (b)my disqualification from participating in the Bid;
- (c) my dismissal from the contract.

Name of Key Personnel: [insert name]

Signature:			
Date:	(day	month	year):
Countersign	ature of authorized	representative of th	e Bidder:
Signature:			

Date: (day month year):	
-------------------------	--

Equipment

The Bidder shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III (Evaluation and Qualification Criteria). A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Bidder. The Bidder shall provide all the information requested below, to the extent possible. Fields with asterisk (*) shall be used for evaluation.

Type of E	Type of Equipment*			
Equipme nt Informat ion	Name of manufacturer, Model and power rating			
	Capacity*	Year of manufacture*		
Current Status	Current location			
	Details of current comm	tments		
Source	Indicate source of the eq □ Owned □ Rented manufactured	-	ally	

The following information shall be provided only for equipment not owned by the Bidder.

Owner	Name of owner
	Address of owner

	Telephone	Contact name and title
	Fax	Telex
Agreeme nts	Details of rental / lease specific to the project	/ manufacture agreements

Site Organization

[insert Site Organization information]

Method Statement

[insert Method Statement]

Mobilization Schedule

[insert Mobilization Schedule]

Construction Schedule

[insert Construction Schedule]

ESHS Management Strategies and Implementation Plans

(ESHS-MSIP)

The Bidder shall submit comprehensive and concise Environmental, Social, Health and Safety Management Strategies and Implementation Plans (ESHS-MSIP) as required by ITB 11.1 (h) of the Bid Data Sheet. These strategies and plans shall describe in detail the actions, materials, equipment, management processes etc. that will be implemented by the Contractor, and its subcontractors.

In developing these strategies and plans, the Bidder shall have regard to the ESHS provisions of the contract including those as may be more fully described in the Works Requirements described in Section VII.

Code of Conduct: Environmental, Social, Health and Safety (ESHS)

The Bidder shall submit the Code of Conduct that will apply to the Contractor's employees and subcontractors as required by ITB 11.1 (h) of the Bid Data Sheet. The Code of Conduct shall ensure compliance with the ESHS provisions of the contract, including those as may be more fully described in the Works Requirements described in Section VII.

In addition, the Bidder shall submit an outline of how this Code of Conduct will be implemented. This will include: how it will be introduced into conditions of employment/engagement, what training will be provided, how it will be monitored and how the Contractor proposes to deal with any breaches.

Others

Bidder's Qualification

To establish its qualifications to perform the contract in accordance with Section III (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding Information Sheets included hereunder

Dat	e:		
	No. and title:		
Pag	eofpages		
Bio	lder's name		
In case of Joint Venture (JV), name of each member:			
Bic	lder's actual or intended country of registration:		
[in	dicate country of Constitution]		
Bic	lder's actual or intended year of incorporation:		
Bidder's legal address [in country of registration]:			
Bio	lder's authorized representative information		
Na	me:		
Ad	dress:		
Telephone/Fax numbers:			
E-1	nail address:		
1.	Attached are copies of original documents of		
	Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITB 4.3.		
	In case of JV, letter of intent to form JV or JV agreement, in accordance with ITB 4.1.		
	In case of Government-owned enterprise or institution, in accordance with ITB 4.5 documents establishing:		
•	Legal and financial autonomy Operation under commercial law Establishing that the Bidder is not dependent agency of the		

Form ELI -1.1: Bidder Information Form

Employer

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

Form ELI -1.2: Information Form for JV Bidders

(to Dat	_	ach membe	er of Joint Venture)
ICB	No.	and	title:
Pag	e (of	pages
Bio	lder's Joint Ventur	e name:	
Л	/ member's name:		
Л	⁷ member's country	v of registra	ation:
J	⁷ member's year of	constitutio	n:
Л	⁷ member's legal ado	dress in cou	antry of constitution:
	⁷ member's authoriz	-	
Na	me:		
Ad	dress:		
Tel	ephone/Fax numb	ers:	
E-1	nail address:		
1.	Attached are copies	s of origina	l documents of
		nd/or regis	equivalent documents of constitution tration documents of the legal entity vith ITB 4.3.
	documents establi	ishing lega h commer	t-owned enterprise or institution, I and financial autonomy, operation cial law, and absence of dependent B 4.5.

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

Form CON – 2: Historical Contract Non-Performance, Pending Litigation and Litigation History

Page	Venture No.	and title: ofpages	
	rformed Co and Qualif	ntracts in accordance with Section ications	n III, Evaluation
yec	-	performance did not occur since 1s in Section III, Evaluation Criteria ar	51
		performed since 1 st January <i>[insert</i> luation Criteria and Qualifications,	
Year	Non- performe d portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and US\$ equivalent)
		Contract Identification: Name of Employer: Address of Employer:	
Pending	Litigation	Reason(s) for non-performance:	tion Criteria and

Pending Litigation, in accordance with Section III, Evaluation Criteria and Qualifications

□ No pending litigation in accordance with Section III, Evaluation Criteria and Qualifications, Sub-Factor 2.3.

Pending litigation in accordance with Section III, Evaluation Criteria and Qualifications, Sub-Factor 2.3 as indicated below.

Form CON – 3: Environmental, Social, Health, and Safety

Performance Declaration

[The following table shall be filled in for the Bidder, each member of a Joint Venture and each Specialized Subcontractor]

Bidder's Name: *[insert* full name| [insert Date: day, month. year/ Joint Venture Member's or Specialized Subcontractor's Name: full linsert name] ICB No. title: linsert *ICB* title] and number and Page [insert page number] of [insert total number] pages

Environmental, Social, Health, and Safety Performance Declaration in accordance with Section III, Qualification Criteria, and Requirements

- No suspension or termination of contract: An employer has not suspended or terminated a contract and/or called the performance security for a contract for reasons related to Environmental, Social, Health, or Safety (ESHS) performance since the date specified in Section III, Qualification Criteria, and Requirements, Sub-Factor 2.5.
- □ Declaration of suspension or termination of contract: The following contract(s) has/have been suspended or terminated and/or Performance Security called by an employer(s) for reasons related to Environmental, Social, Health, or Safety (ESHS) performance since the date specified in Section III, Qualification Criteria, and Requirements, Sub-Factor 2.5. Details are described below:

Year	Suspende	Contract Identification	Total
	d or		Contract
	terminate		Amount
	d portion		(current
	of		value,
	contract		currency,
			exchange
			rate and

			US\$ equivalent)
[insert year]	[insert amount and percentage]	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/city/country]</i>	amount]
		Reason(s) for suspension or termination: <i>[indicate main reason(s, e.g. for GBV/ SEA breaches]</i>	
[insert year]	[insert amount and percentage]	Address of Employer: [insert]	amount]
		street/city/country] Reason(s) for suspension or termination: [indicate main reason(s)]	
• • •	•••	[list all applicable contracts]	•••

Performance Security called by an employer(s) for reasons related to ESHS performance

Year	Contract Identification	Total
		Contract
		Amount
		(current
		value,
		currency,
		exchange
		rate and US\$
		equivalent)
[insert	Contract Identification: [indicate complete contract	[insert
year]	name/ number, and any other identification]	amount]

Name of Employer: [insert full name]	
Address of Employer: [insert street/city,	/country]
Reason(s) for calling of performance seco	urity: <i>[indic</i>
ate main reason(s) e.g. for GBV/ SEA bre	eaches]

Form CCC: Current Contract Commitments / Works in Progress

Bidders and each partner to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Name contract	of	Employer, contact address/te l/fax	outstanding	Estimated completion date	Average monthly invoicing over last six months
			equivalent)		(US\$/mont h)
1.					
2.					
3.					
4.					
5.					
etc.					

Bidder's Date:			Name:		
Joint ICB Page	Venture No.	Men and _of	nber's title:	Name _pages	

Form FIN – 3.1: Financial Situation and Performance

1. Financial data

Type of Financial	Historic	info	rmation	for	previous
information in		_years,			
(currency)					
					exchange
	Year 1	Year 2	Year 3	Year4	Year 5
Statement of Financia	al Positic	on (Infor	mation		
from Balance Sheet)	1				
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Inco	me State	ment			
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information	n				
Cash Flow from Operating Activities					

2. Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No	Source of finance	Amount (US\$ equivalent)
1		
2		
3		

2. Financial documents

The Bidder and its parties shall provide copies of financial statements for ______years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.2. The financial statements shall:

- (a) reflect the financial situation of the Bidder or in case of JV member , and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.

 \Box Attached are copies of financial statements⁸ for the years required above; and complying with the requirements

Form FIN - 3.2: Average Annual Construction Turnover

Bidder's Date:			Name:		
Joint ICB Page	Venture No.	Mer and _of	nber's title:	Name _pages	

Annual turnover da				ata (construction only)		
Year Amoun Curren			Exchange rate	USD equivalent		
[indicate year]	-	amount and te currency]				
Average Annual Construction Turnover *						

* See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

Form FIN - 3.3: Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III (Evaluation and Qualification Criteria)

Source of financing	Amount (U equivalent)	S\$
1.		
2.		
3.		
4.		

Form EXP - 4.1: General Construction Experience

Bidder's Date:			Name:		
Joint ICB	Venture No.	Me and	ember's title:	Name_	
Page		_of		_pages	

		1
		Bidder
Contract name: Brief Description performed by the Bidder:	of the Works	
Amount of	contract	
Name of	Employer:	
Address:	_	
Contract	name	•
Brief Description performed by the Bidder:	of the Works	
Amount of	contract	
Name of	Employer:	
Address:		
Contract	name	•
	Brief Description performed by the Bidder: Amount of Name of Address: Contract Brief Description performed by the Bidder: Amount of Name of Address:	Brief Description of the Works performed by the Bidder: Amount of contract: Name of Employer: Address: Contract name: Brief Description of the Works performed by the Bidder: Amount of contract: Name of Employer: Address:

	Description led by the	of	the	Works	
Amount	t of		С	ontract:	
Name	of		En	nployer:	
Address	:				

Form EXP - 4.2(a): Specific Construction and Contract Management Experience

Bidder's					Name:
Date: Joint	Venture	Men	nber's	Name	<u> </u>
ICB	No.	and	title:		
Page		_of		pages	

Similar Contract No.	Informat	tion		
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contra ctor □	Member in JV	Management Contractor	Sub- contrac tor □
Total Contract Amount			US\$ *	
If member in a JV or sub- contractor, specify participation in total Contract amount	r		*	
Employer's Name:				
Address:				
Telephone/fax number				
E-mail:				

Form EXP - 4.2(a) (cont.) Specific Construction and Contract Management Experience (cont.)

Similar Contract No.	Information
Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III:	
1. Amount	
2. Physical size of required works items	
3. Complexity	
4. Methods/Technology	
5. Construction rate for key activities	
6. Other Characteristics	

Form EXP - 4.2(b): Construction Experience in Key Activities

Bidder's Date:		Ν	ame:				
Joint					e nd 34.3):	· · · · · · · ·	
ICB Page	No.	and _of	title:	_pages			

Sub-contractor's Name (as per ITB 34.2 and 34.3): ____

All Sub-contractors for key activities must complete the information in this form as per ITB 34.2 and 34.3 and Section III, Qualification Criteria and Requirements, Sub-Factor 4.2.

1. Key Activity No One: _____

	Informat	ion		
Contract Identification				
Award date				
Completion date		T		
Role in Contract	Prime Contracto r	Membe r in JV		contracto
Total Contract Amount			US\$	
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	quantity the contra	inpart	entage icipation	Actual Quantity Perform ed (i) x (ii)
Year 1				
Year 2				
Year 3				

⁹ If applicable.

Year 4		
Employer's Name:		
Address:		
Telephone/fax number		
E-mail:		

	Information
Employer's Name:	
Address:	
Telephone/fax number	
E-mail:	

2. Activity No. Two

3.

	Information
Description of the key activities in accordance with Sub-Factor 4 2(b) of Section	

Eligibility for the Provision of Goods, Works and Services in Bank-Financed Procurement

1. In reference to ITB 4.7, and 5.1, for the information of the Bidders, at the present time firms, goods and services from the following countries are excluded from this bidding process:

Under ITB 4.7 (a) and 5.1 *[insert a list of the countries following approval by the Bank to apply the restriction or state "none"]* Under ITB 4.7 (b) and 5.1 *[insert a list of the countries following approval by the Bank to apply the restriction or state "none"]*

Section VI. Bank Policy - Corrupt and Fraudulent Practices

(Section VI shall not be modified)

Guidelines for Procurement of Goods, Works, and Non-Consulting Services under IBRD Loans and IDA Credits & Grants by World Bank Borrowers, dated January 2011:

"Fraud and Corruption:

- 1.16 It is the Bank's policy to require that Borrowers (including beneficiaries of Bank loans), bidders, suppliers, contractors and their agents (whether declared or not), sub-contractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of Bank-financed contracts.¹⁰ In pursuance of this policy, the Bank:
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;¹¹;
 - (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;¹²
 - (iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;¹³
 - (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly,

any party or the property of the party to influence improperly the actions of a party;¹⁴

- (v) "obstructive practice" is
 - (aa) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Bank investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or
 - (bb) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under paragraph 1.16(e) below.
- (b) will reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- (c) will declare misprocurement and cancel the portion of the loan allocated to a contract if it determines at any time that representatives of the Borrower or of a recipient of any part of the proceeds of the loan engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices during the procurement or the implementation of the contract in question, without the Borrower having taken timely and appropriate action satisfactory to the Bank to address such practices when they occur, including by failing to inform the Bank in a timely manner at the time they knew of the practices;

- (d) will sanction a firm or individual, at any time, in accordance with the prevailing Bank's sanctions procedures,¹⁵ including by publicly declaring such firm or individual ineligible, either indefinitely or for a stated period of time: (i) to be awarded a Bank-financed contract; and (ii) to be a nominated¹⁶;
- (e) will require that a clause be included in bidding documents and in contracts financed by a Bank loan, requiring bidders, suppliers and contractors, and their sub-contractors, agents, personnel, consultants, service providers, or suppliers, to permit the Bank to inspect all accounts, records, and other documents relating to the submission of bids and contract performance, and to have them audited by auditors appointed by the Bank."

PART 2 – Works Requirements

Section VII - Works Requirements

Table of Contents

Specifications	4
Environmental, social, health and safety requiremen	ıts6
Drawings	13
Supplementary Information	14

Specifications

A set of precise and clear Specifications is a prerequisite for bidders to respond realistically and competitively to the requirements of the Employer without qualifying or conditioning their bids. In the context of international competitive bidding, the Specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done shall the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of bids be ensured, and the subsequent task of Bid evaluation facilitated. The Specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of Specifications from previous similar projects in the same country are useful in to prepare Specifications. The use of metric units is encouraged by the World Bank. Most Specifications are normally written specially by the Employer or Project Manager to suit the Contract Works in hand. There is no standard set of Specifications for universal application in all sectors in all countries, but there are established principles and practices, which are reflected in these documents.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addendums should then adapt the General Specifications to apply them to the particular Works.

Care must be taken in drafting Specifications to ensure that they are not restrictive. In the Specifications of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards of the Borrower's country or other standards, the Specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, shall also be acceptable. To that effect, the following sample clause may be inserted in the Special Conditions or Specifications.

"Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified shall be accepted subject to the Project Manager's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Project Manager at least 28 days prior to the date when the Contractor desires the Project Manager's consent. In the event the Project Manager determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents."

These Notes for Preparing Specifications are intended only as information for the Employer or the person drafting the bidding documents. They should not be included in the final documents.

Environmental, social, health and safety requirements

The Employer should use the services of a suitably qualified environmental, social, health and safety specialist/s to prepare the specifications for ESHS working with a procurement specialist/s.

The Employer should attach or refer to the Employer's environmental, social, health and safety policies that will apply to the project. If these are not available, the Employer should use the following guidance in drafting an appropriate policy for the Works.

SUGGESTED CONTENT FOR AN ENVIRONMENTAL AND SOCIAL POLICY (STATEMENT)

The Works' policy goal, as a minimum, should be stated to integrate environmental protection, occupational and community health and safety, gender, equality, child protection, vulnerable people (including those with disabilities), sexual harassment, genderbased violence (GBV), sexual exploitation and abuse (SEA), HIV/AIDS awareness and prevention and wide stakeholder engagement in the planning processes, programs, and activities of the parties involved in the execution of the Works. The Employer is advised to consult with the World Bank to agree the issues to be included which may also address: climate adaptation, land acquisition and resettlement, indigenous people, etc. The policy should set the frame for monitoring, continuously improving processes and activities and for reporting on the compliance with the policy.

The policy shall include a statement that, for the purpose of the policy and/or code of conduct, the term "child" / "children" means any person(s) under the age of 18 years.

The policy should, as far as possible, be brief but specific and explicit, and measurable, to enable reporting of compliance with the policy in accordance with the Particular Conditions of the Contract Sub-Clause 26.2 and Appendix B to the General Conditions of Contract.

As a minimum, the policy is set out to the commitments to:

1. apply good international industry practice to protect and conserve the natural environment and to minimize unavoidable impacts;

- 2. provide and maintain a healthy and safe work environment and safe systems of work;
- 3. protect the health and safety of local communities and users, with particular concern for those who are disabled, elderly, or otherwise vulnerable;
- 4. ensure that terms of employment and working conditions of all workers engaged in the Works meet the requirements of the ILO labour conventions to which the host country is a signatory;
- 5. be intolerant of, and enforce disciplinary measures for illegal activities. To be intolerant of, and enforce disciplinary measures for GBV, inhumane treatment, sexual activity with children,, and sexual harassment;
- 6. incorporate a gender perspective and provide an enabling environment where women and men have equal opportunity to participate in, and benefit from, planning and development of the Works;
- 7. work co-operatively, including with end users of the Works, relevant authorities, contractors and local communities;
- 8. engage with and listen to affected persons and organisations and be responsive to their concerns, with special regard for vulnerable, disabled, and elderly people;
- 9. provide an environment that fosters the exchange of information, views, and ideas that is free of any fear of retaliation and protects whistleblowers;
- 10. minimise the risk of HIV transmission and to mitigate the effects of HIV/AIDS associated with the execution of the Works;

The policy should be signed by the senior manager of the Employer. This is to signal the intent that it will be applied rigorously.

MINIMUM CONTENT OF ESHS REQUIREMENTS

In preparing detailed specifications for ESHS requirements, the specialists should refer to and consider:

- project reports e.g. ESIA/ESMP
- consent/permit conditions
- required standards including World Bank Group EHS Guidelines
- relevant international conventions or treaties etc., national legal and/or regulatory requirements and standards (where these represent higher standards than the WBG EHS Guidelines)
- relevant international standards e.g. WHO Guidelines for Safe Use of Pesticides
- relevant sector standards e.g. EU Council Directive 91/271/EEC Concerning Urban Waste Water Treatment
- grievance redress mechanisms.
- grievance redress mechanism including types of grievances to be recorded and how to protect confidentiality e.g. of those reporting allegations of GBV/SEA
- GBV/SEA prevention and management

The detail specification for ESHS should, to the extent possible, describe the intended outcome rather than the method of working.

The ESHS requirements should be prepared in manner that does not conflict with the relevant General Conditions of Contract and Particular Conditions of Contract, and in particular:

General Conditions of Contract

Sub-clause 3	Language and Law
Sub-clause 7.1	Subcontracting
Sub-clause 8.1	Other Contractors
Sub-clause 9	Personnel and Equipment

Contractor's Risks
Contractor to Construct the Works
Safety and Protection of environment
Discoveries
Early Warnings
Payments

MINIMUM REQUIREMENTS FOR THE BIDDER'S CODE OF CONDUCT

A minimum requirement for the Code of Conduct should be set out, by the Employer taking into consideration the issues, impacts, and mitigation measures identified for example in :

- project reports e.g. ESIA/ESMP
- consent/permit conditions (regulatory authority conditions attached to any permits or approvals for the project)
- required standards including World Bank Group EHS Guidelines
- relevant international conventions, standards or treaties, etc., national legal and/or regulatory requirements and standards (where these represent higher standards than the WBG EHS Guidelines)
- relevant standards e.g. Workers' Accommodation: Process and Standards (IFC and EBRD)
- relevant sector standards e.g. workers accommodation
- grievance redress mechanisms.

The types of issues identified could include. risks associated with: labor influx, spread of communicable diseases, sexual harassment, gender based violence, illicit behavior and crime, and maintaining a safe environment etc.

[Amend the following instructions to the Bidder taking into account the above considerations.]

A satisfactory code of conduct will contain obligations on all Contractor's personnel (including sub-contractors and day workers) that are suitable to address the following issues, as a minimum. Additional obligations may be added to respond to particular concerns of the region, the location and the project sector or to specific project requirements. The code of conduct shall contain a statement that the term "child" / "children" means any person(s) under the age of 18 years.

The issues to be addressed include:

- 1. Compliance with applicable laws, rules, and regulations
- 2. Compliance with applicable health and safety requirements to protect the local community (including vulnerable and Employer's disadvantaged groups), the and Project Manager's personnel, and the Contractor's personnel, including sub-contractors and day workers, (including prescribed personal protective equipment, wearing preventing avoidable accidents and a duty to report conditions or practices that pose a safety hazard or threaten the environment)
- 3. The use of illegal substances
- 4. Non-Discrimination in dealing with the local community (including vulnerable and disadvantaged groups), the Employer's and Project Manager's personnel, and the Contractor's personnel, including sub-contractors and day workers (for example on the basis of family status, ethnicity, race, gender, religion, language, marital status, age, disability (physical and mental), sexual orientation, gender identity, political conviction or social, civic, or health status)
- 5. Interactions with the local community(ies), members of the local community (ies), and any affected person(s) (for example to convey an attitude of respect, including to their culture and traditions)
- 6. Sexual harassment (for example to prohibit use of language or behavior, in particular towards women and/or children, that is inappropriate, harassing, abusive, sexually provocative, demeaning or culturally inappropriate)
- 7. Violence including sexual and/or gender based violence (for example acts that inflict physical, mental or sexual harm or suffering, threats of such acts, coercion, and deprivation of liberty

- 8. Exploitation including sexual exploitation and abuse (for example the prohibition of the exchange of money, employment, goods, or services for sex, including sexual favors or other forms of humiliating, degrading behavior, exploitative behavior or abuse of power)
- 9. Protection of children (including prohibitions against sexual activity or abuse, or otherwise unacceptable behavior towards children, limiting interactions with children, and ensuring their safety in project areas)
- 10. Sanitation requirements (for example, to ensure workers use specified sanitary facilities provided by their employer and not open areas)
- 11. Avoidance of conflicts of interest (such that benefits, contracts, or employment, or any sort of preferential treatment or favors, are not provided to any person with whom there is a financial, family, or personal connection)
- 12. Respecting reasonable work instructions (including regarding environmental and social norms)
- 13. Protection and proper use of property (for example, to prohibit theft, carelessness or waste)
- 14. Duty to report violations of this Code
- 15. Non retaliation against workers who report violations of the Code, if that report is made in good faith.

The Code of Conduct should be written in plain language and signed by each worker to indicate that they have:

- received a copy of the code;
- had the code explained to them;
- acknowledged that adherence to this Code of Conduct is a condition of employment; and
- understood that violations of the Code can result in serious consequences, up to and including dismissal, or referral to legal authorities.

A copy of the code shall be displayed in a location easily accessible to the community and project affected people. It shall be provided in languages comprehensible to the local community, Contractor's personnel (including sub-contractors and day workers), Employer's and Project Manager's personnel, and affected persons.

PAYMENT FOR ESHS REQUIREMENTS

The Employer's ESHS and procurement specialists should consider how the Contractor will cost the delivery of the ESHS requirements. In the majority of cases, the payment for the delivery of ESHS requirements shall be a subsidiary obligation of the Contractor covered under the prices quoted for other Bill of Quantity items or activities. For example, normally the cost of implementing work place safe systems of work, including the majors necessary for ensuring traffic safety, shall be covered by the Bidder's rates for the relevant works. Alternatively, provisional sums could be set aside for discrete activities for example for HIV counselling service, and, GBV/SEA awareness and sensitization or to encourage the contractor to deliver additional ESHS outcomes beyond the requirement of the Contract.

Drawings

Here is a list of Drawings. The actual Drawings, including site plans, are annexed to the tender document.

1.0 Preliminaries and General Items.

2.0 Water-pan De-siltation Works

3.0 Rehabilitation of Water-pan embankment and Repair of the Spillway

- 4.0 Fencing Works
- 5.0Draw-offSystemWorks

Supplementary Information

PART 3 – Conditions of Contract and Contract Forms

Section VIII. General Conditions of Contract

These General Conditions of Contract (GCC), read in conjunction with the Particular Conditions of Contract (PCC) and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

These General Conditions of Contract have been developed on the basis of considerable international experience in the drafting and management of contracts, bearing in mind a trend in the construction industry towards simpler, more straightforward language.

The GCC can be used for both smaller admeasurement contracts and lump sum contracts.

Table of Clauses

A. (General	6
1.	Definitions	6
2.	Interpretation	10
3.	Language and Law	11
4.	Project Manager's Decisions	11
5.	Delegation	11
6.	Communications	11
7.	Subcontracting	12
8.	Other Contractors	12
9.	Personnel and Equipment	
10.	. Employer's and Contractor's Risks	13
	. Employer's Risks	
12.	. Contractor's Risks	14
13.	. Insurance	15
14.	. Site Data	16
15.	. Contractor to Construct the Works	16
16.	. The Works to Be Completed by the Intended Completior	n Date
	16	
	. Approval by the Project Manager	
18.	. Safety and Protection of the Environment	17
	. Discoveries	
	. Possession of the Site	
21.	. Access to the Site	17
22.	. Instructions, Inspections and Audits	18
23.	. Appointment of the Adjudicator	18
24.	. Procedure for Disputes	19
25.	. Corrupt and Fraudulent Practices	20
в 1	۲ime Control	20
D. 1		20
26.	. Program	20
	. Extension of the Intended Completion Date	
28.	. Acceleration	22
29.	. Delays Ordered by the Project Manager	22
	. Management Meetings	
	. Early Warning	

C . (Quality Control	23
32.	. Identifying Defects	
	. Tests	
34.	Correction of Defects	
35.	. Uncorrected Defects	
D. (Cost Control	24
36.	. Contract Price	
37.	C. Changes in the Contract Price	
38.	. Variations	
39.	Cash Flow Forecasts	
40	P. Payment Certificates	
41.	. Payments	
42.	Compensation Events	
43.	. Tax 30	
44.	Currencies	
45	. Price Adjustment	
46	. Retention	
47.	. Liquidated Damages	
48.	Bonus	
49.	Advance Payment	
50.	. Securities	
51	. Dayworks	
52.	Cost of Repairs	
E. I	Finishing the Contract	34
53.	Completion	
54	. Taking Over	
	. Final Account	
56	. Operating and Maintenance Manuals	
	. Termination	
	. Payment upon Termination	
	Property	
	. Release from Performance	
	. Suspension of Bank Loan or Credit	

General Conditions of Contract

A. General

- 1. **Definition** 1.1 Boldface type is used to identify defined terms. s
 - (a) The Accepted Contract Amount means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
 - (b) The Activity Schedule is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.
 - (c) The Adjudicator is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in GCC 23.
 - (d) Bank means the financing institution **named in the PCC**.
 - (e) Bill of Quantities means the priced and completed Bill of Quantities forming part of the Bid.
 - (f) Compensation Events are those defined in GCC Clause 42 hereunder.
 - (g) The Completion Date is the date of completion of the Works as certified by the Project Manager, in accordance with GCC Sub-Clause 53.1.
 - (h) The Contract is the Contract between the Employer and the Contractor to execute, complete, and maintain the Works. It

consists of the documents listed in GCC Sub-Clause 2.3 below.

- (i) The Contractor is the party whose Bid to carry out the Works has been accepted by the Employer.
- (j) The Contractor's Bid is the completed bidding document submitted by the Contractor to the Employer.
- (k) The Contract Price is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.
- (l) Days are calendar days; months are calendar months.
- (m) Dayworks are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
- (n) A Defect is any part of the Works not completed in accordance with the Contract.
- (o) The Defects Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor.
- (p) The Defects Liability Period is the period named in the PCC pursuant to Sub-Clause 34.1 and calculated from the Completion Date.
- (q) Drawings means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Employer in accordance with the Contract, include

calculations and other information provided or approved by the Project Manager for the execution of the Contract.

- (r) The Employer is the party who employs the Contractor to carry out the Works, **as specified in the PCC**.
- (s) Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.
- "In writing" or "written" means handwritten, type-written, printed or electronically made, and resulting in a permanent record;
- (u) The Initial Contract Price is the Contract Price listed in the Employer's Letter of Acceptance.
- (v) The Intended Completion Date is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is **specified in the PCC**. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- (w) Materials are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- (x) Plant is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- (y) The Project Manager is the person **named in the PCC** (or any other competent person appointed by the

Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.

- (z) PCC means Particular Conditions of Contract.
- (aa) The Site is the area **defined as such in the PCC**.
- (bb) Site Investigation Reports are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- (cc) Specification means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- (dd) The Start Date is **given in the PCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- (ee) A Subcontractor is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- (ff) Temporary Works are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- (gg) A Variation is an instruction given by the Project Manager which varies the Works.

- (hh) The Works are what the Contract requires the Contractor to construct, install, and turn over to the Employer, **as defined in the PCC**.
- 2. Interpreta tion 2.1 In interpreting these GCC, words indicating one gender include all genders. Words indicating the singular also include the plural and words indicating the plural also include the singular. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.
 - 2.2 If sectional completion is **specified in the PCC**, references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
 - 2.3 The documents forming the Contract shall be interpreted in the following order of priority:
 - (a) Agreement,
 - (b) Letter of Acceptance,
 - (c) Contractor's Bid,
 - (d) Particular Conditions of Contract,
 - (e) General Conditions of Contract, including Appendices,
 - (f) Specifications,
 - (g) Drawings,
 - (h) Bill of Quantities,¹⁷ and

(i) any other document **listed in the PCC** as forming part of the Contract.

3. Language 3.1 The language of the Contract and the law governing the Contract are **stated in the PCC**.

3.2 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Employer's country when

(a) as a matter of law or official regulations, the Borrower's country prohibits commercial relations with that country; or

(b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's Country prohibits any import of goods from that country or any payments to any country, person, or entity in that country.

- 4. Project Manager's Decisions
 4.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role representing the Employer.
- 5. Delegation 5.1 Otherwise specified in the PCC, the Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may revoke any delegation after notifying the Contractor.
- 6. Communic 6.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.

- 7. Subcontra cting
 7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.
- 8. Other Contracto rs
 8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the PCC. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

- 9. Personnel 9.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid, to and carry out the Works or other personnel and Equipmen equipment approved by the Project Manager. t The Project Manager shall approve anv proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
 - 9.2 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
 - 9.3 If the Employer, Project Manager or Contractor determines. that any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the execution of the Works, then that employee shall be removed in accordance with Clause 9.2 above.
- 10.1 The Employer carries the risks which this 10.Employer' Contract states are Employer's risks, and the and S Contracto Contractor carries the risks which this r's Risks Contract states are Contractor's risks.
- 11.1 From the Start Date until the Defects 11.Employer' Liability Certificate has been issued, the s Risks following are Employer's risks:
 - (a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to

- use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
- (ii) negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
- (b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.
- 11.2 From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is an Employer's risk except loss or damage due to
 - (a) a Defect which existed on the Completion Date,
 - (b) an event occurring before the Completion Date, which was not itself an Employer's risk, or
 - (c) the activities of the Contractor on the Site after the Completion Date.
- 12.Contractor's Risks12.1 From the Starting Date until the DefectsLiability Certificate has been issued, the risksof personal injury, death, and loss of ordamage to property (including, withoutlimitation, the Works, Plant, Materials, and

Equipment) which are not Employer's risks are Contractor's risks.

- 13.1 The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles **stated in the PCC** for the following events which are due to the Contractor's risks:
 - (a) loss of or damage to the Works, Plant, and Materials;
 - (b) loss of or damage to Equipment;
 - (c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
 - (d) personal injury or death.
 - 13.2 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.
 - 13.3 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.

- 13.4 Alterations to the terms of insurance shall not be made without the approval of the Project Manager.
- 13.5 Both parties shall comply with any conditions of the insurance policies.
- 14.Site Data 14.1 The Contractor shall be deemed to have examined any Site Data referred to in the PCC, supplemented by any information available to the Contractor.
- 15.Contracto 15.1 The Contractor shall construct and install r to the Works in accordance with the Specifications and Drawings.
 the Works
- 16.1 The Contractor may commence execution of 16.The Works the Works on the Start Date and shall carry Be to Completed out the Works in accordance with the Program submitted by the Contractor, as updated with by the the approval of the Project Manager, and Intended complete them by the Intended Completion Completio Date. n Date
- 17.Approval by the and Drawings showing the proposed Project Manager
 17.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
 - 17.2 The Contractor shall be responsible for design of Temporary Works.
 - 17.3 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
 - 17.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.
 - 17.5 All Drawings prepared by the Contractor for the execution of the temporary or permanent

Works, are subject to prior approval by the Project Manager before this use.

- 18.Safety and Protectio n of the
 - **Environ** ment 18.2 Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.
- 19.Discoverie 19.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.
- 20.Possession 20.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the PCC, the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.
- 21.Access to 21.1 The Contractor shall allow the Project the Site Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

- 22.Instructio22.1 The Contractor shall carry out all
instructions of the Project Manager which
comply with the applicable laws where the Site
is located.
 - 22.2 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and subconsultants to keep, accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
 - 22.3 The Contractor shall permit and shall cause its Subcontractors and subconsultants to permit, the Bank and/or persons appointed by the Bank to inspect the Site and/or the records relating accounts and to the of Contract and performance the the submission of the bid, and to have such accounts and records audited by auditors appointed by the Bank if requested by the Bank. The Contractor's and its Subcontractors' and subconsultants' attention is drawn to Sub-Clause 25.1 which provides, inter alia, that acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under Sub-Clause 22.2 constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Bank's prevailing sanctions procedures).
- 23.Appointm 23.1 The Adjudicator shall be appointed jointly by the Employer and the Contractor, at the time of the Employer's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Employer does not agree on the appointment of the Adjudicator, the Employer will request

Audits

the Appointing Authority **designated in the PCC**, to appoint the Adjudicator within 14 days of receipt of such request.

- 23.2 Should the Adjudicator resign or die, or should the Employer and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Employer and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority **designated in the PCC** at the request of either party, within 14 days of receipt of such request.
- 24.Procedure for 24.1 If the Contractor believes that a decision taken by the Project Manager was either outside the authority given to the Project Manager by the Contract or that the decision was wrongly taken, the decision shall be referred to the Adjudicator within 14 days of the notification of the Project Manager's decision.
 - 24.2 The Adjudicator shall give a decision in writing within 28 days of receipt of a notification of a dispute.
 - 24.3 The Adjudicator shall be paid by the hour at the **rate specified in the PCC**, together with reimbursable expenses of the types **specified in the PCC**, and the cost shall be divided equally between the Employer and the Contractor, whatever decision is reached by the Adjudicator. Either party may refer a decision of the Adjudicator to an Arbitrator within 28 days of the Adjudicator's written decision. If neither party refers the dispute to

arbitration within the above 28 days, the Adjudicator's decision shall be final and binding.

- 24.4 The arbitration shall be conducted in accordance with the arbitration procedures published by the institution named and in the place **specified in the PCC.**
- 25. Corrupt and Fraudulen25.1 The Bank requires compliance with its policy in regard to corrupt and fraudulent practices as set forth in Appendix A to the GCC.
 - t Practices 25.2 The Employer requires the Contractor to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

B. Time Control

- 26.1 Within the time **stated in the PCC**, after the 26.Program Acceptance, of the Letter of the date shall to the Contractor submit Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
 - 26.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.

26.3 The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period **stated in the PCC.** If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount **stated in the PCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.

2-21

- 26.4 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.
- 27.Extension of the Intended Completio n Date
 27.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
 - 27.2 The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has

failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

- 28.Accelerati 28.1 When the Employer wants the Contractor to finish before the Intended Completion Date, on the Project Manager shall obtain priced for achieving the proposals necessary acceleration from the Contractor. If the these proposals, Employer accepts the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.
 - 28.2 If the Contractor's priced proposals for an acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.
- 29.Delays
 Ordered by
 the
 Project
 29.1 The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

Manager

- 30.Manageme 30.1 Either the Project Manager or the Contractor **nt Meetings** 30.1 Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
 - 30.2 The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the

management meeting and stated in writing to all who attended the meeting.

- 31.Early Warning 31.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
 - 31.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.
- C. Quality Control
- 32.Identifyin g Defects 32.1 The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.
- **33.Tests** 33.1 If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any

samples. If there is no Defect, the test shall be a Compensation Event.

- 34.Correction of Defects
 34.1 The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the PCC. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
 - 34.2 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.
- **35.Uncorrect ed Defects 35.1** If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

D. Cost Control

- 36.Contract Price¹⁸
 36.1 The Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.
- 37.Changes in the 37.1 If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change. The Project Manager shall not adjust rates from changes in quantities if thereby the

Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Employer.

- 37.2 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.
- **38.Variations** 38.1 All Variations shall be included in updated Programs²⁰ produced by the Contractor.
 - 38.2 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
 - 38.3 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
 - 38.4 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
 - 38.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
 - 38.6 If the work in the Variation corresponds to an item description in the Bill of Quantities and

if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 39.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work. ²¹

- 39.Cash Flow 39.1 When the Program,²² is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.
- 40.Payment Certificate s
 40.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
 - 40.2 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
 - 40.3 The value of work executed shall be determined by the Project Manager.
 - 40.4 The value of work executed shall comprise the value of the quantities of work in the Bill of Quantities that have been completed.²³

- 40.5 The value of work executed shall include the valuation of Variations and Compensation Events.
- 40.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- 41.Payments 41.1 Payments shall be adjusted for deductions for advance payments and retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 28 days of the date of each certificate. If the Employer makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.
 - 41.2 If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
 - 41.3 Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.
 - 41.4 Items of the Works for which no rate or price has been entered in shall not be paid for by the

Employer and shall be deemed covered by other rates and prices in the Contract.

_	42.1 Tł	ne following shall be Compensation Events:
tion Events	(a)	The Employer does not give access to a part of the Site by the Site Possession Date pursuant to GCC Sub-Clause 20.1.
	(b)	The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
	(c)	The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
	(d)	The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
	(e)	The Project Manager unreasonably does not approve a subcontract to be let.
	(f)	Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
	(g)	The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.

(h) Other contractors, public authorities, utilities, or the Employer does not work

within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.

- (i) The advance payment is delayed.
- (j) The effects on the Contractor of any of the Employer's Risks.
- (k) The Project Manager unreasonably delays issuing a Certificate of Completion.
- 42.2 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 42.3 As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the shall Contractor react competently and promptly to the event.
- 42.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early

warning or not having cooperated with the Project Manager.

- 43.Tax 43.1 The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 28 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of GCC Clause 44.
- **44.Currencies** 44.1 Where payments are made in currencies other than the currency of the Employer's country **specified in the PCC**, the exchange rates used for calculating the amounts to be paid shall be the exchange rates stated in the Contractor's Bid.
- 45.Price Adjustmen t
 45.1 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the PCC. If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies to each Contract currency:

$P_c = A_c + B_c Imc/Ioc$

where:

 P_c is the adjustment factor for the portion of the Contract Price payable in a specific currency "c."

 A_c and B_c are coefficients²⁴ **specified in the PCC,** representing the nonadjustable and adjustable portions, respectively, of the Contract Price payable in that specific currency "c;" and

Imc is the index prevailing at the end of the month being invoiced and loc is the index prevailing 28 days before Bid opening for inputs payable; both in the specific currency "c."

- 45.2 If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.
- 46.Retention 46.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the PCC until Completion of the whole of the Works.
 - 46.2 Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with GCC 51.1, half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" Bank guarantee.

²⁴ The sum of the two coefficients A_c and B_c should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the nonadjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency are added to the Contract Price.

47.1 The Contractor shall pay liquidated damages 47.Liquidated to the Employer at the rate per day stated in Damages the PCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the PCC. The Employer may deduct liquidated from payments damages due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

- 47.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC Sub-Clause 41.1.
- 48.Bonus 48.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day **stated in the PCC** for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.
- 49.Advance Payment
 49.1 The Employer shall make advance payment to the Contractor of the amounts stated in the PCC by the date stated in the PCC, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Employer in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid,

but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.

- 49.2 The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.
- 49.3 The advance payment shall be repaid by proportionate deducting amounts from payments otherwise due to the Contractor, following schedule the of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.
- 50.Securities 50.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount **specified in the PCC**, by a bank or surety acceptable to the Employer, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond.

- **51.Dayworks** 51.1 If applicable, the Dayworks rates in the Contractor's Bid shall be used only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
 - 51.2 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
 - 51.3 The Contractor shall be paid for Day works subject to obtaining signed Day works forms.
- 52.Cost of 52.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.
- E. Finishing the Contract
- 53.Completio
 53.1 The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed.
- 54.Taking
Over54.1 The Employer shall take over the Site and the
Works within seven days of the Project
Manager's issuing a certificate of Completion.
- 55.Final Solution55.1 The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager

shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

- 56.Operating and 56.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the PCC.
 - 56.2 If the Contractor does not supply the Drawings and/or manuals by the dates **stated in the PCC** pursuant to GCC Sub-Clause 56.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount **stated in the PCC** from payments due to the Contractor.

- 57.Terminati 57.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.
 - 57.2 Fundamental breaches of Contract shall include, but shall not be limited to, the following:
 - (a) the Contractor stops work for 28 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
 - (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 28 days;
 - (c) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
 - (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 84 days of the date of the Project Manager's certificate;
 - (e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
 - (f) the Contractor does not maintain a Security, which is required;
 - (g) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated

damages can be paid, as **defined in the PCC**; or

- (h) if the Contractor, in the judgment of the Employer, has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Client may, after giving fourteen (14) days written notice to the Contractor, terminate the Contract and expel him from the Site.
- 57.3 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC Sub-Clause 56.2 above, the Project Manager shall decide whether the breach is fundamental or not.
- 57.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 57.5 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.
- 58.1 If the Contract is terminated because of a 58.Payment breach of upon fundamental Contract bv the Terminati Contractor, the Project Manager shall issue a certificate for the value of the work done and on Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as specified in the PCC. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable to the Employer.

- 58.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.
- **59.Property** 59.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer if the Contract is terminated because of the Contractor's default.
- 60.Release 60.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the from control of either the Employer or Performan the Contractor, the Project Manager shall certify ce that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

61.Suspensio	61.1 In the event that the Bank suspends the Loan						
n of Bank	or Credit to the Employer, from which part of						
Loan or	the payments to the Contractor are being made:						
Credit	(a)The Employer is obligated to notify the						
	Contractor of such suspension within 7 days						

- Contractor of such suspension within 7 days of having received the Bank's suspension notice.
- (b)If the Contractor has not received sums due it within the 28 days for payment provided for in Sub-Clause 40.1, the Contractor may immediately issue a 14-day termination notice.

APPENDIX A

TO GENERAL CONDITIONS Bank's Policy- Corrupt and Fraudulent Practices

(text in this Appendix shall not be modified)

Guidelines for Procurement of Goods, Works, and Non-Consulting Services under IBRD Loans and IDA Credits & Grants by World Bank Borrowers, dated January 2011:

"Fraud and Corruption:

- 1.16 It is the Bank's policy to require that Borrowers (including beneficiaries of Bank loans), bidders, suppliers, contractors and their agents (whether declared or not), sub-contractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of Bank-financed contracts.²⁵ In pursuance of this policy, the Bank:
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;²⁶;
 - (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;²⁷
 - (iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;²⁸

- (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;²⁹
- (v) "obstructive practice" is
 - (aa) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Bank investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or
 - (bb) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under paragraph 1.16(e) below.
- (b) will reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- (c) will declare misprocurement and cancel the portion of the loan allocated to a contract if it determines at any time that representatives of the Borrower or of a recipient of any part of the proceeds of the loan engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices during the procurement or the implementation of the contract in question, without the Borrower having taken timely and appropriate action satisfactory to the Bank to address such practices when they occur, including by

failing to inform the Bank in a timely manner at the time they knew of the practices;

- (d) will sanction a firm or individual, at any time, in accordance with the prevailing Bank's sanctions procedures,³⁰ including by publicly declaring such firm or individual ineligible, either indefinitely or for a stated period of time: (i) to be awarded a Bank-financed contract; and (ii) to be a nominated³¹;
- (e) will require that a clause be included in bidding documents and in contracts financed by a Bank loan, requiring bidders, suppliers and contractors, and their sub-contractors, agents, personnel, consultants, service providers, or suppliers, to permit the Bank to inspect all accounts, records, and other documents relating to the submission of bids and contract performance, and to have them audited by auditors appointed by the Bank."

APPENDIX B

Environmental, Social, Health and Safety (ESHS)

Metrics for Progress Reports

[Note to Employer: the following metrics may be amended to reflect the Employer's environmental, social, health and safety policies and/or the ESHS requirements of the project. The metrics that are required should be determined by the ESHS risks of the Works and not necessarily by the scale of the Works]

Metrics for regular reporting:

- a. environmental incidents or non-compliances with contract requirements, including contamination, pollution or damage to ground or water supplies;
- b. health and safety incidents, accidents, injuries and all fatalities that require treatment;
- c. interactions with regulators: identify agency, dates, subjects, outcomes (report the negative if none);
- d. status of all permits and agreements:
 - i. work permits: number required, number received, actions taken for those not received;
 - ii. status of permits and consents:
 - list areas/facilities with permits required (quarries, asphalt & batch plants), dates of application, dates issued (actions to follow up if not issued), dates submitted to resident engineer (or equivalent), status of area (waiting for permits, working, abandoned without reclamation, decommissioning plan being implemented, etc.);
 - list areas with landowner agreements required (borrow and spoil areas, camp sites), dates of agreements, dates submitted to resident engineer (or equivalent);

- identify major activities undertaken in each area in the reporting period and highlights of environmental and social protection (land clearing, boundary marking, topsoil salvage, traffic management, decommissioning planning, decommissioning implementation);
- for quarries: status of relocation and compensation (completed, or details of activities and current status in the reporting period).
- e. health and safety supervision:
 - i. safety officer: number days worked, number of full inspections & partial inspections, reports to construction/project management;
- ii. number of workers, work hours, metric of PPE use (percentage of workers with full personal protection equipment (PPE), partial, etc.), worker violations observed (by type of violation, PPE or otherwise), warnings given, repeat warnings given, follow-up actions taken (if any);
- f. worker accommodations:

i. number of expats housed in accommodations, number of locals;

ii. date of last inspection, and highlights of inspection including status of accommodations' compliance with national and local law and good practice, including sanitation, space, etc.;

- iii. actions taken to recommend/require improved conditions, or to improve conditions.
- g. HIV/AIDS: provider of health services, information and/or training, location of clinic, number of non-safety disease or illness treatments and diagnoses (no names to be provided);
- h. gender (for expats and locals separately): number of female workers, percentage of workforce, gender issues raised and dealt with (cross-reference grievances or other sections as needed);

i. training:

i. number of new workers, number receiving induction training, dates of induction training;

ii. number and dates of toolbox talks, number of workers receiving Occupational Health and Safety (OHS), environmental and social training;

- iii.number and dates of HIV/AIDS sensitization and/or training, no. workers receiving training (this reporting period and in the past); same questions for gender sensitization, flag person training.
- iv.number and date of GBV /SEA sensitization and/or training, number of workers receiving training on code of conduct (in the reporting period and in the past), etc.
- j. environmental and social supervision:
 - i. environmentalist: days worked, areas inspected and numbers of inspections of each (road section, work camp, accommodations, quarries, borrow areas, spoil areas, swamps, forest crossings, etc.), highlights of activities/findings (including violations of environmental and/or social best practices, actions taken), reports to environmental and/or social specialist/construction/site management;
 - ii. sociologist: days worked, number of partial and full site inspections (by area: road section, work camp, accommodations, quarries, borrow areas, spoil areas, clinic, HIV/AIDS center, community centers, etc.), highlights of activities (including violations of environmental and/or social requirements observed, actions taken), reports to environmental and/or social specialist/construction/site management; and
 - iii.community liaison person(s): days worked (hours community center open), number of people met, highlights

of activities (issues raised, etc.), reports to environmental and/or social specialist /construction/site management.

- k. *Grievances*: list new grievances (e.g. allegations of GBV / SEA) received in the reporting period and unresolved past grievances by date received, complainant, how received, to whom referred to for action, resolution and date (if completed), data resolution reported to complainant, any required follow-up (Cross-reference other sections as needed):
 - i. Worker grievances;
 - ii. Community grievances
- *l. Traffic and vehicles/equipment:*
 - i. traffic accidents involving project vehicles & equipment: provide date, location, damage, cause, follow-up;
 - accidents involving non-project vehicles or property (also reported under immediate metrics): provide date, location, damage, cause, follow-up;
 - iii. overall condition of vehicles/equipment (subjective judgment by environmentalist); non-routine repairs and maintenance needed to improve safety and/or environmental performance (to control smoke, etc.).

m. *Environmental mitigations and issues (what has been done):*

- i. dust: number of working bowsers, number of waterings/day, number of complaints, warnings given by environmentalist, actions taken to resolve; highlights of quarry dust control (covers, sprays, operational status);
 % of rock/spoil lorries with covers, actions taken for uncovered vehicles;
- ii. erosion control: controls implemented by location, status of water crossings, environmentalist inspections and results, actions taken to resolve issues, emergency repairs needed to control erosion/sedimentation;

- iii. quarries, borrow areas, spoil areas, asphalt plants, batch plants: identify major activities undertaken in the reporting period at each, and highlights of environmental and social protection: land clearing, boundary marking, topsoil salvage, traffic management, decommissioning planning, decommissioning implementation;
- iv. blasting: number of blasts (and locations), status of implementation of blasting plan (including notices, evacuations, etc.), incidents of off-site damage or complaints (cross-reference other sections as needed);
- v. spill cleanups, if any: material spilled, location, amount, actions taken, material disposal (report all spills that result in water or soil contamination;
- vi. waste management: types and quantities generated and managed, including amount taken offsite (and by whom) or reused/recycled/disposed on-site;
- vii. details of tree plantings and other mitigations required undertaken in the reporting period;
- viii. details of water and swamp protection mitigations required undertaken in the reporting period.
- n. compliance:
 - i. compliance status for conditions of all relevant consents/permits, for the Work, including quarries, etc.): statement of compliance or listing of issues and actions taken (or to be taken) to reach compliance;
 - ii. compliance status of C-ESMP/ESIP requirements: statement of compliance or listing of issues and actions taken (or to be taken) to reach compliance
 - iii.compliance status of GBV/SEA prevention and response action plan: statement of compliance or listing of issues and actions taken (or to be taken) to reach compliance

- iv. compliance status of Health and Safety Management Plan re: statement of compliance or listing of issues and actions taken (or to be taken) to reach compliance
- v. Other unresolved issues from previous reporting periods related to environmental and social: continued violations, continued failure of equipment, continued lack of vehicle covers, spills not dealt with, continued compensation or blasting issues, etc. Cross-reference other sections as needed.

Section IX. Particular Conditions of Contract

Except where otherwise specified, all PCC should be filled in by the Employer prior to issuance of the Bidding Documents. Schedules and reports to be provided by the Employer should be annexed.

A. General				
GCC (d)	1.1	The financing institution is: World bank		
GCC (s)	1.1	The Employer is [County Government of Bomet-Kenya climate Smart Agriculture Project		
GCC (v)	1.1	The Intended Completion Date for the whole of the Works shall be $May 2022$		
		The Project Manager is County Project coordinator.		
GCC (aa)	1.1	The Site is located at <i>KONGASIS Ward</i> , <i>Sotik Sub-</i> <i>county Sub-county</i> and is defined in drawings No. <i>[insert numbers]</i>		
GCC (dd)	1.1	The Start Date shall be <i>1stSeptember 2021]</i> .		
GCC (hh)	1.1	The Works consist of SARAMEK water pan Excavation Works		
GCC (ii)	1.1	The following is added as GCC 1.1. (ii) "ESHS" means environmental, social (including sexual exploitation and abuse (SEA) and gender based violence (GBV)), health and safety.		
GCC 2.2		Sectional Completions are: <i>[insert nature and dates, if appropriate]</i>		

GCC 2.3(i)	 The following documents also form part of the Contract: <i>[list the following and any other relevant documents]</i> (i) the ESHS Management Strategies and Implementation Plans; and Code of Conduct (ESHS). 					
GCC 3.1	The language of the contract is <i>English</i> The law that applies to the Contract is the law of <i>Kenya</i>					
GCC 5.1	The Project manager <i>[may or may not]</i> delegate any of his duties and responsibilities.					
GCC 8.1	Schedule of other contractors: [insert Schedule of Other Contractors, if appropriate]					
GCC 9.1	 Key Personnel GCC 9.1 is replaced with the following: 9.1 Key Personnel are the Contractor's personnel named in this GCC 9.1 of the Particular Conditions of Contract. The Contractor shall employ the Key Personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of Key Personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid. [insert the name/s of each Key Personnel agreed by the Employer prior to Contract signature.] 					
GCC 9.2	Code of Conduct (ESHS)					
	The following is inserted at the end of GCC 9.2:					

	"The reasons to remove a person include behavior which breaches the Code of Conduct (ESHS) (e.g. spreading communicable diseases, sexual harassment, gender based violence, (GBV), sexual exploitation or abuse, illicit activity or crime)."				
GCC 13.1	The minimum insurance amounts and deductibles shall be:				
	(a) for loss or damage to the Works, Plant and Materials: <i>[insert amounts]</i> .				
	(b) For loss or damage to Equipment: <i>[insert amounts]</i> .				
	(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract <i>[insert amounts]</i> .				
	(d) for personal injury or death:				
	(i) of the Contractor's employees: <i>[amount]</i> .				
	(ii) of other people: <i>[amount]</i> .				
GCC 14.1	Site Data are: [list Site Data]				
GCC 16.1 (add new 16.2)	ESHS Management Strategies and Implementation Plans The following is inserted as a new sub-clause 16.2:				
	"16.2 The Contractor shall not carry out any Works, including mobilization and/or preconstruction activities (e.g. limited clearance for haul roads, site accesses and work site establishment, geotechnical investigations or investigations to select ancillary features such as quarries and borrow pits), unless the Project Manager is satisfied that appropriate measures are in place to address environmental, social, health and safety risks and impacts. At a minimum, the Contractor shall apply the Management Strategies and				

	Implementation Plans and Code of Conduct, submitted as part of the Bid and agreed as part of the Contract. The Contractor shall submit, on a continuing basis, for the Project Manager's prior approval, such supplementary Management Strategies and Implementation Plans as are necessary to manage the ESHS risks and impacts of ongoing works. These Management Strategies and Implementation Plans collectively comprise the Contractor's Environmental and Social Management Plan (C-ESMP). The C- ESMP shall be approved prior to the commencement of construction activities (e.g. excavation, earth works, bridge and structure works, stream and road diversions, quarrying or extraction of materials, concrete batching and asphalt manufacture). The approved C- ESMP shall be reviewed, periodically (but not less than every six (6) months), and updated in a timely manner, as required, by the Contractor to ensure that it contains measures appropriate to the Works activities to be undertaken. The updated C-ESMP shall be subject to prior approval by the Project Manager."				
GCC 20.1	The Site Possession Date(s) shall be:				
GCC 23.1 & GCC 23.2	Appointing Authority for the Adjudicator:				
GCC 23.2 GCC 24.3	Hourly rate and types of reimbursable expenses to be				
	paid to the Adjudicator:				
GCC 24.4	[For smaller contracts, the institution is usually from the Employer's country. For larger contracts, and contracts that are likely to be awarded to international				

contractors, it is recommended that the arbitration procedure of an international institution]

Institution whose arbitration procedures shall be used:

[For larger contracts with international contractors, it is recommended to select one institution among those listed below; insert the corresponding wording]

"United Nations Commission on International Trade Law (UNCITRAL) Arbitration Rules:

Any dispute, controversy, or claim arising out of or relating to this Contract, or breach, termination, or invalidity thereof, shall be settled by arbitration in accordance with the UNCITRAL Arbitration Rules as at present in force."

or

"Rules of Conciliation and Arbitration of the International Chamber of Commerce (ICC):

All disputes arising in connection with the present Contract shall be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by one or more arbitrators appointed in accordance with said Rules."

or

"Rules of Arbitration Institute of the Stockholm Chamber of Commerce:

Any dispute, controversy, or claim arising out of or in connection with this Contract, or the breach, termination, or invalidity thereof, shall be settled by arbitration in accordance with the Rules of the

	Arbitration Institute of the Stockholm Chamber of Commerce."						
	or						
	"Rules of the London court of International Arbitration:						
	Any dispute arising out of or in connection with this Contract, including any question regarding its existence, validity, or termination shall be referred to and finally resolved by arbitration under the Rules of the London Court of International Arbitration, which rules are deemed to be incorporated by reference to this clause."						
	The place of arbitration shall be: [Insert city and country]						
B. Time Co	ontrol						
GCC 26.1	The Contractor shall submit for approval a Program for the Works within <i>[number]</i> days from the date of the Letter of Acceptance.						
GCC 26.2	ESHS Reporting						
	Inserted at the end of GCC 26.2						
	 "In addition to the progress report the Contractor shall also provide a report on the Environmental, Social, Health and Safety (ESHS) metrics set out in Appendix B. In addition to Appendix B reports, the Contractor shall also provide immediate notification to the Project Manager of incidents in the following categories. Full details of such incidents shall be provided to the Project Manager within the timeframe agreed with the Project Manager. (a) confirmed or likely violation of any law or international agreement; 						
	(b) any fatality or serious (lost time) injury;						

	(c) significant adverse effects or damage to private property (e.g. vehicle accident, damage from fly rock, working beyond the boundary)						
	(d) major pollution of drinking water aquifer or damage or destruction of rare or endangered habitat (including protected areas) or species; or						
	(e) Any allegation of gender based violence (GBV), sexual exploitation or abuse, sexual harassment or sexual misbehavior, rape, sexual assault, child abuse, or defilement, or other violations involving children.						
GCC 26.3	The period between Program updates is <i>[insert number]</i> days.						
	The amount to be withheld for late submission of an updated Program is / J.						
C. Quality Control							
GCC 34.1	The Defects Liability Period is: [180] days.						
	[The Defects Liability Period is usually limited to 12 months, but could be less in very simple cases]						
D. Cost Co	ontrol						
GCC 38.2	At the end of 38.2 add after the first sentence:						
	"The Contractor shall also provide information of any ESHS risks and impacts of the Variation."						
GCC 40	Add new GCC 40.7:						
	"40.7 if the Contractor was, or is, failing to perform any ESHS obligations or work under the Contract, the value of this work or obligation, as determined by the Project Manager, may be withheld until the work or obligation has been performed, and/or the cost of rectification or						

replacement, as determined by the Project Manager, may be withheld until rectification or replacement has been completed. Failure to perform includes, but is not limited to the following:

- failure to comply with any ESHS (i) obligations or work described in the Works' Requirements which may include: working outside site boundaries, excessive dust, failure to keep public roads in a safe usable condition, damage to offsite vegetation, pollution of water courses from oils or sedimentation, contamination of land e.g. from oils, human waste, damage to archeology or cultural heritage features, air pollution as a result of unauthorized and/or inefficient combustion;
- (ii) failure to regularly review C-ESMP and/or update it in a timely manner to address emerging ESHS issues, or anticipated risks or impacts;
- (iii) failure to implement the C-ESMP e.g. failure to provide required training or sensitization;
- (iv) failing to have appropriate consents/permits prior to undertaking Works or related activities;
- (v) failure to submit ESHS report/s (as described in Appendix C), or failure to submit such reports in a timely manner;
- (vi) failure to implement remediation as instructed by the Engineer within the specified timeframe (e.g. remediation addressing non-compliance/s).

GCC 44.1	The currency of the Employer's country is: <i>KSH</i> s					
GCC 45.1	The Contract <i>[insert "is" or "is not"]</i> subject to price adjustment in accordance with GCC Clause 45, and the following information regarding coefficients <i>[specify "does" or "does not"]</i> apply.					
	[Price adjustment is mandatory for contracts which provide for time of completion exceeding 18 months]					
	The coefficients for adjustment of prices are:					
	(a) For currency [insert name of currency]:					
	(i) <i>[insert percentage]</i> percent non adjustable element (coefficient A).					
	 (ii) [insert percentage] percent adjustable element (coefficient B). 					
	(b) For currency [insert name of currency]:					
	(i) <i>[insert percentage]</i> percent non adjustable element (coefficient A).					
	 (ii) [insert percentage] percent adjustable element (coefficient B). 					
	The Index I for local currency shall be <i>[insert index]</i> .					
	The Index I for the specified international currency shall be <i>[insert index]</i> .					
	[These proxy indices shall be proposed by the Contractor, subject to acceptance by the Employer]					
	The Index I for currencies other than the local currency and the specified international currency shall be <i>[insert index]</i> .					
	[These proxy indices shall be proposed by the Contractor, subject to acceptance by the Employer.]					

GCC 46.1	The proportion of payments retained is: <i>[insert percentage]</i>	
	[5 percent]	
GCC 47.1	The liquidated damages for the whole of the Works are / per day. The maximum amount of liquidated damages for the whole of the Works is <i>[insert percentage]</i> of the final Contract Price.	
	[Usually liquidated damages are set between 0.05 percent and 0.10 percent per day, and the total amount is not to exceed between 5 percent and 10 percent of the Contract Price. If Sectional Completion and Damages per Section have been agreed, the latter should be specified here]	
GCC 48.1	The Bonus for the whole of the Works is <i>[insert percentage of final Contract Price]</i> per day. The maximum amount of Bonus for the whole of the Works is <i>[insert percentage]</i> of the final Contract Price.	
	[If early completion would provide benefits to the Employer, this clause should remain; otherwise delete. The Bonus is usually numerically equal to the liquidated damages.]	
GCC 49.1	The Advance Payments shall be: <i>[insert amount(s)]</i> and shall be paid to the Contractor no later than <i>[insert date(s)]</i> .	
GCC 50.1	An Environmental, Social, Safety and Health (ESHS) Performance Security ['shall' or 'shall not', choose either option consistent with the BDS] be provided to the Employer.]	
	[If an ESHS Security is required, replace GCC 50.1 with the following otherwise delete.]	
	"GCC 50.1 is replaced with the following	

The Performance	Security	and	an	Environmental,
Social, Safety and	Health (ES	SHS) F	Perfor	rmance Security
shall be provided	to the En	iploye	er no	later than the
date specified in th	ne Letter o	f Acce	ptar	ice and shall be
issued in an amo	unt specif	ïed in	the	PCC (for GCC
50.1).				

The Performance Security shall be issued by a bank or surety acceptable to the Employer, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The ESHS Performance Security shall be issued by a bank acceptable to the Employer and denominated in the and types proportions of the currencies in which the Contract Price is payable. The Performance Security and, if applicable, the ESHS Performance Security, shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond."

GCC 50.1 The Performance Security amount is *FIVE percent of the contract price, denominated in the types and proportions of the currencies in which the Contract Price is payable, or in a freely convertible currency acceptable to the* Employer

(a) Performance Security – Bank Guarantee: in the amount(s) of *FIVE* percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount.

(b) Performance Security – Performance Bond: in the amount(s) of *FIVE* percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.

[A **Bank Guarantee** shall be unconditional (on demand) (see Section X, Contract Forms). The ESHS Performance Security will normally be in the amount(s)

shall

of between 1% to 3% of the Accepted Contract Amount. The sum of the total "demand guarantees" (Performance Security and ESHS Performance Security) normally not exceed 10% of the Accepted Contract Amount. A **Performance Bond** is an undertaking by a bonding or insurance company (surety) to complete the construction in the event of default by the Contractor, or

to pay the amount of the Bond to the Employer. An amount of 30 percent of the contract price is commonly used internationally for this type of security (see Section X, Contract Forms).]

E. Finishing the Contract

GCC 56.1	The date by which operating and maintenance manuals are required is <i>[insert date]</i> . The date by which "as built" drawings are required is <i>[insert date]</i> .	
GCC 56.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is <i>[insert amount in local currency]</i> .	
GCC 57.2 (g)	The maximum number of days is: [insert number; consistent with Clause 47.1 on liquidated damages].	
GCC 58.1	The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is <i>[insert percentage]</i> .	

Section X - Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.

Table of Forms

Letter of Acceptance	62
Contract Agreement	64
Performance Security (Bank Guarantee)	65
Performance Security (Performance Bond)	68
Environmental, Social, Health and Safety (ESHS) Perfo Security	
Advance Payment Security	73

Letter of Acceptance

[on letterhead paper of the Employer]

..... [date].....

To: [name and address of the Contractor]

Subject: [Notification of Award Contract No].

This is to notify you that your Bid dated for execution of the for execution *identification number, as given in the PCCJ*..... for the Accepted Contract Amount of *[insert amount in numbers and words and name of currency]*, as corrected and modified in accordance with the Instructions to Bidders is hereby accepted by our Agency.

You are requested to furnish the Performance Security and an Environmental, Social, Health and Safety Performance Security *[Delete ESHS Performance Security if it is not required under the contract]* within 28 days in accordance with the Conditions of Contract, using for that purpose the of the Performance Security Form and the ESHS Performance Security Form, *[Delete reference to the ESHS Performance Security Form if it is not required under the contract]* included in Section X - Contract Forms, of the bidding document.

[Choose one of the following statements:]

We accept that ______ *[insert the name of Adjudicator proposed by the Bidder]* be appointed as the Adjudicator.

[**or**]

We do not accept that _______[insert the name of the Adjudicator proposed by the Bidder] be appointed as the Adjudicator, and by sending a copy of this Letter of Acceptance to ________[insert name of the Appointing Authority], the Appointing Authority, we are hereby requesting such Authority to appoint the Adjudicator in accordance with ITB 43.1 and GCC 23.1.

Authorized Signature:
Name and Title of Signatory:
Name of Agency:
Attachment: Contract Agreement

Contract Agreement

WHEREAS the Employer desires that the Works known as **[name of the Contract]**.should be executed by the Contractor, and has accepted a Bid by the Contractor for the execution and completion of these Works and the remedying of any defects therein,

The Employer and the Contractor agree as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.

(a) the Letter of Acceptance

(b) the Letter of Bid

(c) the addenda Nos _____(if any)

(d) the Particular Conditions

(e) the General Conditions of Contract, including Appendices;

(f) the Specification

(g) the Drawings

(h)Bill of Quantities; 32 and

(i) any other document **listed in the PCC** as forming part of the Contract;

3. In consideration of the payments to be made by the Employer to the Contractor as specified in this Agreement, the Contractor hereby covenants with the Employer to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of *[name of the borrowing country]*. on the day, month and year specified above.

Signed by:	Signedby:
for and on behalf of the Employer	for and on behalf the Contractor
in the	in the
presence	presence
of:	of:
Witness, Name, Signature,	Witness, Name, Signature,
Address, Date	Address, Date

Performance Security (Bank Guarantee)

Option 1: (Bank Guarantee)

[Guarantor letterhead or SWIFT identifier code]

Beneficiary:

[insert name and Address of Employer]

Date:

[Insert date of issue]

PERFORMANCE GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that _ [insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture] (hereinafter called "the Applicant") has entered into Contract No. [insert reference number of the contract] dated [insert date] with the Beneficiary, for the execution of _ [insert name of contract and brief description of Works] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures]* (_____) *[insert amount in words]*,¹ such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire, no later than the Day of, 2... ², and any demand for payment under it must be received by us at this office indicated above on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.

[signature(s)]

Performance Security (Performance Bond)

Option 2: Performance Bond

By this Bond *[insert name of Principal]* as Principal (hereinafter called "the Contractor") and *[insert name of Surety]* as Surety (hereinafter called "the Surety"), are held and firmly bound unto *[insert name of Employer]* as Obligee (hereinafter called "the Employer") in the amount of *[insert amount in words and figures]*, for the payment of which sum well and truly to be made in the types and proportions of currencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Contractor has entered into a written Agreement with the Employer dated the _ day of ____, 20 _, for *[name of contract and brief description of Works]* in accordance with the documents, plans, specifications, and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract.

NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Employer to be, in default under the Contract, the Employer having performed the Employer's obligations thereunder, the Surety may promptly remedy the default, or shall promptly:

- (1) Complete the Contract in accordance with its terms and conditions; or
- (2) obtain a Bid or bids from qualified Bidders for submission to the Employer for completing the Contract in accordance with its terms and conditions, and upon determination by the Employer and the Surety of the lowest responsive

Bidder, arrange for a Contract between such Bidder and Employer and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Employer to Contractor under the Contract, less the amount properly paid by Employer to Contractor; or

(3) pay the Employer the amount required by Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

The Surety shall not be liable for a greater sum than the specified penalty of this Bond.

Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate.

No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein or the heirs, executors, administrators, successors, and assigns of the Employer.

In testimony whereof, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative, this _____ day of _____ 20

By	in the capacity of		
In the presence of			
SIGNED ON	on behalf of		
By	in the capacity of		
In the presence of			

Environmental, Social, Health and Safety (ESHS) Performance Security

ESHS Demand Guarantee

[Guarantor letterhead or SWIFT identifier code]

Beneficiary: *[insert name and Address of* Employer*]*

Date: _ [Insert date of issue]

ESHS PERFORMANCE GUARANTEE No.: [Insert guarantee reference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that ______ (hereinafter called "the Applicant") has entered into Contract No. ______ dated ______ with the Beneficiary, for the execution of ______ (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of ______ (_____),¹ such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its Environmental, Social, Health and/or Safety (ESHS) obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire, no later than the Day of, 2... ², and any demand for payment under it must be received by us at this office indicated above on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.

[signature(s)]

Advance Payment Security

[Guarantor letterhead or SWIFT identifier code]

Beneficiary: *[Insert name and Address of* Employer*]*

Date: [Insert date of issue]

ADVANCE PAYMENT GUARANTEE No.: [Insertguaranteereference number]

Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead]

We have been informed that *[insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture]* (hereinafter called "the Applicant") has entered into Contract No. *[insert reference number of the contract]* dated *[insert date]* with the Beneficiary, for the execution of *[insert name of contract and brief description of* Works*]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum 10%] () [insert amount in words] is to be made against an advance payment guarantee.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of *[insert amount in figures]* () *[insert amount in words]*¹ upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the Applicant: (a) has used the advance payment for purposes other than the costs of mobilization in respect of the Works; or

(b) has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.

A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Applicant on its account number *[insert number]* at *[insert name and address of Applicant's bank]*.

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Applicant as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the *[insert day]* day of *[insert month]*, 2 *[insert year]*,² whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.

[signature(s)]

SAMPLE FORMAT:

Invitation for Bids

KENYA PROPOSED EXCAVATION WORKS FOR SARAMEK WATER PAN AT KONGASIS WARD, CHEPALUNGU- SUB COUNTY IN BOMET COUNTY

Loan	No./Credit	No./	Grant
No.:KE5594	·	-	

Contract Title: PROPOSED EXCAVATION WORKS FOR SARAMEK WATER PAN AT KONGASIS WARD CHEPALUNGU SUB-COUNTY IN BOMET COUNTY

Reference No. (as per Procurement Plan):KCSAP

1. The *GOVERNMENT OF KENYA has received* financing from the World Bank toward the cost of the KCSAP, and intends to apply part of the proceeds toward payments under the contract ³³for **PROPOSED EXCAVATION WORKS FOR SARAMEK WATER PAN AT KONGASIS WARD CHEPALUNGU SUB -COUNTY IN BOMET COUNTY**

•³⁴.

2. The **BOMET COUNT**Y now invites sealed bids from eligible bidders for **PROPOSED EXCAVATION WORKS FOR SARAMEK WATER PAN AT KONGASIS WARD, CHEPALUNGU SUB-COUNTY IN BOMET COUNTY**

*.]*³⁵.

3. Bidding will be conducted through the National Competitive Bidding procedures as specified in the World Bank's <u>Guidelines:</u> <u>Procurement of Goods, Works and Non-Consulting Services under</u> <u>IBRD Loans and IDA Credits & Grants by World Bank Borrowers</u> [insert correct title and date of applicable Guidelines edition as per legal agreement] ("Procurement Guidelines"), and is open to all eligible bidders as defined in the Procurement Guidelines. In addition, please refer to paragraphs 1.6 and 1.7 setting forth the World Bank's policy on conflict of interest.

4. Interested eligible bidders may obtain further information from KCSAP OFFICES BOMET COUNTY, and **kenduiwaj@gmail.com** or ,inspect the bidding documents during office hours btw 8.00hrs and 5.00hrs(Mon-Friday) at the address given below P.O BOX 27 BOMET³⁶.

5. A complete set of bidding documents in **ENGLISH** may be collected by interested eligible bidders upon the submission of a written application to the address below free of charge and should submit for registration and Should be serialized and paginated 1,2,3,4......³⁷ The document will be sent by Original Document.³⁸

6. Bids must be delivered to the address below at KCSAP Block: at the Tender Box³⁹ on or before **Friday 13th, August, 2021 at 1200hrs** Electronic bidding will *[will not]* be permitted. Late bids will be rejected. Bids will be publicly opened in the presence of the bidders' designated representatives and anyone who choose to attend at the address below **Kcsap Block next to county commissioner offices** on **Friday 13th, August, 2021 at 1200hrs**.

7. All bids must be accompanied by a *"Bid Security"* or *"Bid-Securing Declaration,"* as appropriate of Ksh.300,000 in case of a *Bid Security.*

8. The address(es) referred to above is *P.O BOX 27-BOMET*, KENYA.

Kcsap Block. At 1200hrs. Attn: [Kenduiwa K Julius,County Project Coordinator] P.O BOX 27, BOMET, KENYA Tel: 0717329295 Fax: -E-mail: **kenduiwaj@gmail.com** Web site: -Validity of Tender:120 Days